

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau




(43) International Publication Date
4 September 2003 (04.09.2003)

PCT

(10) International Publication Number
WO 03/072041 A2

- (51) International Patent Classification⁷: **A61K** NJ 07065-0907 (US). **SIMON, Adam, J.** [US/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US).
- (21) International Application Number: PCT/US03/05458 **ZUCK, Paul, D.** [US/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US).
- (22) International Filing Date: 23 February 2003 (23.02.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
60/360,274 27 February 2002 (27.02.2002) US
- (71) Applicant (for all designated States except US): **MERCK & CO., INC.** [US/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): **ESPESETH, Amy, S.** [US/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US). **FERRER, Marc** [ES/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US). **FLORES, Osvaldo, A.** [CL/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US). **HAZUDA, Daria, J.** [US/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US). **INGLESE, James** [US/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US). **MILLER, Michael, D.** [US/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US). **REGISTER, Bruce** [US/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US). **SHI, Xiao-Ping** [US/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:
— without international search report and to be republished upon receipt of that report
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: ASSAYS TO MONITOR AMYLOID PRECURSOR PROTEIN PROCESSING



(57) Abstract: The present invention provides DNA constructs, genetically engineered host cells, and methods for identifying inhibitors of amyloid precursor protein (APP) processing. The methods provide for the convenient identification, in a single assay, of inhibitors of β -secretase and γ -secretase as well as other forms of APP processing. The methods rely on fusion proteins of APP and transcription factors in which APP processing releases the transcription factors, allowing the transcription factors to activate transcription of a reporter gene. Inhibitors are identified as substances that block or diminish transcription factor release from the fusion protein, thereby causing a diminution of reporter gene readout.

WO 03/072041 A2

BEST AVAILABLE COPY

TITLE OF THE INVENTION
ASSAYS TO MONITOR AMYLOID PRECURSOR PROTEIN PROCESSING

CROSS-REFERENCE TO RELATED APPLICATIONS

5 This application claims the benefit of U.S. Provisional Application No. 60/360,274, filed February 27, 2002, the contents of which are incorporated herein by reference in their entirety.

STATEMENT REGARDING FEDERALLY-SPONSORED R&D

10 Not applicable.

REFERENCE TO MICROFICHE APPENDIX

Not applicable.

15 FIELD OF THE INVENTION

 The present invention is directed to the field of Alzheimer's disease. In particular, the present invention provides novel methods of identifying substances that are specific inhibitors of various steps in the processing of amyloid precursor protein.

20

BACKGROUND OF THE INVENTION

 Alzheimer's disease is a common, chronic neurodegenerative disease, characterized by a progressive loss of memory and sometimes severe behavioral abnormalities, as well as an impairment of other cognitive functions that often leads to dementia and death. It ranks as the fourth leading cause of death in industrialized societies after heart disease, cancer, and stroke. The incidence of Alzheimer's disease is high, with an estimated 2.5 to 4 million patients affected in the United States and perhaps 17 to 25 million worldwide. Moreover, the number of sufferers is expected to grow as the population ages.

25

30 A characteristic feature of Alzheimer's disease is the presence of large numbers of insoluble deposits, known as amyloid plaques, in the brains of those affected. Autopsies have shown that amyloid plaques are found in the brains of virtually all Alzheimer's patients and that the degree of amyloid plaque deposition correlates with the degree of dementia (Cummings & Cotman, 1995, Lancet

326:1524-1587). While some opinion holds that amyloid plaques are a late stage by-product of the disease process, the consensus view is that amyloid plaques are more likely to be intimately, and perhaps causally, involved in Alzheimer's disease.

A variety of experimental evidence supports this view. For example,
5 A β , a primary component of amyloid plaques, is toxic to neurons in culture and transgenic mice that overproduce A β in their brains show significant deposition of A β into amyloid plaques as well as significant neuronal toxicity (Yankner, 1990, Science 250:279-282; Mattson et al., 1992, J. Neurosci. 12:379-389; Games et al., 1995, Nature 373:523-527; LaFerla et al., 1995, Nature Genetics 9:21-29). Mutations in the
10 APP gene, leading to increased A β production, have been linked to heritable forms of Alzheimer's disease (Goate et al., 1991, Nature 349:704-706; Chartier-Harlin et al., 1991, Nature 353:844-846; Murrell et al., 1991, Science 254:97-99; Mullan et al., 1992, Nature Genetics 1:345-347). Presenilin-1 (PS1) and presenilin-2 (PS2) related familial early-onset Alzheimer's disease (FAD) shows disproportionately increased
15 production of A β 1-42, the 42 amino acid isoform of A β , as opposed to A β 1-40, the 40 amino acid isoform (Scheuner et al, 1996, Nature Medicine 2:864-870). The longer isoform of A β is more prone to aggregation than the shorter isoform (Jarrett et al, 1993, Biochemistry 32:4693-4697). Injection of the insoluble, fibrillar form of A β into monkey brains results in the development of pathology (neuronal destruction, tau
20 phosphorylation, microglial proliferation) that closely mimics Alzheimer's disease in humans (Geula et al., 1998, Nature Medicine 4:827-831). See Selkoe, 1994, J. Neuropathol. Exp. Neurol. 53:438-447 for a review of the evidence that amyloid plaques have a central role in Alzheimer's disease.

A β , a 39-43 amino acid peptide derived by proteolytic cleavage of the
25 amyloid precursor protein (APP), is the major component of amyloid plaques (Glenner & Wong, 1984, Biochem. Biophys. Res. Comm. 120:885-890). APP is actually a family of polypeptides produced by alternative splicing from a single gene. Major forms of APP are known as APP695, APP751, and APP770, with the subscripts referring to the number of amino acids in each splice variant (Ponte et al.,
30 1988, Nature 331:525-527; Tanzi et al., 1988, Nature 331:528-530; Kitaguchi et al., 1988, Nature 331:530-532). APP is membrane bound and undergoes proteolytic cleavage by at least two pathways. In one pathway, cleavage by an enzyme known as α -secretase occurs while APP is still in the trans-Golgi secretory compartment (Kuentzel et al., 1993, Biochem. J. 295:367-378). This cleavage by α -secretase

occurs within the A β portion of APP, thus precluding the formation of A β . In another proteolytic pathway, cleavage of the Met596-Asp597 bond (numbered according to the 695 amino acid protein) by an enzyme known as β -secretase occurs. This cleavage by β -secretase generates the N-terminus of A β . The C-terminus is formed
5 by cleavage by a second enzyme known as γ -secretase. The C-terminus is actually a heterogeneous collection of cleavage sites rather than a single site since γ -secretase activity occurs over a short stretch of APP amino acids rather than at a single peptide bond. Peptides of 40 or 42 amino acids in length (A β 1-40 and A β 1-42, respectively) predominate among the C-termini generated by γ -secretase. A β 1-42 is more prone to
10 aggregation than A β 1-40, is the major component of amyloid plaque (Jarrett et al., 1993, Biochemistry 32:4693-4697; Kuo et al., 1996, J. Biol. Chem. 271:4077-4081), and its production is closely associated with the development of Alzheimer's disease (Sinha & Lieberburg, 1999, Proc. Natl. Acad. Sci. USA 96:11049-11053). The bond cleaved by γ -secretase appears to be situated within the transmembrane domain of
15 APP. It is unclear as to whether the C-termini of A β 1-40 and A β 1-42 are generated by a single γ -secretase protease with sloppy specificity or by two distinct proteases. For a review that discusses APP and its processing, see Selkoe, 1998, Trends Cell. Biol. 8:447-453.

Much interest has focused on the possibility of inhibiting the
20 development of amyloid plaques as a means of preventing or ameliorating the symptoms of Alzheimer's disease. To that end, a promising strategy is to inhibit the activity of β - and γ -secretase, the two enzymes that together are responsible for producing A β . This strategy is attractive because, if the formation of amyloid plaques as a result of the deposition of A β is a cause of Alzheimer's disease, inhibiting the
25 activity of one or both of the two secretases would intervene in the disease process at an early stage, before late-stage events such as inflammation or apoptosis occur. Such early stage intervention is expected to be particularly beneficial (see, *e.g.*, Citron, 2000, Molecular Medicine Today 6:392-397).

To that end, various assays have been developed that are directed to the
30 identification of compounds that may interfere with the production of A β or its deposition into amyloid plaques. U.S. Patent No. 5,441,870 is directed to methods of monitoring the processing of APP by detecting the production of amino terminal fragments of APP. U.S. Patent No. 5,605,811 is directed to methods of identifying inhibitors of the production of amino terminal fragments of APP. U.S. Patent No.

5,593,846 is directed to methods of detecting soluble A β by the use of binding substances such as antibodies. Esler et al., 1997, *Nature Biotechnology* 15:258-263 described an assay that monitored the deposition of A β from solution onto a synthetic analogue of an amyloid plaque. The assay was suitable for identifying compounds
5 that could inhibit the deposition of A β . However, this assay is not suitable for identifying substances, such as inhibitors of β - or γ -secretase, that would prevent the formation of A β .

Various groups have cloned and sequenced cDNA encoding a protein that is believed to be β -secretase (Vassar et al., 1999, *Science* 286:735-741; Hussain
10 et al., 1999, *Mol. Cell. Neurosci.* 14:419-427; Yan et al., 1999, *Nature* 402:533-537; Sinha et al., 1999, *Nature* 402:537-540; Lin et al., 2000, *Proc. Natl. Acad. Sci. USA* 97:1456-1460) but the identity of γ -secretase has been more elusive. A pair of proteins known as presenilin-1 and presenilin-2 are viewed as possible candidates (Selkoe & Wolfe, 2000, *Proc. Natl. Acad. Sci. USA* 97:5690-5692).

15 Presenilin-1 (PS1) and presenilin-2 (PS2) are polytopic membrane proteins that are involved in γ -secretase-mediated processing of APP. The most common cause of familial early-onset Alzheimer's disease is the autosomal dominant inheritance of assorted mutations in the PS1 gene (Sherrington et al., 1995, *Nature* 375:754-760). These PS1 mutations lead to increased production of A β 1-42
20 (Scheuner et al., 1996, *Nature Medicine* 2:864-870; Duff et al., 1996, *Nature* 383:710-713; Borchelt et al., 1996, *Neuron* 17:1005-1013). Similarly, certain mutations in PS2 cause familial early-onset Alzheimer's disease and increased generation of A β 42 (Levy-Lahad et al., 1995, *Science* 269:970-973). Cultured isolated neurons from PS1-deficient mice exhibit reduced γ -secretase-mediated
25 cleavage of APP (De Strooper et al., 1998, *Nature* 391:387-390). It was suggested that PS1 might influence trafficking of APP and/or γ -secretase or it might play a more direct role in proteolytic cleavage of APP. Directed mutagenesis of two conserved transmembrane-situated aspartates in PS1 was shown to inactivate γ -secretase activity in cellular assays, suggesting that PS1 is either a required diasparyl cofactor for γ -
30 secretase or is itself γ -secretase (Wolfe et al., 1999, *Nature* 398:513-517). Moreover, Li et al., 2000, *Nature* 405:689-694 made photoactivatable derivatives of a highly specific and potent aspartyl protease transition state analog inhibitor and found that the inhibitor selectively labeled presenilin fragments.

Co-immunoprecipitation experiments have shown that PS1 and PS2 interact directly with the immature forms of APP in the endoplasmic reticulum where the disease-associated amyloid A β 1-42 peptide is probably generated (Xia et al., 1997 Proc. Natl. Acad. Sci. USA 94:8208-8213; Weidemann et al., 1997, Nat. Med. 3:328-332). Knock-out of PS1 activity greatly diminishes γ -secretase cleavage of APP (De Strooper et al., 1998, Nature 391:387-390). PS1 knock-outs do not exhibit total lack of γ -secretase activity but knock-out of both PS1 and PS2 activity does result in a total loss of γ -secretase activity (Herreman et al., 2000, Nat. Cell. Biol. 2:461-462; Zhang et al., 2000, Nat. Cell Biol. 2:463-465), suggesting that PS2 has a similar function to PS1 in the processing of APP.

Karlström et al., (Journal of Biological Chemistry papers in press, published on December 13, 2001 as Manuscript C100649200) describes an assay designed specifically to identify inhibitors of γ -secretase cleavage of APP. The authors inserted the GAL4 DNA binding domain fused to the VP16 transactivation domain into C99, a portion of APP containing the 99 carboxy-terminal amino acids. This fragment of APP contains the γ -secretase cleavage site but lacks the β -secretase cleavage site. Transfection of a UAS reporter plasmid by GAL4-VP16 confirmed cleavage of the Gal4-VP16/C99 substrate by γ -secretase only. Thus, the assay is capable of detecting γ -secretase inhibitors but not inhibitors of β -secretase or other modulators of APP processing requiring the N-terminal domain of APP.

Cao & Südhoff, 2001, Science 293:115-120 described work in which the GAL4 and LexA DNA binding domains were inserted into APP to demonstrate the potential of the cleaved C-terminus of APP for transcriptional co-activation. In this article, a transcriptional factor was not fused to APP and no attempt was made to develop an assay for the identification of APP processing inhibitors.

Sisodia, 1992, Proc. Natl. Acad. Sci. USA 89:6975-6979 described various changes in the amino acid sequence of APP in the region of the α -secretase cleavage site and the effect of those changes on cleavage by α -secretase. A change of K to V at position 612 of the 695 amino acid version of APP led to reduced cleavage by α -secretase.

U.S. Patent No. 6,333,167 B1 discloses an assay involving DNA constructs encoding portions of membrane proteins containing sites that are susceptible to cleavage by proteases that are fused to transcriptional repressors. Such constructs are introduced into cells that contain a reporter gene under the control of a

promoter that is sensitive to the repressor. In the absence of an inhibitor of the protease, the fusion protein is cleaved by the protease, releasing a membrane protein/repressor fusion protein that translocates to the nucleus and represses transcription from the reporter gene. In the presence of an inhibitor of the protease,
5 the membrane protein/repressor fusion protein is not released and thus cannot repress transcription from the reporter. An increase in reporter expression can therefore be used as a readout for the presence of an inhibitor.

SUMMARY OF THE INVENTION

10 The present invention is directed to methods of identifying inhibitors of the processing of amyloid precursor protein (APP) that are capable of identifying inhibitors of a number of steps of such processing. Unlike prior methods, the methods of the present invention can be used to screen for inhibitors of β -secretase cleavage, γ -secretase cleavage, APP extracellular signaling, or APP cytoplasmic signaling in a
15 single assay.

The methods employ a recombinant eukaryotic cell that is capable of processing APP. The cell has been engineered to express a fusion protein that contains amino acid sequences encompassing both the β -secretase cleavage site of APP and the γ -secretase cleavage site. The fusion protein also contains a transcription
20 factor fused in frame to the APP sequences.

When the recombinant cell is further engineered to contain a reporter gene, in which transcription of the reporter gene is driven by a regulatory DNA sequence that is inactive in the absence of the transcription factor but active in the transcription factor's presence, a system useful for screening for APP processing
25 inhibitors is provided. Since the recombinant cell has been selected so as to be capable of processing APP, the fusion protein will be processed, releasing the transcription factor and activating transcription of the reporter gene. The reporter gene has been preselected so that activation of the reporter gene leads to a detectable phenotype.

30 The system is utilized by exposing the recombinant cell to substances that are to be tested for the ability to inhibit APP processing. Those substances that are actually inhibitors of APP processing will cause diminished processing of the fusion protein, leading to smaller amounts of the transcription factor being released.

This leads to less transcription of the reporter gene. This results in a decrease in the phenotypic effect of the reporter gene that can be observed.

BRIEF DESCRIPTION OF THE DRAWINGS

5 Figure 1A-G shows a schematic diagram of several APP/transcription factor fusion constructs.

Figure 2A-B shows the DNA sequence (SEQ ID NO:1) of the fusion protein APP(1-651)SW, K612V-TATexonI(M1L) APP (664-695).

10 Figure 3 shows the amino acid sequence (SEQ ID NO:2) of the fusion protein APP(1-651)SW, K612V-TATexonI(M1L) APP (664-695) with the various different regions of the fusion protein demarcated. 1 = amino acids 1-651 of APP; 2 = region of β -secretase cleavage; 3 = K612V mutation; 4 = region of γ -secretase cleavage; 5 = linker; 6 = TAT exon I; 7 = linker; 8 = amino acids 664-695 of APP.

15 Figure 4A-B shows the DNA sequence (SEQ ID NO:3) of the fusion protein APP(1-651)wt, K612V-TATexonI(M1L) APP (664-695).

20 Figure 5 shows the amino acid sequence (SEQ ID NO:4) of the fusion protein APP(1-651)wt, K612V-TATexonI(M1L) APP (664-695) with the various different regions of the fusion protein demarcated. 1 = amino acids 1-651 of APP; 2 = region of β -secretase cleavage; 3 = K612V mutation; 4 = region of γ -secretase cleavage; 5 = linker; 6 = TAT exon I; 7 = linker; 8 = amino acids 664-695 of APP.

Figure 6A-C shows the DNA sequence (SEQ ID NO:5) of the fusion protein APP(1-651)SW, K612V, GAL4-VP16(delMet) APP (664-695).

25 Figure 7 shows the amino acid sequence (SEQ ID NO:6) of the fusion protein APP(1-651)SW, K612V, GAL4-VP16(delMet) APP (664-695) with the various different regions of the fusion protein demarcated. 1 = amino acids 1-651 of APP; 2 = region of β -secretase cleavage; 3 = K612V mutation; 4 = region of γ -secretase cleavage; 5 = linker; 6 = GAL4-VP16; 7 = linker; 8 = amino acids 664-695 of APP.

30 Figure 8A-C shows the DNA sequence (SEQ ID NO:7) of the fusion protein APP(1-651)wt, K612V, GAL4-VP16(del Met) APP (664-695).

Figure 9 shows the amino acid sequence (SEQ ID NO:8) of the fusion protein APP(1-651)wt, K612V, GAL4-VP16(del Met) APP (664-695) with the various different regions of the fusion protein demarcated. 1 = amino acids 1-651 of APP; 2 = region of β -secretase cleavage; 3 = K612V mutation; 4 = region of γ -

secretase cleavage; 5 = linker; 6 = GAL4-VP16; 7 = linker; 8 = amino acids 664-695 of APP.

Figure 10A-B shows the DNA sequence (SEQ ID NO:9) of the fusion protein APP(1-651)SW, TATexonI(M1L) APP (664-695).

5 Figure 11 shows the amino acid sequence (SEQ ID NO:10) of the fusion protein APP(1-651)SW, TATexonI(M1L) APP (664-695) with the various different regions of the fusion protein demarcated. 1 = amino acids 1-651 of APP; 2 = region of β -secretase cleavage; 3 = wild-type K at position 612; 4 = region of γ -secretase cleavage; 5 = linker; 6 = TAT exon I; 7 = linker; 8 = amino acids 664-695 of
10 APP.

Figure 12A-B shows the DNA sequence (SEQ ID NO:11) of the fusion protein APP(1-651)wt, TATexonI(M1L) APP (664-695).

Figure 13 shows the amino acid sequence (SEQ ID NO:12) of the fusion protein APP(1-651)wt, TATexonI(M1L) APP (664-695) with the various
15 different regions of the fusion protein demarcated. 1 = amino acids 1-651 of APP; 2 = region of β -secretase cleavage; 3 = wild-type K at position 612; 4 = region of γ -secretase cleavage; 5 = linker; 6 = TAT exon I; 7 = linker; 8 = amino acids 664-695 of
APP.

Figure 14A-C shows the DNA sequence (SEQ ID NO:13) of the fusion
20 protein APP(1-651)SW, GAL4-VP16(delMet) APP (664-695).

Figure 15 shows the amino acid sequence (SEQ ID NO:14) of the fusion protein APP(1-651)SW, GAL4-VP16(delMet) APP (664-695) with the various different regions of the fusion protein demarcated. 1 = amino acids 1-651 of APP; 2 = region of β -secretase cleavage; 3 = wild-type K at position 612; 4 = region of γ -secretase cleavage; 5 = linker; 6 = GAL4-VP16; 7 = linker; 8 = amino acids 664-695
25 of APP.

Figure 16A-C shows the DNA sequence (SEQ ID NO:15) of the fusion protein APP(1-651)wt, GAL4-VP16(delMet) APP (664-695).

Figure 17 shows the amino acid sequence (SEQ ID NO:16) of the
30 fusion protein APP(1-651)wt, GAL4-VP16(delMet) APP (664-695) with the various different regions of the fusion protein demarcated. 1 = amino acids 1-651 of APP; 2 = region of β -secretase cleavage; 3 = wild-type K at position 612; 4 = region of γ -secretase cleavage; 5 = linker; 6 = GAL4-VP16; 7 = linker; 8 = amino acids 664-695 of APP.

Figure 18A-B shows the cDNA sequence (SEQ ID NO:17) and Figure 18C shows the amino acid sequence (SEQ ID NO:18) of the 695 amino acid splice variant of wild-type Alzheimer's precursor protein (APP). See GenBank accession no. Y00264 and Kang et al., 1987, Nature 325:733-736.

5 Figure 19 shows data from an embodiment in which the assay of the present invention was used to identify both a β -secretase inhibitor and a γ -secretase inhibitor. See Example 3 for details.

Figure 20 shows a schematic diagram of pCR2.1 Gal4-VP16.

10 Figure 21A shows a schematic diagram of pRBR121. Figure 21B shows a schematic diagram of pcDNA3.1 zeo (+) APP(1-651)SW, K612V-TATexonI(M1L) APP (664-695).

15 Figure 22A shows a schematic diagram of pRBR186. Figure 22B shows a schematic diagram of the viral plasmid pNL4-3. Figure 22C shows a schematic diagram of pcDNA3.1 zeo (+) APP(1-651)SW, K612V-TATexonI(M1L) APP (664-695) with additional details as compared to Figure 21B, which shows the same plasmid.

Figure 23 shows a schematic diagram of pRSV Kan/Neo res.

Figure 24 shows a schematic diagram of pUCd5TAT.

20 Figure 25A shows a schematic diagram of pMM321. Figure 25B-D shows the nucleotide sequence of pMM321. The upper strand is SEQ ID NO:19. The lower strand (SEQ ID NO:20) is the reverse complement of SEQ ID NO:19.

25 Figure 26A shows a schematic diagram of the expression vector pcDNA3.1 zeo (+)APP(1-651)SW, K612V-(M1L)TATexonI. This expression vector directs the expression of a fusion protein containing the first 651 amino acids of APP with the Swedish version of the β -secretase cleavage site and the K612V mutation fused to the first exon of HIV1 TAT. The methionine at position 1 of TAT has been changed to leucine. Figure 26B-G shows the nucleotide sequence of pcDNA3.1 zeo (+)APP(1-651)SW, K612V-(M1L)TATexonI. The upper strand is SEQ ID NO:21. The lower strand (SEQ ID NO:22) is the reverse complement of SEQ ID NO:21.

30 Figure 27A-B shows a schematic diagram depicting general features of the present invention. Figure 27A: The vertical bar represents a fusion protein with APP sequences represented as unfilled or lightly shaded portions of the bar. The lightly shaded portion represents A β . "BACE" indicates the β -secretase cleavage site. The dark shaded portion represents the transcription factor fused between APP

sequences. The horizontal bar represents a membrane in which the uncleaved fusion protein is embedded, e.g., the endoplasmic reticulum. Figure 27B: The transcription factor (plus small amounts of APP), having been released from the fusion protein and thus the membrane by APP processing, is shown in the nucleus binding to and
 5 activating the regulatory DNA sequence ("Transcription Factor Response Element") that controls the expression of the reporter gene.

Figure 28A-B shows the DNA sequence (SEQ ID NO:23) of the fusion protein APP(1-651)NFEV, K612V-TATexonI(M1L) APP (664-695).

Figure 29 shows the amino acid sequence of a fusion protein (APP(1-
 10 651)NFEV, K612V-TATexonI(M1L) APP (664-695)) (SEQ ID NO:24) containing the sequence NFEV at the β -secretase cleavage site (underlined at 2). The other portions of the fusion protein are indicated as follows: 1 = amino acids 1-651 of APP; 2 = region of β -secretase cleavage; 3 = K612V mutation; 4 = region of γ -secretase cleavage; 5 = linker; 6 = TAT exon I; 7 = linker; 8 = amino acids 664-695 of APP.

Figure 30A-C shows the DNA sequence (SEQ ID NO:25) of the fusion
 15 protein APP(1-651)NFEV, K612V, GAL4-VP16(delMet) APP (664-695).

Figure 31 shows the amino acid sequence of a fusion protein (APP(1-
 20 651)NFEV, K612V, GAL4-VP16(delMet) APP (664-695)) (SEQ ID NO:26) containing the sequence NFEV at the β -secretase cleavage site (underlined at 2). The other portions of the fusion protein are indicated as follows: 1 = amino acids 1-651 of APP; 2 = region of β -secretase cleavage; 3 = K612V mutation; 4 = region of γ -secretase cleavage; 5 = linker; 6 = GAL4-VP16; 7 = linker; 8 = amino acids 664-695 of APP.

Figure 32A shows a schematic diagram of pcDNA3.1 zeo (+), a
 25 eukaryotic expression vector that is suitable for use in the present invention. Figure 32B-F shows the nucleotide sequence of pcDNA3.1 zeo (+). The upper strand is SEQ ID NO:27. The lower strand (SEQ ID NO:28) is the reverse complement of SEQ ID NO:27.

Figure 33 shows data from an embodiment of the present invention
 30 utilizing a β -galactosidase reporter gene in which the assay of the present invention was used to identify both a β -secretase inhibitor and a γ -secretase inhibitor. See Example 8 for details.

Figure 34 shows data from an embodiment of the present invention in which a fusion protein having a wild-type β -secretase cleavage site and a fusion

protein having a Swedish β -secretase cleavage site are compared. See Example 9 for details.

Figure 35A-B shows the DNA sequence (SEQ ID NO:29) of the fusion protein APP(1-651)NFEV, TATexonI(M1L) APP (664-695).

5 Figure 36 shows the amino acid sequence of a fusion protein (APP(1-651)NFEV, TATexonI(M1L) APP (664-695)) (SEQ ID NO:30) containing the sequence NFEV at the β -secretase cleavage site (underlined at 2) and a wild-type K at position 612 (underlined at 3). The other portions of the fusion protein are indicated as follows: 1 = amino acids 1-651 of APP; 2 = region of β -secretase cleavage; 3 =
10 wild-type K; 4 = region of γ -secretase cleavage; 5 = linker; 6 = TAT exon I; 7 = linker; 8 = amino acids 664-695 of APP.

Figure 37A-C shows the DNA sequence (SEQ ID NO:31) of the fusion protein APP(1-651)NFEV, GAL4-VP16(delMet) APP (664-695).

15 Figure 38 shows the amino acid sequence of a fusion protein (APP(1-651)NFEV, GAL4-VP16(delMet) APP (664-695)) (SEQ ID NO:32) containing the sequence NFEV at the β -secretase cleavage site (underlined at 2) and a wild-type K at position 612 (underlined at 3). The other portions of the fusion protein are indicated as follows: 1 = amino acids 1-651 of APP; 2 = region of β -secretase cleavage; 3 =
wild-type K; 4 = region of γ -secretase cleavage; 5 = linker; 6 = GAL4-VP16; 7 =
20 linker; 8 = amino acids 664-695 of APP.

DETAILED DESCRIPTION OF THE INVENTION

For the purposes of this invention:

25 A "fusion protein" is a protein that contains at least two polypeptide regions and, optionally, a linking peptide to operatively link the two polypeptides into one continuous polypeptide. The at least two polypeptide regions in a fusion protein are derived from different sources, and therefore a fusion protein comprises two polypeptide regions not normally joined together in nature.

30 A "linking sequence (or linker peptide)" contains one or more amino acid residues joined in peptide bonds. A linking sequence serves to join two polypeptide regions of differing origins in a fusion protein via a peptide bond between the linking sequence and each of the polypeptide regions.

Typically, a fusion protein is synthesized as a continuous polypeptide in a recombinant host cell which contains an expression vector comprising a

nucleotide sequence encoding the fusion protein where the different regions of the fusion protein are fused in frame on either side of a linker peptide's coding sequence. The chimeric coding sequence (encoding the fusion protein) is operatively linked to expression control sequences (generally provided by the expression vector) that are functional in the recombinant host cell.

"Reporter gene," as used in the present invention, does not mean a DNA sequence present on the chromosome of a cell, generally possessing introns, as is often meant by the word "gene" in the art. Rather "reporter gene" means any DNA sequence encoding a protein or polypeptide that can give rise to a signal that can be detected or measured. "Reporter gene" does not mean a portion of the amino acid sequence of APP. "Reporter gene" will usually mean a DNA sequence, generally a cDNA sequence (although in some cases a reporter gene may have introns) that encodes a protein or polypeptide that is commonly used in the art to provide a measurable phenotype that can be distinguished over background signals.

A "nuclear localization signal (NLS)" is a region of a polypeptide which targets the polypeptide to the nucleus of the cell. One such NLS is that from the SV40 large T antigen. See, e.g., U.S. Patent No. 5,589,392; Kalderon et al., 1984, Cell 39:499-509. The minimum region of the SV40 large T antigen with NLS activity is Pro-Lys-Lys-Lys-Arg-Lys-Val (SEQ ID NO:22). See also U.S. Patent No. 5,776,689.

"Substances" that are screened in the present invention can be any substances that are generally screened in the pharmaceutical industry during the drug development process. For example, substances may be low molecular weight organic compounds (*e.g.*, having a molecular weight of less than about 2,000 daltons and preferably less than about 1,000 daltons), RNA, DNA, antibodies, peptides, or proteins. Substances are often tested in the methods of the present invention as large collections of substances, *e.g.* libraries of low molecular weight organic compounds, peptides, or natural products.

The conditions under which substances are employed in the methods described herein are conditions that are typically used in the art for the study of protein-ligand interactions or enzyme inhibition studies: *e.g.*, salt conditions such as those represented by such commonly used buffers as PBS or in tissue culture media; a temperature of about 4°C to about 55°C; incubation times of from several seconds to several hours or even up to 24 or 48 hours. Screening for the identification of

enzyme-specific inhibitors is a well-known procedure in the pharmaceutical arts and the numerous conditions under which such screening has been done are available in the literature to guide the practitioner of the present invention.

A "conservative amino acid substitution" refers to the replacement of one amino acid residue by another, chemically similar, amino acid residue. Examples of such conservative substitutions are: substitution of one hydrophobic residue (isoleucine, leucine, valine, or methionine) for another; substitution of one polar residue for another polar residue of the same charge (*e.g.*, arginine for lysine; glutamic acid for aspartic acid); substitution of one aromatic amino acid (tryptophan, tyrosine, or phenylalanine) for another.

"Transfection" refers to any of the methods known in the art for introducing DNA into a cell, *e.g.*, calcium phosphate or calcium chloride mediated transfection, electroporation, infection with a retroviral vector.

The present invention relates to the discovery of an assay system that permits the simultaneous screening for inhibitors of several types of amyloid precursor protein (APP) processing or signaling (*e.g.*, β -secretase cleavage, γ -secretase cleavage, APP extracellular signaling, APP cytoplasmic signaling). In a preferred embodiment, this screening is accomplished without the concomitant identification of inhibitors of α -secretase. The assay system is carried out in a single type of cell, using a single type of assay readout. Inhibitors discovered by means of the present invention are expected to be useful in the treatment of Alzheimer's disease since these inhibitors are likely to be capable of interfering with the production of A β .

Previous assays for identifying inhibitors of APP processing have focussed specifically on inhibition of either β -secretase or γ -secretase activity, or on inhibition of some other single aspect of A β production. In contrast, the assays described herein are directed to inhibition of APP processing in general. Substances identified through these assays may target β -secretase, γ -secretase, modulators of β -secretase or γ -secretase activity, or even an as-yet-undiscovered ligand interaction with APP. In certain embodiments, these assays will also be free of the potentially misleading or obscuring effects of α -secretase activity. In addition, unlike other assays currently in use, these assays are homogeneous assays; *i.e.*, they require no cumbersome or time-consuming steps such as column chromatography separations, immunoprecipitations, washing steps, etc. Therefore, the assays are very well adapted to a high throughput screening format.

In the present invention, novel recombinant DNA molecules are constructed in which nucleotide sequences encoding at least a portion of the luminal (i.e., N-terminal to the transmembrane region) and transmembrane regions of APP are fused to nucleotide sequences encoding a transcription factor. In a preferred
5 embodiment, the APP contains an α -secretase cleavage site that has been altered to reduce or eliminate α -secretase cleavage. This allows the assays of the present invention to avoid identifying inhibitors of α -secretase and permits the more efficient detection of β -secretase inhibitors since α -secretase and β -secretase compete for APP cleavage. The recombinant DNA molecules may be transfected, along with a reporter
10 gene, into a cell line that processes APP into A β , and stable clones may be generated. Alternatively, the recombinant DNA molecules and reporter plasmid may be utilized in transient transfections.

Upon expression in cells, the APP/transcription factor fusion protein localizes to a non-nuclear membrane of the cell (e.g., the endoplasmic reticulum) due
15 to the presence of the APP sequences in the fusion protein. In a manner similar to cleavage of APP, the fusion protein will then be cleaved, first by β -secretase and then by γ -secretase. γ -secretase cleavage releases the transcription factor from the membrane in which the APP/transcription factor fusion protein had been embedded, after which the transcription factor translocates to the nucleus and stimulates
20 transcription of the reporter gene. Assuming no α -secretase cleavage, cleavage by both β -secretase and γ -secretase is required for release of the transcription factor and transactivation of the reporter gene in this assay since γ -secretase cleavage of APP is dependent on a short luminal domain, such as that generated by β - or α -secretase cleavage. Detection of a signal from the reporter gene product will thus serve as
25 evidence of APP processing. In particular, since activation of the reporter gene requires both β -secretase and γ -secretase cleavage, the assay is capable of identifying inhibitors of both or either of these proteases.

Figure 27 is a schematic diagram depicting general features of the assay. The vertical bar in Figure 27A represents the fusion protein; the horizontal bar
30 represents the non-nuclear membrane in which the fusion protein is embedded before processing. Figure 27B shows how the transcription factor portion of the fusion protein (with small amounts of the APP portion flanking it) has moved to the nucleus following release from the fusion protein by APP processing. In the nucleus, the

transcription factor is shown binding to a regulatory DNA sequence ("Transcription Factor Response Element") and activating transcription of the reporter gene.

The recombinant DNA molecules encoding the APP/transcription factor fusion protein and the reporter gene can be used to develop novel homogenous cell-based assays for the identification and assessment of inhibitors of APP processing which will be readily amenable to high throughput technology.

In one embodiment, the recombinant DNA molecules used in this invention comprise sequences encoding the amino terminal 651 amino acids of the 695 amino acid version of APP (Kang et al., 1987, Nature 325:733-736), including all the sequences necessary for the production of A β , as well as the C-terminal 32 amino acids of APP. The transcription factor is placed between the N-terminal and C-terminal portions of APP. The APP sequence may include a modification to increase the amount of β -secretase cleavage of the fusion protein. This modification involves mutating the K at position 612 of the α -secretase cleavage site to a V (K612V). Since α -secretase and β -secretase compete for APP cleavage, reducing or eliminating APP cleavage by α -secretase results in increased β -secretase cleavage, and allows the assay to detect β -secretase inhibitors more readily. In addition, the β -secretase cleavage site within APP (KM↓DA) (SEQ ID NO:34) may be modified, e.g., to that of a naturally occurring mutation (termed the "Swedish" mutation or NL↓DA) (SEQ ID NO:38) which has been shown to enhance β -secretase cleavage six-fold in cultured cells. Another possible modification is to replace the (KM↓DA) (SEQ ID NO:34) wild-type β -secretase cleavage site with the sequence (NF↓EV) (SEQ ID NO:40). The presence of NFEV in an amino acid sequence has been shown to enhance β -secretase cleavage by an even larger amount than the Swedish sequence. See U.S. Provisional Patent Application Serial No. 60/292,591 and U.S. Provisional Patent Application Serial No. 60/316,115, the disclosures of which are incorporated herein, in their entirety.

In a preferred embodiment, HIV-1 TAT exon I has been fused between sequences encoding the first 651 amino acids of APP₆₉₅ and the last 32 amino acids of APP₆₉₅ (APP-TAT-APP_{ct32}). Co-transfection of an expression vector comprising this construct with a reporter gene plasmid containing an HIV-1 LTR promoter that controls the transcription of a reporter gene leads to enhanced expression of the reporter gene. Other transcription factors that could be fused to APP₁₋₆₅₁ include Gal4-VP16, the entire Gal4 protein, BIV TAT, HIV-2 TAT, SIV TAT, LexA-VP16, EBV Zta, Papillomavirus E2, or tissue or species specific homodimeric bHLH

transcription factors capable of activating transcription through specific DNA response elements, such as E12, E47, or Twist. The use of GAL4, BIV, HIV-2, or SIV TAT may be useful if it is desired to reduce the potency of the transactivator, thus reducing any background transactivation caused by non-specific cleavage of the fusion protein. To further reduce the potential for transactivation by TAT in the absence of β -secretase and γ -secretase cleavage, the TAT portion of the fusion protein may be altered to remove the N-terminal methionine and thus eliminate the possibility of aberrant translation of TAT through any potential internal ribosomal entry sites.

In some circumstances, high level expression of TAT has been found to be toxic to cells. Thus, when TAT is the transcription factor fused to APP in the methods of the present invention, it may be advantageous to utilize transient transfection with low amounts of the expression vector encoding the APP/TAT fusion protein. A set of preliminary experiments in which various amounts of the vector are transfected, in order to titrate acceptable levels of TAT, is recommended.

The reporter gene used will depend in large part upon the transcription factor fused to APP. The promoter used to drive the reporter gene will be LTR for TAT-based APP fusion proteins, or UAS (6x) for GAL4-VP16-based APP fusion proteins. In a particular embodiment, an LTR driving EGFP (enhanced green fluorescent protein, a brighter variant of GFP made by Aurora Biosciences, San Diego, CA) has been used to observe processing of an APP/TAT fusion protein. Under certain conditions, it may be desirable to use a less stable reporter, such as dsEGFP (a destabilized variant of EGFP made by Aurora Biosciences, San Diego, CA and marketed by Clontech, Palo Alto, CA) or a more potent reporter, such as β -lactamase. Alternatively, a stable HeLa cell line expressing LTR- β -galactosidase can be used. If the exquisite sensitivity of β -lactamase makes it less than optimal for a particular purpose, the LTR- β -galactosidase cell line may be exploited for this assay. Finally, under some circumstances Gal4-VP16 may prove to be optimal relative to TAT to reduce any inherent background problems associated with using the weakly but constitutively active LTR in the reporter plasmid, in which case the reporter plasmid could be UAS(6x)- β -lactamase (Aurora Biosciences, San Diego, CA).

A variety of cells are suitable for use in the methods of the present invention. Particularly preferred are eukaryotic, especially mammalian, cell lines. In particular embodiments, the cells are selected from the group consisting of: L cells L-M(TK⁻) (ATCC CCL 1.3), L cells L-M (ATCC CCL 1.2), HEK293 (ATCC CRL

1573), HEK293T, Raji (ATCC CCL 86), CV-1 (ATCC CCL 70), COS-1 (ATCC CRL 1650), COS-7 (ATCC CRL 1651), CHO-K1 (ATCC CCL 61), 3T3 (ATCC CCL 92), NIH/3T3 (ATCC CRL 1658), HeLa (ATCC CCL 2), C127I (ATCC CRL 1616), BS-C-1 (ATCC CCL 26), T24 (ATCC HTB-4), PC12 cells, Jurkat cells, H4 cells (ATCC HTB-148), and MRC-5 (ATCC CCL 171).

To make the assay more amenable for ultra-high throughput screening, a non-adherent cell line, such as Jurkat, can be used.

Generally, the assays of the present invention employ cells that naturally express β -secretase and γ -secretase. However, it is possible to practice the invention in cells that lack the expression of one, or both, of these enzymes. In such cases, β -secretase and γ -secretase activity can be provided by the recombinant expression of these enzymes in the cells.

In one embodiment, the present invention provides a recombinant cell, preferably a eukaryotic cell, even more preferably a mammalian cell, and most preferably a human cell, where the cell expresses a fusion protein of APP and a transcription factor and the cell contains a reporter gene that can be activated by the transcription factor. The fusion protein comprises a portion of APP where that portion includes the regions of the β -secretase and γ -secretase cleavage sites fused to a transcription factor. The region of APP including the β -secretase and γ -secretase cleavage sites can be, e.g., a portion of APP that includes amino acids 589-651 of the 695 amino acid version of APP. This region is shown below.

↓
↓ ↓
 EEISEVKM DAEFRHDSGYEVHHQKLVFFAEDVGSNKGAIIGLMVGGVV IA
 25 TVIVITLVMKKK (SEQ ID NO:33)

The β -secretase cleavage site is shown at position 596-597 (KM DA) (SEQ ID NO:34).

Two predominant cleavage sites of γ -secretase are shown at positions 636-637 and 638-639

↓ ↓
(GVV IA TV) (SEO ID NO>35).

The fusion protein will be anchored in the membrane by the APP
35 sequences shown above. The N-terminal portion of APP must include at least the β -

secretase cleavage site, and possibly several amino-acids N-terminal to the β -secretase cleavage site to make the assay sensitive to both β -secretase and γ -secretase inhibitors. In many cases, the APP sequences will include sequences further N-terminal than those shown above, including the signal sequence at the N-terminus of APP. In cases, where the APP signal sequence is not used, another signal sequence may be incorporated in the fusion protein. Such other signal sequences are known in the art.

In a related embodiment, the present invention provides a recombinant cell, preferably a eukaryotic cell, even more preferably a mammalian cell, and most preferably a human cell, where the above-described APP portion of the fusion protein contains a K612V mutation. The APP portion of this embodiment is shown below.

↓ ↓ ↓
EEISEVKM DAEFRHDSGYEVHHQVLVFFAEDVGSNKGAIIGLMVGGVV IA
TVIVITLVMLKKK (SEQ ID NO:36)

The β -secretase cleavage site is shown at position 596-597 (KM DA) (SEQ ID NO:34).

Two predominant cleavage sites of γ -secretase are shown at positions 636-637 and 638-639

↓ ↓
(GVV LA TV) (SEQ ID NO:35).

The underlined V at position 612 shows the change in sequence in the present invention from the wild-type K to the mutant V, which change provides for reduced cleavage by α -secretase.

In a related embodiment, the present invention provides a recombinant cell, preferably a eukaryotic cell, even more preferably a mammalian cell, and most preferably a human cell, where the above-described APP portion of the fusion protein contains the Swedish version of the β -secretase cleavage site as well as a K612V mutation. The APP portion of this embodiment is shown below.

↓ ↓ ↓
EEISEVNL DAEFRHDSGYEVHHQVLVFFAEDVGSNKGAIIGLMVGGVV IA
TVIVITLVMLKKK (SEQ ID NO:37)

The β -secretase cleavage site is shown at position 596-597 (NL DA) (SEQ ID NO:38).

Two predominant cleavage sites of γ -secretase are shown at positions 636-637 and 638-639

↓ ↓

(GVV 1A TV) (SEQ ID NO:35).

5 The underlined V at position 612 shows the change in sequence in the present invention from the wild-type K to the mutant V, which change provides for reduced cleavage by α -secretase.

In a related embodiment, the present invention provides a recombinant cell, preferably a eukaryotic cell, even more preferably a mammalian cell, and most preferably a human cell, where the above-described APP portion of the fusion protein contains the NFEV version of the β -secretase cleavage site as well as a K612V mutation. The APP portion of this embodiment is shown below.

↓

15 EEISEVNF EVEFRHDSGYEVHHQVLVFFAEDVGSNKGAIIGLMVGGVV IA
TVIVITLVM LKKK (SEQ ID NO:39)

↓ ↓

↓

The β -secretase cleavage site is shown at position 596-597 (NF EV) (SEQ ID NO:40).

20 Two predominant cleavage sites of γ -secretase are shown at positions 636-637 and 638-639

↓ ↓

(GVV 1A TV) (SEQ ID NO:35).

25 The underlined V at position 612 shows the change in sequence in the present invention from the wild-type K to the mutant V, which change provides for reduced cleavage by α -secretase.

The presence of both β -secretase and γ -secretase cleavage sites in the fusion proteins permits the assays of the present invention to detect inhibitors of both β -secretase and γ -secretase.

30 The recombinant host cells of the present invention can be further engineered to comprise a reporter gene construct. The reporter gene construct contains a reporter gene in operable linkage with a regulatory DNA sequence that confers on the reporter gene the property of being regulated by the transcription factor of the fusion protein. This regulation is such that expression of the reporter gene is
35 low or absent without binding of the transcription factor to the regulatory DNA

sequence but, when the transcription factor is released from the fusion protein by APP processing, the transcription factor can move into the nucleus of the cell and bind to the regulatory DNA sequence, thereby activating transcription from the reporter gene.

Reporter genes desirably give rise to gene products which can be
5 detected or quantitated, either in terms of amount of protein synthesized, enzymatic activity, fluorescence, luminescence, or some other phenotype. Suitable reporter gene products include firefly luciferase (de Wet et al., 1987, Mol. Cell. Biol. 7:725-737) or bacterial luciferase (Englebrecht et al., 1985, Science 227:1345-1347; Baldwin et al., 1984, Biochem. 23:3663-3667), β -lactamase, β -glucuronidase, β -galactosidase, green
10 fluorescent proteins, enhanced green fluorescent protein, destabilized enhanced green fluorescent protein, red fluorescent protein, yellow fluorescent protein, cyan fluorescent protein, destabilized yellow fluorescent protein, destabilized cyan fluorescent protein, aequorin, chloramphenicol acetyl transferase (Alton & Vapnek, 1979, Nature 282:864-869), rat liver alkaline phosphatase (Toh et al., 1989, Eur. J.
15 Biochem. 182:231-237), human placental secreted alkaline phosphatase (Cullen & Mallim, 1992, Meth. Enzymol. 216:362-368), and horseradish peroxidase, among others.

A preferred reporter gene is green fluorescent protein (GFP) or a modified GFP. Wild-type GFP has long been used in the art. Starting from green
20 fluorescent protein, many modified versions have been derived with altered or enhanced spectral properties as compared with wild-type GFP. See, *e.g.*, U.S. Patent No. 5,625,048; International Patent Publication WO 97/28261; International Patent Publication WO 96/23810. Useful are the modified GFPs W1B and TOPAZ, available commercially from Aurora Biosciences Corp., San Diego, CA. W1B
25 contains the following changes from the wild-type GFP sequence: F64L, S65T, Y66W, N146I, M153T, and V163A (see Table 1, page 519, of Tsien, 1998, Ann. Rev. Biochem. 67:509-544). TOPAZ contains the following changes from the wild-type GFP sequence: S65G, V68L, S72A, and T203Y (see Table 1, page 519, of Tsien, 1998, Ann. Rev. Biochem. 67:509-544). Wild-type nucleotide and amino acid
30 sequences of GFP are shown in Figure 1 and SEQ ID NO: 1 of International Patent Publication WO 97/28261; in Figure 1 of Tsien, 1998, Ann. Rev. Biochem. 67:509-544; and in Prasher et al., 1992, Gene 111:229-233.

When expressing GFPs in mammalian cells, it may be advantageous to construct versions of the GFPs having altered codons that conform to those codons

preferred by mammalian cells (Zolotukhin et al., J. Virol. 1996, 70:4646-46754; Yang et al., 1996, Nucl. Acids Res. 24:4592-4593). Another way of improving GFP expression in mammalian cells is to provide an optimal ribosome binding site by the use of an additional codon immediately after the starting methionine (Cramer et al.,
5 1996, Nature Biotechnology 14:315-319).

Transcription factors that are useful in the present invention are preferably those transcription factors that are not naturally expressed in the recombinant host cells. This is so the regulatory DNA sequence is not activated absent APP processing and release of the transcription factor from the fusion protein.
10 Preferably, the transcription factor contains, or is engineered to contain, a nuclear localization signal. This is so that, after release, the transcription factor will move into the nucleus of the genetically modified host cells where it can bind to, and activate, the regulatory DNA sequence, leading to expression of the reporter gene. Transcription factors, as used in the present invention, do not include proteins that,
15 after release from a fusion protein and translocation into the nucleus, repress transcription from a reporter gene.

Among the transcription factors that are useful in the present invention are: HIV1 TAT (in particular exon I of HIV1 TAT), Gal4-VP16, the entire Gal4 protein, BIV TAT, HIV-2 TAT, SIV TAT, LexA-VP16, EBV Zta, Papillomavirus E2,
20 or one of the bHLH homodimeric transcription factors, E12, E47, or Twist.

Expression vectors are generally used to express the fusion protein in the recombinant cells. An expression vector contains recombinant nucleic acid encoding a polypeptide (e.g., an APP/transcription factor fusion protein) along with regulatory elements for proper transcription and processing. Generally, the regulatory
25 elements that are present in an expression vector include a transcriptional promoter, a ribosome binding site, a transcriptional terminator, and a polyadenylation signal. Other elements may include an origin of replication for autonomous replication in a host cell, a selectable marker, a limited number of useful restriction enzyme sites, and a potential for high copy number.

30 A variety of expression vectors are known in the art and can be used in the present invention. Commercially available expression vectors which are suitable include, but are not limited to, pMC1neo (Stratagene), pSG5 (Stratagene), pcDNAI and pcDNAIamp, pcDNA3, pcDNA3.1, pCR3.1 (Invitrogen, San Diego, CA), EBO- pSV2-neo (ATCC 37593), pBPV-1(8-2) (ATCC 37110), pdBPV-MMTneo(342-12)

(ATCC 37224), pRSVgpt (ATCC 37199), pRSVneo (ATCC 37198), pCI.neo (Promega), pTRE (Clontech, Palo Alto, CA), pV1Jneo, pIRESneo (Clontech, Palo Alto, CA), pCEP4 (Invitrogen, San Diego, CA), pSC11, and pSV2-dhfr (ATCC 37146). The choice of vector will depend upon the cell type in which it is desired to
5 express the APP/transcription factor fusion protein, as well as on the level of expression desired, and the like.

The expression vectors can be used to transiently express or stably express the fusion protein. The transient expression or stable expression of transfected DNA is well known in the art. See, *e.g.*, Ausubel et al., 1995,
10 "Introduction of DNA into mammalian cells," in Current Protocols in Molecular Biology, sections 9.5.1-9.5.6 (John Wiley & Sons, Inc.).

The recombinant host cells of the present invention are useful in methods of screening substances for the ability to inhibit APP processing. In one embodiment, the methods of the present invention comprise adding a candidate
15 substance to a recombinant host cell comprising an APP/transcription factor fusion protein and a reporter gene and comparing the level of expression of the reporter gene protein in the presence and absence of the candidate substance, wherein the level of expression of the reporter gene protein is lower when the candidate substance inhibits processing of the APP/transcription factor fusion protein such that the transcription
20 factor is not released, or is released in a lower amount, than in the absence of the substance.

The level of expression of the reporter gene protein is generally not measured directly. Rather, an indirect method is used. For example, fluorescence given off by the reporter gene protein may be detected or measured as, *e.g.*, when the
25 reporter gene product is a green fluorescent protein; or, some enzymatic activity of the reporter gene product may be detected or measured, *e.g.*, when the reporter gene product is β -lactamase.

The candidate substance may be of any form suitable for entry into the cytoplasm of the recombinant cell or for contact with the cell's cytoplasmic
30 membrane. Under appropriate conditions, the candidate substance may be allowed to freely diffuse into the cell, or the delivery of the substance may be facilitated by techniques and substances which enhance cell permeability, a wide variety of which are known in the art. Methods for increasing cell permeability include, without limitation, the use of organic solvents such as dimethylsulfoxide, liposomes,

application of electrical current, and physical means such as substance-coated teflon pellets.

The present invention provides a method of identifying a substance that inhibits APP processing comprising:

- 5 (a) providing a recombinant eukaryotic cell which:
 - (i) expresses a fusion protein comprising amino acids 589-651 of APP₆₉₅ and a transcription factor where the transcription factor is fused in frame to the carboxyl terminus of amino acids 589-651 of APP₆₉₅; and
 - (ii) comprises a reporter gene operably linked to a regulatory
- 10 DNA sequence which is capable of being activated by the transcription factor;
- (b) measuring the level of reporter gene product in the cell in the absence of the substance;
- (c) adding the substance to the cell and measuring the level of reporter gene product in the cell in the presence of the substance;
- 15 where a decrease in the level of reporter gene product in the presence as compared to the absence of the substance indicates that the substance inhibits APP processing.

The manner in which the level of the reporter gene product is measured will be determined by the nature of the reporter gene and, often, the characteristics of

20 the host cell. For example, if the reporter gene product itself is fluorescent, as for example, when a green fluorescent protein is the reporter gene product, fluorescence from the cell can be measured directly. When the reporter gene product has enzymatic activity, for example, when the reporter gene product is β -lactamase, known methods of measuring that enzymatic activity can be used.

25 For the sake of clarity, the above method is described in terms of "a" cell. In actual practice, the method will generally be carried on a large number of cells at one time. For example, the method will often be carried out in a well of a tissue culture plate, where, depending on the number of wells in the plate (and thus their size), there can be up to hundreds, thousands, or even several million cells. The step

30 of "adding the substance to the cell" is generally carried out by simply adding the substance to the tissue culture medium in which the cells are present. After the substance is added to the cell, the cell and the substance are incubated for a period of time sufficient for the substance to inhibit APP processing, if the substance is actually

an inhibitor of APP processing. This period is usually from about 15 minutes to 48 hours, but may be somewhat more in unusual cases.

A convenient way of carrying out the method is to grow a population of the recombinant eukaryotic cells and then split the population into a portion that will be exposed to the substance and a portion that will not be exposed to the substance.

The recombinant eukaryotic cell is generally produced by transfection of an expression vector encoding the fusion protein and by transfection of a plasmid containing the reporter gene.

One skilled in the art would recognize that what is sought in terms of "a decrease in the level of reporter gene product in the presence as compared to the absence of the substance" is a non-trivial decrease. For example, if in the method described above there is found a 1% decrease, this would not indicate that the substance is an inhibitor of APP processing. Rather, one skilled in the art would attribute such a small decrease to normal experimental variance. What is looked for is a significant decrease. For the purposes of this invention, a significant decrease fulfills the usual requirements for a statistically valid measurement of a biological signal. For example, depending upon the details of the embodiment of the invention, a significant decrease might be a decrease of at least 10%, preferably at least 20%, more preferably at least 50%, and most preferably at least 90%.

In particular embodiments, amino acids 589-651 of APP₆₉₅ contain a K612V mutation.

In particular embodiments, the cell is a mammalian cell. In particular embodiments, the cell is a human cell.

In particular embodiments, the method is used to screen a library of more than 1,000 substances. In other embodiments, the method is used to screen a library of more than 50,000 substances at a rate of more than 1,000 substances per 24 hours.

In particular embodiments, the fusion protein comprises a portion of APP that is selected from the group consisting of: amino acids 1-651 of APP₆₉₅, amino acids 50-651 of APP₆₉₅, amino acids 100-651 of APP₆₉₅, amino acids 150-651 of APP₆₉₅, amino acids 200-651 of APP₆₉₅, amino acids 250-651 of APP₆₉₅, amino acids 300-651 of APP₆₉₅, amino acids 350-651 of APP₆₉₅, amino acids 400-

651 of APP₆₉₅, amino acids 450-651 of APP₆₉₅, amino acids 500-651 of APP₆₉₅, and amino acids 550-651 of APP₆₉₅.

In related embodiments, the fusion protein does not comprise all of amino acids 589-651 of APP₆₉₅. Rather, the fusion protein comprises slightly fewer amino acids from APP. For example, the fusion protein might comprise slightly fewer amino acids of the β -secretase cleavage site: e.g., amino acids 590-651 of APP₆₉₅. Or the fusion protein might comprise slightly fewer amino acids of the γ -secretase cleavage site: amino acids 589-650 of APP₆₉₅; amino acids 589-649 of APP₆₉₅; amino acids 589-648 of APP₆₉₅; or amino acids 589-647. The fusion protein may even comprise slightly fewer amino acids from both ends, e.g., amino acids 590-647 of APP₆₉₅. What is important is that the portion of APP included in the fusion protein contains both the β -secretase cleavage site and the γ -secretase cleavage site.

In particular embodiments, the transcription factor is selected from the group consisting of: HIV-1 TAT, Gal4-VP16, the entire Gal4 protein, LexA-VP16, EBV Zta, Papillomavirus E2, one of the bHLH homodimeric transcription factors, including E12, E47, or Twist, or BIV TAT, HIV-2 TAT, or SIV TAT. A particular version of HIV-1 TAT suitable for use in the present invention is HIV-1 TAT exon I.

Fusion proteins suitable for use in the present invention can be selected from the group consisting of: APP(1-651)SW, K612V-TATexonI(M1L) APP (664-695) (SEQ ID NO:2); APP(1-651)wt, K612V-TATexonI(M1L) APP (664-695) (SEQ ID NO:4); APP(1-651)SW, K612V, Gal4-VP16(M1L) APP (664-695) (SEQ ID NO:6); APP(1-651)wt, K612V, Gal4-VP16(M1L) APP (664-695) (SEQ ID NO:8); APP(1-651)SW, TATexonI(M1L) APP (664-695) (SEQ ID NO:10); APP(1-651)wt, TATexonI(M1L) APP (664-695) (SEQ ID NO:12); APP(1-651)SW, Gal4-VP16(M1L) APP (664-695) (SEQ ID NO:14); APP(1-651)wt, Gal4-VP16(M1L) APP (664-695) (SEQ ID NO:16); APP(1-651)NFEV, K612V-TATexonI(M1L) APP (664-695) (SEQ ID NO:23); and APP(1-651)NFEV, K612V, GAL4-VP16(M1L) APP (664-695) (SEQ ID NO:25).

In some embodiments of the present invention, the amino acid sequences contributed to the fusion protein by the transcription factor constitute the carboxy terminal amino acid sequences of the fusion protein. In other embodiments, the transcription factor has other sequences fused to its carboxy terminus, as in the examples herein where amino acids 664-695 of APP₆₉₅ are fused to the carboxy terminus of the transcription factor and therefore constitute the carboxy terminal

amino acid sequences of the fusion protein. Other portions of APP (e.g., amino acids 652-695 of APP₆₉₅) could be used instead of amino acids 664-695 of APP₆₉₅. In fact, it should be possible to extend the carboxy terminus of the transcription factor with almost any amino acid sequences, providing such sequences do not interfere with the ability of the transcription factor to move into the nucleus and activate transcription of the reporter gene once the transcription factor has been released from the fusion protein by the action of γ -secretase.

The present invention includes a method of identifying a substance that inhibits APP processing comprising:

- 10 (a) providing a recombinant eukaryotic cell which:
 - (i) expresses a fusion protein comprising an amino acid sequence from APP that is capable of being cleaved by both β -secretase and γ -secretase and a transcription factor where the transcription factor is fused in frame to the amino acid sequence from APP; and
 - 15 (ii) comprises a reporter gene operably linked to a regulatory DNA sequence which capable of being activated by the transcription factor;
- (b) measuring the level of reporter gene product in the cell in the absence of the substance;
- (c) adding the compound to the cell and measuring the level of
20 reporter gene product in the cell in the presence of the substance;
where a decrease in the level of reporter gene product in the presence as compared to the absence of the substance indicates that the substance inhibits APP processing.

In particular embodiments, the amino acid sequence from APP
25 comprises:

- 589-651 of APP₆₉₅;
- 590-651 of APP₆₉₅;
- 589-650 of APP₆₉₅;
- 590-650 of APP₆₉₅;
- 30 589-649 of APP₆₉₅;
- 590-649 of APP₆₉₅;
- 589-648 of APP₆₉₅;
- 590-648 of APP₆₉₅;
- 589-647 of APP₆₉₅; or

590-647 of APP₆₉₅.

In related embodiments, the amino acid sequence from APP contains the amino acid sequence NLDA (SEQ ID NO:38) at the β -secretase cleavage site instead of the wild-type sequence KMDA (SEQ ID NO:34).

5 In related embodiments, the amino acid sequence from APP contains the amino acid sequence NFEV (SEQ ID NO:40) at the β -secretase cleavage site instead of the wild-type sequence KMDA (SEQ ID NO:34).

The portion of the fusion protein that is derived from APP may contain mutations that are known in the art. Of particular interest are mutations that result in an increased proportion of A β being made in the form of A β ₁₋₄₂ rather than A β ₁₋₄₀. Such mutations are disclosed in the following publications (numbering is from the 770 amino acid version of APP):

Swedish (K670N, M671L): Mullan et al., 1992, Nature Genet. 1:345-347.

15 Flemish (A692G): Hendriks et al., 1992, Nature Genet. 1:218-221; Cras et al., 1998, Acta Neuropathol. (Berlin) 96:253-260.

Dutch (E693Q): Levy et al., 1990, Science 248:1124-1126.

Arctic (E693G): Nilsberth et al., 2001, Nature Neuroscience 4: 887-893.

Austrian (T714I): Kumar-Singh et al., 2000, Hum. Mol. Genet. 9:2589-2598.

French (V715M): Ancolio et al., 1999, Proc. Natl. Acad. Sci. (USA) 96:4119-4124.

20 Florida (I716V): Eckman et al., 1997, Hum. Mol. Genet. 6:2087-2089.

V717F: Murrell et al., 1991, Science 254:97-99.

V717G: Chartier-Harlin et al., 1991, Nature 353:844-846.

London (V717I): Goate et al., 1991, Nature 349:704-706.

L723P: Kwok et al., 2000, Ann. Neurol. 47:249-253.

25 I716F (also called I45F, referring to the position relative to the β -secretase cleavage site): This mutation in APP changes processing of A β almost exclusively to A β ₁₋₄₂. Lichtenthaler et al., 1999, Proc. Natl. Acad. Sci. (USA) 96:3053-3058.

As with many proteins, it may be possible to modify many of the amino acids of the fusion proteins described above and still retain substantially the same biological activity in terms of APP processing as for the original fusion protein. Thus, the present invention includes modified fusion proteins which have amino acid deletions, additions, or substitutions but that still retain substantially the same properties with respect to APP processing as the fusion proteins described herein. It is generally accepted that single amino acid substitutions do not usually alter the

biological activity of a protein (see, *e.g.*, Molecular Biology of the Gene, Watson *et al.*, 1987, Fourth Ed., The Benjamin/Cummings Publishing Co., Inc., page 226; and Cunningham & Wells, 1989, Science 244:1081-1085). Accordingly, the present invention includes fusion proteins where one amino acid substitution has been made
5 in the fusion proteins described herein where the fusion proteins still retain substantially the same properties with respect to APP processing as the fusion proteins described herein. The present invention also includes fusion proteins where two or more amino acid substitutions have been made in the fusion proteins described herein where the fusion proteins still retain substantially the same properties with respect to
10 APP processing as the fusion proteins described herein. In particular, the present invention includes embodiments where the substitutions are conservative substitutions.

With the exception of Figure 18, the nucleotide and amino acid sequences of APP disclosed herein contain a minor difference compared to APP
15 sequences that are usually reported in the literature. For the sequences disclosed herein with such a difference, the nucleotide at position 367 is an A rather than a G, as in most published APP sequences. This change results in a conservative substitution in the corresponding APP amino acid sequence. Thus, the amino acid sequences disclosed herein with such a difference have an I rather than a V at position 123. This
20 difference does not affect the properties of the fusion proteins for the purposes of the present invention. Therefore, fusion proteins having the APP sequence reported in the literature with an G at nucleotide position 367 and a V at amino acid position 123 and the fusion proteins disclosed herein with an A at nucleotide position 367 and an I at amino acid position 123 are to be considered equivalents for the purposes of the
25 present invention.

The Gal-VP16 sequences disclosed herein contain two changes from the usual published sequences. There is T to C change at nucleotide position 2131 that causes a S to P change at amino acid position 712; there is A to C change at nucleotide position 2301 that does not change the amino acid sequence. It is expected
30 that Gal-VP16 proteins containing the usual sequences reported in the literature will also be suitable for use in the present invention.

The methods of the present invention can be used to screen libraries of substances or other sources of substances to identify substances that are inhibitors of β -secretase or γ -secretase. Such identified inhibitory substances can serve as "leads"

for the development of pharmaceuticals that can be used to treat patients having Alzheimer's disease or in a prophylactic manner to prevent or delay the development of Alzheimer's disease. Such leads can be further developed into pharmaceuticals by, for example, subjecting the leads to sequential modifications, molecular modeling, and other routine procedures employed in the pharmaceutical industry. The inhibitors of APP processing identified by the present invention may also be tested in animal models of Alzheimer's disease such as the various transgenic mouse models that are known in the art.

Although a wide variety of substances can be screened by the methods of the present invention, preferred substances for screening are libraries of small molecule compounds. Small molecule compounds are preferred because they are more readily absorbed after oral administration, have fewer potential antigenic determinants, and are more likely to cross the blood/brain barrier than larger molecules such as nucleic acids or proteins.

Once identified by the methods of the present invention, the candidate small molecule compounds may then be produced in quantities sufficient for pharmaceutical testing and formulated in a pharmaceutically acceptable carrier (see, e.g., Remington's Pharmaceutical Sciences, Gennaro, A., ed., Mack Publishing, 1990, for suitable methods). The candidate compounds may be administered to cell lines relevant to Alzheimer's disease, animal models of Alzheimer's disease, or Alzheimer's disease patients.

The numbering of the amino acids in APP used herein is based on the 695 amino acid version of APP described in Kang et al., 1987, Nature 325:733-736. There are two other major versions of APP, having 751 amino acids and 770 amino acids (see, Ponte et al., 1988, Nature 331:525-527 for the 751 amino acid version and Kitaguchi et al., 1988, Nature 331:530-532 for the 770 amino acid version). One skilled in the art will understand how to translate the numbering used herein, based on the 695 amino acid version of APP, into the corresponding numbering for other versions of APP. For example, some of the APP/transcription factor fusion proteins of the present invention contain the K612V mutation, based on the numbering of the 695 amino acid version. This mutation would correspond to a K668V mutation in the 751 amino acid version and a K687V mutation in the 770 amino acid version.

Therefore, when a "K612V" mutation is referred to herein, it will be understood that such reference also includes a K668V mutation of the 751 amino acid version of APP as well as a K687V mutation of the 770 amino acid version of APP.

Similarly, the portion of APP referred to as APP₁₋₆₅₁ herein, based on
5 the 695 amino acid version, will be understood to mean also APP₁₋₇₀₇ of the 751 amino acid version and APP₁₋₇₂₆ of the 770 amino acid version.

If desired, inhibitors that are identified by the methods of the present invention can be further tested to determine which step in APP processing they affect. Assays that are known to be specific for the various steps of APP processing can be
10 used for this purpose. For example, the assay of Karlström et al., (Journal of Biological Chemistry papers in press, published on December 13, 2001 as Manuscript C100649200) is only capable of detecting inhibitors of γ -secretase and cannot also detect inhibitors of other steps of APP processing such as, e.g., inhibitors of β -secretase. If an inhibitor identified by the methods of the present invention is found to
15 also be an inhibitor when tested in the assay of Karlström et al., then that inhibitor is at least a γ -secretase inhibitor. It is still possible that that inhibitor could inhibit other steps in APP processing as well. Further tests known in the art can determine this.

The present invention may be modified so as to provide methods of determining at which step of APP processing a known inhibitor of APP processing
20 exerts its effect. The known inhibitor may be one that has been identified by the methods of the present invention or by some other method. The modification to the present invention consists in mutating the β -secretase site in a fusion protein so that β -secretase cleavage can no longer occur at the site or occurs at a very much reduced level. Providing that the fusion protein contains a cleavable α -secretase site, the
25 fusion protein can still be used in the methods of the present invention. However, this fusion protein (with a mutated β -secretase site) can no longer detect β -secretase inhibitors. Therefore, if the known APP processing inhibitor still functions as an APP processing inhibitor in this modified version of the invention, then the known inhibitor cannot be a β -secretase site inhibitor but instead must exert its effect
30 downstream of β -secretase.

Suitable mutations of the β -secretase site include the following. All the sequences are for amino acid positions 594-598 of APP₆₉₅.

VNFAV (SEQ ID NO:41): This mutation shows decreased β -secretase cleavage relative to the wild type, KMDA (SEQ ID NO:34), sequence.

VKVDA (SEQ ID NO:42): Vassar et al., 1999, Science 286:735-741. This mutant was tested in vitro only, but purified β -secretase failed to cleave a 30-amino acid peptide containing this sequence.

- WKMDA (SEQ ID NO:43), VKADA (SEQ ID NO:44), VKKDA (SEQ ID NO:45),
 5 VKEDA (SEQ ID NO:46), VKIDA (SEQ ID NO:47), VKMLA (SEQ ID NO:48),
 VKMNA (SEQ ID NO:49), VKMEA (SEQ ID NO:50), VKMDE (SEQ ID NO:51),
 VKMDK (SEQ ID NO:52): Citron et al., 1995. Neuron 14:661-670. These mutations decreased A β production 4-20X relative to p3 production in cultured cells.

- Fusion proteins can be constructed by use of the polymerase chain
 10 reaction (PCR) to amplify desired portions of APP and transcription factors, which can be then be cloned into expression vectors by methods well known in the art. Primers for PCR will generally include a small part of the APP or transcription factor as well as convenient cloning sites and/or linker peptide sequences. The PCR primers can be used to amplify the desired APP or transcription factor fragments from sources
 15 such as previously cloned APP or transcription factors, cDNA libraries, or genomic libraries. The amplified APP and transcription factor sequences can be cloned into suitable expression vectors. Methods of PCR and cloning are well known in the art and can be found in standard reference materials such as those listed below.

- Standard techniques for cloning, DNA isolation, amplification and
 20 purification, for enzymatic reactions involving DNA ligase, DNA polymerase, restriction endonucleases and the like, and various separation techniques are known and commonly employed by those skilled in the art. A number of standard techniques are described in Sambrook et al. (1989) Molecular Cloning, Second Edition, Cold Spring Harbor Laboratory, Plainview, N.Y.; Maniatis et al. (1982) Molecular Cloning,
 25 Cold Spring Harbor Laboratory, Plainview, N. Y.; Wu (ed.) (1993) Meth. Enzymol. 218, Part I; Wu (ed.) (1979) Meth. Enzymol. 68; Wu et al. (eds.) (1983) Meth. Enzymol. 100 and 101; Grossman and Moldave (eds.) Meth. Enzymol. 65; Miller (ed.) (1972) Experiments in Molecular Genetics, Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y.; Old and Primrose (1981) Principles of Gene Manipulation,
 30 University of California Press, Berkeley; Schleif and Wensink (1982) Practical Methods in Molecular Biology; Glover (ed.) (1985) DNA Cloning Vol. I and II, IRL Press, Oxford, UK; Hames and Higgins (eds.) (1985) Nucleic Acid Hybridization, IRL Press, Oxford, UK; Setlow and Hollaender (1979) Genetic Engineering: Principles

and Methods, Vols. 1-4, Plenum Press, New York, and Ausubel et al. (1992) Current Protocols in Molecular Biology, Greene/Wiley, New York, N.Y..

PCR reactions can be carried out with a variety of thermostable enzymes including but not limited to AmpliTaq, AmpliTaq Gold, or Vent polymerase.

- 5 For AmpliTaq, reactions can be carried out in 10 mM Tris-Cl, pH 8.3, 2.0 mM MgCl₂, 200 μ M of each dNTP, 50 mM KCl, 0.2 μ M of each primer, 10 ng of DNA template, 0.05 units/ μ l of AmpliTaq. The reactions are heated at 95°C for 3 minutes and then cycled 35 times using suitable cycling parameters, including, but not limited to, 95°C, 20 seconds, 62°C, 20 seconds, 72°C, 3 minutes. In addition to these
- 10 conditions, a variety of suitable PCR protocols can be found in PCR Primer, A Laboratory Manual, edited by C.W. Dieffenbach and G.S. Dveksler, 1995, Cold Spring Harbor Laboratory Press; or PCR Protocols: A Guide to Methods and Applications, Michael et al., eds., 1990, Academic Press.

- It is desirable to sequence the DNA encoding the fusion proteins, or at least the junction regions of the various portions (APP, transcription factor, linkers) of the fusion protein in order to verify that the desired portions have in fact been obtained, joined properly, and that no unexpected changes have been introduced into the sequences by the PCR reactions.
- 15

- Suitable PCR primers for amplification of DNA sequences for use in the present invention can be readily designed by those of skill in the art. Examples of such primers are shown below.
- 20

5'-GGA GAG GAT ATC ATG GAG CCA GTA GAT CC-3' (SEQ ID NO:53) can be used to amplify the 5' portion of HIV-1 TAT exon I.

25

5'-TAC ATG GCG GCC GCC TAC TTA CTG CTT TG-3' (SEQ ID NO:54) can be used to amplify the 3' portion of HIV-1 TAT exon I.

- 5'-GGA TGT GAT ATC TTT CTT CTT CAG CAT CAC CAA GG-3' (SEQ ID NO:55) can be used to amplify the 3' portion of DNA encoding amino acids 1-651 of APP, i.e., the transmembrane region of APP.
- 30

The following non-limiting examples are presented to better illustrate the invention.

EXAMPLE 1

Transfection of pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI with
pMM321

5 The following example demonstrated that an APP/TAT fusion
construct will transactivate a reporter gene in which the HIV1 LTR regulatory DNA
sequence controls the expression of enhanced green fluorescent protein (EGFP). The
following also serves as an example of the kind of preliminary routine variations of
fusion protein levels and inhibitor levels that may be advantageous to test in the
10 practice of the present invention. Such routine variations are often helpful in
validating the assays before a large scale screening project is undertaken.

 The APP/TAT fusion construct is referred to as "pcDNA3.1 zeo (+)
APP(1-651)SW, K612V-(M1L)TATexonI" (see Figure 26) and contains the HIV1
TAT exon 1 fused just after the transmembrane domain of APP. This construct is also
15 shown in outline form in Figure 1B. "pMM321" refers to a reporter gene plasmid
consisting of the HIV1 LTR driving the transcription of enhanced green fluorescent
protein (see Figure 25). As a positive control for TAT expression, a construct in
which TAT was under the control of a strong, constitutive promoter (referred to as
"pUCd5TAT"; see Figure 24) was used.

20

METHODS:

1. Day 1: Pass HEK 293T cells into 2 x 6 well dishes at 1×10^5 cells/well.
2. Day 2: Transfect cells with 9 μ L Fugene and 0.125 μ g pMM321 and various
25 amounts of pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI.

- Plate 1:
1. 5 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI
 2. 2.5 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-
(M1L)TATexonI
 - 30 3. 1.25 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-
(M1L)TATexonI

4. 0.625 µg pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI
5. 0.312 µg pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI
- 5 6. 0.156 µg pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI
- Plate 2:
1. 0.08 µg pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI
2. 0.04 µg pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI
- 10 3. no pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI
4. 0.625 pUCd5TAT
5. 0.625 µg pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI and 1 µg pMM321
- 15 6. 1 µg pMM321

Six hours post-transfection, green cells were only observed in plate 2, #5.

3. Day 3: The fluorescence intensity of the transfected cells was observed and recorded.
- 20
4. Day 4: The fluorescence intensity of transfected cells was observed and recorded.

RESULTS:

- 25 Co-transfection with pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI increased GFP expression in the cells.

Day 3:

- 5 µg – no green cells
- 30 • 2.5 µg – no green cells (too much DNA for these two transfections?)
- 1.25 µg - many bright and dim green cells (see photographs and figure in ancillary data)
- 0.625 µg - bright and dim green cells but fewer than at 1.25 µg
- 0.312 µg - no difference obvious between 0.625 µg and 0.312 µg

- 0.156 µg - very few green cells
- 0.08 µg - very few green cells
- 0.04 µg - very few green cells
- no pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI - extremely few
5 (if any) green cells
- 0.625 µg pUCd5TAT - cells were extremely bright, not necessarily more in
number than with pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI
- 0.625 µg pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI + 1 µg
pMM321 - many bright and dim green cells.
- 10 • 1 µg pMM321 many-fold fewer green cells, some bright, most dim.

Day 3 - changed media (saved 1 mL conditioned media from wells Plate 1- 3, 4, 5, 6;
Plate 2 - 1, 2, 3, 5, 6). Added fresh media with 10 µM of L-685,458 (a potent, cell
permeable γ- secretase inhibitor) to wells Plate 1 - 3, 4, 5, 6; Plate 2 - 3, 4, 5, 6.
15 Waited 48 hours to observe loss of fluorescence since GFP is so stable.

After 48 hours, all wells appeared brighter than at 24 hour time point. This does not
necessarily mean that the inhibitor was ineffective, or that the assay did not work,
since there were no controls run where the inhibitor was not added. However, it does
20 suggest that under these conditions it may be preferable to add the inhibitor at the time
of transfection to shut down γ-secretase as soon as possible and avoid release of TAT
and induction of GFP.

EXAMPLE 2

25 Transfection of APP(1-651)SW, K612V-(M1L)TATexonI into HEK293T and H4
cells accompanied by inhibition of γ-secretase activity with L-685,458

The following example demonstrates the operation of the invention in
HEK293T cells and H4 cells and shows inhibition of APP processing (and thus TAT
release) by treatment with a known γ-secretase inhibitor. "pcDNA3.1 zeo (+) APP(1-
30 651)SW, K612V-(M1L)TATexonI," "pMM321," and "pUCd5TAT" are the same as
in Example 1. H4 cells (ATCC HTB-148) are a neuronal cell line.

METHODS:

Day1: Plated out 2 x 6 well plates of HEK293T cells and 2 x 6 well plates of H4 cells at 1×10^5 cells/well.

- 5 Day 2: Transfected cells with 2 μ g total DNA - pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI and carrier (a pET-IN plasmid).

Plate1:

- 1,2: 1 μ g pMM321 + 1 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI
- 10 3,4: 1 μ g pMM321 + 0.1 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI + 0.9 μ g carrier
- 5: 1 μ g pMM321 + 1 μ g carrier (added too much carrier to this well in H4 cells)
- 6: 1 μ g pMM321 + 0.1 μ g pUCd5TAT + 0.9 μ g carrier
- 15 Plate 2:
- 1,2: 0.1 μ g pMM321 + 1 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI + 0.9 μ g carrier
- 3,4: 0.1 μ g pMM321 + 0.1 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI +
- 20 1.8 μ g carrier (added too 0.5X carrier to this mix in 293T cells)
- 5: 0.1 μ g pMM321 + 1.9 μ g carrier
- 6: 0.1 μ g pMM321 + 0.1 μ g pUCd5TAT + 1.8 μ g carrier

- Transfections for HEK293T cells: 9 μ L Fugene/well. Combined with DNA in
- 25 Optimem and incubated and added to cells according to manufacturer's instructions.

Transfections for H4 cells: 6 μ L Fugene/well. Combined with DNA in Optimem and incubated and added to cells according to manufacturer's instructions.

- 30 Added 10 μ M L-685,458 to Plates 1 and 2, wells 2 and 4 for both cell types within 1 hour of transfection. Observed cells periodically.

Took pictures at 24, 46 hours after transfection, using AE lock to keep exposures constant between wells.

RESULTS:

Both H4 and 293T cells turned much brighter green in the presence of pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI

5 At 24 hours:

H4 cells:

Plate 1: 1 ug pMM321

1. 1 ug pMM321 + 1 ug pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI: Many
10 bright and dim green cells (good transfection efficiency as well)
 2. 1 ug pMM321 + 1 ug pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI + 10 μ M L-685,458: Also many bright and dim green cells, but reduced compared with
well #1
 - 15 3. Very few green cells (a few per field)
 4. Very few green cells
 5. A few dimly green cells
 6. Some induction with 0.1 μ g pUCd5TAT but still relatively few cells.
- 20 Plate 2: 0.1 μ g pMM321
1. 0.1 μ g pMM321 + 1 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI:
~10 bright green cells/field and the rest are dim green
 2. 0.1 μ g pMM321 + 1 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI + 10 μ M L-685,458: ~3-5 bright green cells/field, some dim green,
25 and some not green.
 3. No green cells
 4. No green cells
 5. No green cells
 - 30 6. A few bright green cells

HEK293T cells:

Plate 1: 1 μ g pMM321

1. + 1 µg pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI: of 15 cells:
6 dim, 4
medium, 5 bright
2. + 1 µg pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI + 10 µM L-
5 685,458:
of 15 cells: 6 very dim, 5 dim, 1 medium, 3 bright
3. +0.1 µg pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI: many more
green
cells than 1 µg, lots of strong, bright green cells
- 10 4. + 0.1 µg pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI + 10 µM L-
685,458:
Fewer bright green cells/field but intensity does not appear strongly diminished
5. 1 µg pMM321 alone: Most cells in the field expressing dim to medium levels of
GFP
- 15 6. enhancement by 0.1 µg pUCd5TAT

Plate 2: 0.1 µg pMM321

1. + 1 µg pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI: Bright and
medium
20 green cells
2. + 1 µg pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI + 10 µM L-
685,458:
Bright, medium, and dim green cells
3. + 0.1 µg pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI: Bright,
25 medium,
and dim green cells
4. + 0.1 µg pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI + 10 µM L-
685,458:
Bright, medium, and dim green cells
- 30 5. 0.1 µg pMM321 alone: Most expressing cells have dim GFP, a few medium to
bright
cells
6. Enhancement by 0.1 µg pUCd5TAT

Changed media on cells at 24 hours past transfection. Kept 10 μ M L-685,458 on cells in wells 2 and 4.

At 46 hours after transfection, examined the wells again. Lots of floating cells in all wells, all cell types. Highest number of floaters in 1 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI lanes.

Took some photographs under fluorescent and white light (white light at low intensity) to reveal fluorescent and non-fluorescent cells. Conducted a subjective analysis of the photographs to see if the amount of inhibition by 10 μ M L-685,458 was in any way quantifiable. Counted bright (white in the middle), strong (blue middle), medium (green) and dim/non-fluorescent cells and determined the approximate fraction of each level of expression. Results follow:

15

TABLE 1

293T cells transfected with X μ g pMM321 (first number in left column) and X μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI (second number in left column)

Transfection	# Bright	# Strong	# Med	# Non	% Bright	%Strong	% Med	%Non
1 μ g + 1 μ g	none	8	81	316		2	20	78
1 + 1 + cmpd	none	5	66	521		0.8	11	88
1 + 0.1	41	77	143	61	12	24	44	19
1+ 0.1+cmpd	23	32	149	194				

20 The results shown in Table 1 indicate that the presence of L-685,458 ("cmpd") caused fewer strong and medium fluorescing cells as well as more non-fluorescent cells in the first run; in the second run, L-685,458 caused fewer bright and strong fluorescing cells as well as more non-fluorescent cells (with slightly more medium fluorescing cells). Overall, these data clearly indicate that the presence of an inhibitor of APP processing
25 such as L-685,458 can be identified by the present invention.

1 mL of conditioned media from each well was analyzed for production of A β . Higher than background levels of A β were observed in 293T cells after transfection

with 1 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI and 0.1 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI and higher than background levels of A β in H4 cells after transfection with 1 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI, but not 0.1 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI (no enhancement of GFP was observed with 0.1 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI either). A β was completely inhibited to background levels by 10 μ M L-685,458. Surprisingly, substantial inhibition of GFP was not observed with 10 μ M L-685,458.

10 100,000 cells from each well were trypsinized and placed in 0.1 mL phenol red-free media in a Costar 96-well dish and read using the fluorometer. The results are shown below:

TABLE 2

A			1 μ gAPPTAT	10 μ M 458	0.1 μ gAPPtat	10 μ M458	no tat	0.1 μ g pUCd5STAT				
	293T	1 μ g LTRGFP	17670	14321	65535	65535	14890	65535				
C		0.1 μ g LTRGFP	9976	10491	17677	14790	9624	25735				
D	H4	1 μ g LTRGFP	21307	25307	7175	7136	7147	7277				
E		0.1 μ g LTRGFP	9574	10031	7317	6957	6946	7247				
F		Blank	7498	7124	7570	7454	5774	7638				
G												
H												
	1	2	3	4	5	6	7	8	9	10	11	12

15 In Table 2, "APPtat" is pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI. "458" is L-685,458. "LTRGFP" is pMM321.

0.1 µg pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI with and without compound exceeded the maximum reading of the fluorometer, as did the addition of 0.1 µg pUCd5TAT to cells transfected with 1 µg pMM321.

1 µg pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI + 1 µg pMM321
5 incrementally increased the amount of fluorescence relative to 1 µg pMM321 alone, and this was reduced to background levels by 10 µM L-685,458. Inhibition of fluorescence was also observed in 293T cells transfected with 0.1 µg pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI + 0.1 µg pMM321. No inhibition of fluorescence was observed in H4 cells under any transfection conditions.


10

EXAMPLE 3

Use of APP(1-651)SW, K612V-TATexonI in H4 cells

L-875,532 is a known γ-secretase inhibitor having the structure shown below. It is described and details of its synthesis are disclosed in Seiffert et al., 2000, J. Biol.

15 Chem. 275:34086-34091.



L-875532

Compound X is a β-secretase inhibitor.

20

pRBR186 (Figure 22A) is an expression vector containing DNA sequences encoding full-length APP containing the Swedish mutation and the K612V mutation. pRBR186 does not contain a transcription factor fused to the APP sequences.

pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI is an expression vector that directs the expression of a the fusion protein APP(1-651)SW, K612V-(M1L)TATexonI in mammalian cells. This fusion protein contains the first 651 amino acids of APP (with a Swedish version of the β -secretase cleavage site as well as the K612V mutation) fused in frame to exon I of HIV1 TAT, which has been modified with a Met1-Leu mutation. A schematic diagram of pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI is shown in Figure 26A. The nucleotide sequence of pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI (SEQ ID NO:22) is shown in Figure 26B-G.

10

METHODS:

1. H4 cells (ATCC HTB-148) were transfected with the various constructs listed below using 6 μ L Fugene per 100 μ L Optimem and 100 μ L Optimem per well (6-well dishes). Transfection reactions were incubated for 30 minutes prior to adding 100 μ L dropwise onto wells.

15

Transfections were done as follows:

1. 1 μ g pMM321 (Figure 25A-D) and 1 μ g pcDNA3.1 backbone
- 20 1a. 1 μ g pMM321 and 1 μ g pcDNA3.1 (Invitrogen, San Diego, CA) backbone. Prior to transfection, 10 μ M L-875,532 (γ -secretase inhibitor) was added to the well.
2. 1 μ g pMM321 and 1 μ g pRBR186 (Figure 22A; APP expression vector; processing and inhibition of processing control)
- 25 2a. 1 μ g pMM321 and 1 μ g pRBR186. Prior to transfection, 10 μ M L-875,532 was added to cells (transfection solution for 3-5 were prepared in bulk)
3. and 3a. 1 μ g pMM321 and 1 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI
- 30 4. and 4a. 1 μ g pMM321 and 1 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI. Prior to transfection, 10 μ M L-875,532 was added to the two wells.
5. and 5a. 1 μ g pMM321 and 1 μ g pcDNA3.1 zeo (+) APP(1-651)SW, K612V-

(M1L)TATexonI. Prior to transfection, 10 μ M Compound X was added to the two wells

6. 1 μ g pMM321 and 1 μ g pUCd5TAT (Figure 24).

7. 1 μ g pMM321 and 1 μ g pUCd5 TAT. Prior to transfection, 10 μ M L-875,532 was
5 added to the cells.

RESULTS:

Cells were assessed by eye under a fluorescence microscope the morning following transfection (~20 hrs).

10 1 and 1a, 2 and 2a. Weak fluorescence

3 and 3a. Much stronger fluorescence

4 and 4a. Clear inhibition of fluorescence

5 and 5a. Possible inhibition of fluorescence, but doesn't look that great

6 and 7. Almost blindingly fluorescent.

15

At approximately 48 hours, cells were trypsinized, spun down, and resuspended in 100 μ L PBS. The cellular contents of each well of the transfection plates were placed into one well of a 96-well fluorescence plate. Fluorescence was analyzed using the FLUOstar (485 excitation/538 emission). The results are shown in Table 3.

20

TABLE 3

Transient transfections in H4 cells	Fluor Units
pMM321	4484
pMM321 + L-875,532	3443
pMM321 + pRBR186	2735
pMM321 + pRBR186 + L-875,532	2161
pMM321 + APP-TAT-ct32	20177
pMM321 + APP-TAT-ct32 + L-875,532	8283
pMM321 + APP-TAT-ct32 + Compound X	11946
pMM321 + pucd5-TAT	61102

In Table 3, "APP-TAT-ct32" refers to pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI.

For a graphical presentation of these results, see Figure 19. In Figure 19, "LTR-GFP" refers to pMM321; "APP-TAT-ct32" refers to pcDNA3.1 zeo (+) APP(1-651)SW, K612V-(M1L)TATexonI. Compare the bar labeled "LTR-GFP + APP-TAT-ct32" with the bars labeled "LTR-GFP + APP-TAT-ct32 + L-875,532" and "LTR-GFP + APP-TAT-ct32 + Compound X." Inhibition by both the β -secretase inhibitor (Compound X) and the γ -secretase inhibitor (L-875,532) is easily identified by the present invention.

10 Conclusions:

- The data indicate that the expression of the fusion protein APP(1-651)SW, K612V-(M1L)TATexonI enhances transactivation through the LTR of pMM321 in a manner that depends on APP processing.
- APP(1-651)SW, K612V-(M1L)TATexonI expressing cells were 6X brighter than pMM321 cells alone.
- Treatment with L-875,532 decreased fluorescence 2.5X.
- Treatment with Compound X decreased fluorescence 1.7X.
- Expression of TAT via pucd5-TAT was almost blinding and was 19X above pMM321 alone, indicating that APP(1-651)SW, K612V-(M1L)TATexonI expression did not lead to levels of GFP as high as TAT alone. Despite the decreased activation shown by TAT when provided by the fusion protein, as compared with TAT driven by the AMLP (adenovirus major late promoter) in pucd5-TAT, the assay was easily able to identify both the β -secretase and the γ -secretase inhibitors.
- Control plasmids (pMM321 and pMM321 + pRBR186) were dimly fluorescent and were not inhibited by L-875,532.

A lower level of inhibition by the β -secretase inhibitor is to be expected since the K612V mutation decreases alpha-secretase activity by 95% and thus some alpha-secretase cleavage is to be expected.

30

EXAMPLE 4

Construction of pcDNA3.1 (+) zeo APP(1-651)SW, K612V, GAL4-VP16(M1L) APP
(664-695)

1. The GAL4-VP16 insert was prepared by PCR from pCR2.1 GAL4VP16 (Figure
5 20) (Invitrogen, San Diego, CA). The PCR was performed to eliminate the N-
terminal methionine by changing this methionine into a leucine.

- 40 ng pCR2.1 GAL4-VP16
0.2 μ L GAL4VP16 5' oligo at 250 μ M:
10 5'-CTGAGATATCAAGCTACTGTCTTCTATCGAACAAGC-3' (SEQ ID NO:56)
EcoRV site underlined
0.2 μ L GAL4VP16 3' oligo (at 250 μ M): 5'-
GCGCGATATCCCCACCGTACTCGTCAATTCC-3' (SEQ ID NO:57)
EcoRV site underlined
15 5 μ L 10X Buffer
8 μ L 25 mM MgCl₂
4 μ L PCR dNTPs
0.25 μ L AmpliTaq Gold
27.35 μ L water

20

Cycle:

- Purified reactions using a Qiaquick column
Digested entire reaction using EcoRV
25 Ran the DNA on a 1% gel. Excised the band and purified using a QiaQuick gel
purification kit

2. Digested pcDNA3.1 APP(1-651)/APP(664-695) with EcoRV and SAP treated.
pcDNA3.1 APP(1-651)/APP(664-695) is an intermediate plasmid formed in the
30 procedure described in Example 6. pcDNA3.1 APP(1-651)/APP(664-695) the first
651 amino acids of APP (with a Swedish version of the β -secretase cleavage site as
well as the K612V mutation) fused in frame to the last 32 amino acids of APP.

3. Ligated pcDNA3.1 APP(1-651)/APP(664-695) –EcoRV digested to GAL4VP16 (EcoRV digested)

- 5 4. At this point, it was realized that the 3' PCR primer for GAL4-VP16 put the APP(664-695) fragment out of frame. The APP(664-695) fragment was then re-PCR'd using the following protocol:

- 1 µL pcDNA3.1 APP(1-651)-Gal4VP16-APP(664-695)
10 50 nM APP NotI 5'ct32 in frame with GAL4-VP16
50 nM APP Noti 3' ct32 (5'
(p)CTGCTGTGGCGGCCGCTAGTTCTGCATCTGCTC) (SEQ ID NO:58)
NotI site underlined
1 µL PCR dNTPs (10 mM each dNTP, Roche)
15 5 µL 10X Expand Buffer with MgCl₂
40 µL water
1 µL Expand polymerase (Roche)

- The PCR fragment was run on a 4% agarose gel and gel-purified using a QiaQuick gel
20 purification column
The fragment was digested with NotI and purified using a QiaQuick PCR purification column.

5. APP(1-651)-Gal4VP16-APP(664-695) was re-miniprepmed. Miniprep #1 was
25 digested with NotI, run on a 1% gel, the upper band was then isolated and SAP-treated.

6. APP(1-651)-Gal4VP16/NotI digested/SAP-treated was ligated to APP(664-695).

- 30 7. Minipreps containing inserts were sequenced to verify the orientation of the insert.

EXAMPLE 5

Construction of pcDNA3.1 zeo (+) APP(1-651)wt, K612V-TATexonI(M1L)
APP(664-695)

5 This procedure replaced a fragment of APP in pcDNA3.1 zeo (+) APP(1-651)SW,
K612V-TATexonI(M1L) APP (664-695) that contained the Swedish mutation with a
corresponding fragment from pRBR121 containing the wild-type β -secretase cleavage
site rather than the Swedish β -secretase cleavage site.

1. pcDNA3.1 zeo (+) APP(1-651)SW, K612V-TATexonI(M1L) APP (664-695)
10 (Figure 21B) was digested with SnaBI and then EcoRI

17 μ L miniprep DNA

2 μ L 10X buffer

1 μ L SnaBI (NEB)

- 15 Digest was purified using Qiaquick PCR purification kit. Entire digest was then
cleaved with EcoRI for 2 hours.

2. pRBR121 (Figure 21A) was digested with SnaBI and then EcoRI

5 μ g pRBR121

20 5 μ L 10X buffer

2.5 μ L SnaBI (NEB)

q.s. 50 μ L with water

- 25 The digest was purified using a Qiaquick PCR purification kit. The entire digest was
then cleaved with EcoRI for 2 hours.

3. Both digests were run out on a 1% agarose gel. From the pRBR121 lane, the 2.4
kb SnaBI-EcoRI fragment containing the wild-type β -secretase cleavage site was
isolated.

30

From pcDNA3.1 zeo (+) APP(1-651)SW, K612V-TATexonI(M1L) APP (664-695) digest, BOTH the 5 kb SnaBI-EcoRI backbone fragment AND the 200 bp EcoRI-EcoRI fragment were isolated (see Figure 21B).

- 5 4. A three-part ligation using equal molar ratios of the three fragments was carried out:
The assumption was made that, since the starting plasmids were of similar sizes and the same amount was digested for each plasmid, the recovered fragments would be in approximately equal molar ratios.

10

Vector alone:

1 μ L APP-TAT-ct32 SnaBI/EcoRI 5Kb fragment

7 μ L water

2 μ L 5X buffer

- 15 10 μ L 2X buffer (Roche rapid ligation kit)

1 μ L T4 ligase

1+1+1

1 μ L pcDNA3.1 zeo (+) APP(1-651)SW, K612V-TATexonI(M1L) APP (664-695)

- 20 SnaBI/EcoRI 5KB fragment

1 μ L pRBR121 SnaBI/EcoRI 2.4 Kb insert

1 μ L pcDNA3.1 zeo (+) APP(1-651)SW, K612V-TATexonI(M1L) APP (664-695)

EcoRI/EcoRI 200 bp insert

5 μ L water

- 25 2 μ L 5X buffer

10 μ L 2X buffer

1 μ L T4 ligase

- 30 1+1+...1 (in this 3-pt ligation, the ligation of two of the fragments together was done 1st, then the third fragment was added)

1 μ L pcDNA3.1 zeo (+) APP(1-651)SW, K612V-TATexonI(M1L) APP (664-695)

SnaBI/EcoRI 5Kb backbone

1 μ L pcDNA3.1 zeo (+) APP(1-651)SW, K612V-TATexonI(M1L) APP (664-695)

EcoRI/EcoRI 200 bp insert

- 5 μ L water
2 μ L 5X buffer
10 μ L 2X buffer
1 μ L T4 ligase
5 waited 5 minutes
then added 1 μ L pRBR121 SnaBI/EcoRI 2.4 kb insert
- 1+1+3
1 μ L pcDNA3.1 zeo (+) APP(1-651)SW, K612V-TATexonI(M1L) APP (664-695)
10 SnaBI/EcoRI 5 kb backbone
1 μ L pRBR 121 SnaBI/EcoRI 2.4 kb insert
3 μ L pcDNA3.1 zeo (+) APP(1-651)SW, K612V-TATexonI(M1L) APP (664-695)
EcoRI/EcoRI 200 bp insert
3 μ L water
15 2 μ L 5X buffer
10 μ L 2X buffer
1 μ L T4 ligase
- Transformed and plated out 200 μ L. The number of colonies in the vector + insert
20 ligations far exceeded the number of colonies in the vector alone ligation. Picked 12 colonies from 1+ 1+...1.
Picked 6 colonies from 1+3.
Miniprepped
Digested with EcoRI to ensure that small 200 bp fragment was incorporated.
25 RESULTS
Minipreps #10 and 15 contained 200 bp EcoRI fragment.
- Oriented with Bam HI digestion.
- 30 Sequenced with sAPPb F2 and F3 primers. Miniprep #15 contains both inserts in the correct orientation.

EXAMPLE 6

Construction of pcDNA3.1 zeo (+) APP(1-651)SW, K612V-TATexonI(M1L)
APP(664-695)

1. PCR of APP (664-695):

5 The starting material was the pRBR186 plasmid (Figure 22A).

PCR of APP (664-695)

1 ng pRBR186

50 nM 5' oligo (5'-TGCCCCGCGCGGCCGCGCGATGCTGCCCCGG-3') (SEQ ID

10 NO:59) NotI site underlined

50 nM 3' oligo (5'-(p)ATGGTGTGGCGGCCGCAGACGCCGCTGTCACC-3')

(SEQ ID NO:60) NotI site underlined

1 µL Roche PCR nucleotides

5 µL 10X Expand buffer

15 40 µL water

1 µL Expand

Cycle: (94°C, 5 min) – 25X (94°C, 30 sec; 42°C, 1 min; 72°C, 2 min) – 72°C x 6 min
 – 4°C hold.

20

The ~100 bp fragment was gel purified (4% agarose, 1X TBE gel)

The gel-purified fragment was ligated into NotI digested, Shrimp Alkaline
 Phosphatase-treated pcDNA3.1 zeo (+) (Invitrogen). The presence of the insert and
 25 its orientation was confirmed by sequencing.

2. PCR of APP(1-651):

1 ng pRBR186

50 nM 5' oligo (5'-(p)AGCGCACAAAGCTTCCCCGCGCAGGGTCGCGATGCTG-
 30 3') (SEQ ID NO:61) HindIII site underlined, Met(1) ATG of APP in bold

50 nM 3' oligo (5'-(p)GGATGTAAGCTTTTTTCTTCTTCAGCATCACCAAGG-3')

(SEQ ID NO:62) HindIII site is underlined

- 1 μ L Roche PCR nucleotides
 5 μ L 10X Expand buffer
 40 μ L water
 1 μ L Expand
- 5
- Cycle: (94°C, 5 min) -- 25X (94°C, 30 sec; 37°C, 1 min; 72°C 2.5 min) -- 72°C x 6 min -- 4°C hold
- 10
- The amplified fragment was isolated on an agarose gel. The fragment was purified from the gel using Qiaquick Gel purification columns. The fragment was digested with HindIII. The amount of the fragment was too small to subclone, so the PCR was repeated using 1 μ L of the amplified fragment and carrying out 5 reactions simultaneously.
- 15
- The fragments were purified from these reactions using a QiaQuick PCR purification kit. The fragments were eluted in 30 μ L and digested with HindIII for 2 hours. The digested fragments were then gel purified.
- 20
- The purified fragments were ligated to pcDNA3.1 zeo (+) APP(664-695) that had been digested with HindIII and SAP treated. This gave the intermediate plasmid pcDNA3.1 zeo (+) APP(1-651)/APP(664-695).
3. PCR of (M1L) TAT:
 The starting material was NL4-3 viral plasmid (Figure 22B).
- 25
- PCR reaction:
 1 ng NL4-3 viral plasmid
 50 nM TAT 5' RV Met-Leu PCR primer (5'-
TGCAGATATCCTGGAGCCAGTAGATCCTAGAC-3') (SEQ ID NO:63)
 30 EcoRV site underlined, Met-Leu mutation in bold
 50 nM TAT 3' RV Met-Leu PCR primer
 (5'-GCTGGATATCCTCTGCTTTGATAGAGAAGC-3') (SEQ ID NO:64)
 EcoRV site underlined
 1 μ L PCR dNTPs

5 μ L PCR 10X buffer with MgCl₂

40 μ L water

1 μ L Expand polymerase

5 Cycle:

94°C for 5 min

[30 sec 94°C, 1 min 42°C, 1 min 72°C] x 25 cycles

5 min at 72°C

hold at 4°C

10

- The insert was purified over QiaQuick PCR purification column
- The entire reaction was digested with 30 units EcoRV for 3 hours
- The ~200 bp insert was gel purified.
- pcDNA3.1 zeo (+) APP(1-651)/APP(664-695) was digested with EcoRV, and
- 15 then SAP treated
- The Met1-Leu TAT fragment was ligated to pcDNA3.1 zeo (+) APP(1-651)/APP(664-695).

A map of the resulting plasmid is shown in Figure 22C.

20

EXAMPLE 7

Design of novel expression vector for expression of APP(1-651)SW, K612V-TATexonI(M1L) APP(664-695)

- PURPOSE: To provide a low level expression of APP(1-651)SW, K612V-TATexonI(M1L) APP(664-695), a prokaryotic selectable marker that is NOT
- 25 ampicillin (read-through of the β -lactamase gene is sometimes a problem), and a eukaryotic selectable marker that is NOT zeocin (zeo is the marker for the reporter plasmids in some embodiments).

METHODS

- 30 1. The dEYFP gene was removed from pd2EYFP (Clontech, Palo Alto, CA) using BamHI and NotI. The 5' overhangs was filled in using Klenow, and the plasmid was re-circularized.

pd2EYFP plasmid was digested with BamHI, NotI.

Ran reaction on 1% agarose gel. Digestion was complete. Cut out 3.4 kb band.

Purified using Qiagen Gel Extraction Kit.

5 Klenow fill-in:

~4 µg plasmid backbone

7.5 µL NEB buffer 2

33 µM each dNTP (diluted from Roche PCR dNTPs)

water to 75 µL

10 4 µL Roche Klenow fragment (4 units)

Incubated at room temperature for 15 minutes

Heat inactivated at 70°C

15 Took 1 µL fill-in reaction.

Diluted to 8 µL with water

Added 2 µL 5X DNA buffer

Added 10 µL 2X Ligation Buffer

Added 1 µL T4 DNA ligase

20

Incubated at room temperature

Transformed 2 µL ligation into Invitrogen maximum efficiency DH5alpha competent cells.

25

Plated out on Kanamycin plates. Lots of colonies.

2. The RSV promoter from pREP4 (Invitrogen) was excised using BglII and HindIII and cloned into the re-circularized plasmid.

30

Digested 5 µg pREP4 with HindIII

Purified using Qiagen PCR purification kit

Digested with BglII.

The RSV promoter fragment was gel purified and cloned into the re-circularized plasmid.

3. The resulting expression vector (pRSV Kan/Neo res; Figure 23) has the eukaryotic RSV promoter 5' to the pd2EYFP polylinker, SV40 driving neo and kanamycin prokaryotic selection, and a pUC ori for high levels of replication in bacteria.

EXAMPLE 8

Use of APP(1-651)SW, K612V-TATexonI(M1L) APP(664-695) in HeLa cells with a β -galactosidase reporter gene

The following demonstrates the practice of the present invention with the APP(1-651)SW, K612V-TATexonI(M1L) APP(664-695) fusion protein (SEQ ID NO:2) and β -galactosidase as a reporter gene. P4-R5 cells are HeLa cells that contain a stably integrated β -galactosidase reporter gene under the control of the HIV1 LTR.

Materials:

- 1.) Cells: P4-R5 cells
- 2.) DNA: 0.78 μ g/ μ L pcDNA3.1 zeo (+)APP(1-651)SW, K612V-TATexonI(M1L) APP(664-695)
- 3.) Transfection reagents: FUGENE®
- 4.) Media: OPTIMEM®
cDMEM (-)phenol red /10% FBS
- 5.) Compounds: Compound X (β -secretase inhibitor) 10 mM
L-875,532 (γ -secretase inhibitor) 10 mM

Protocol:

Day 1

- 1.) Cell count on P4-R5 cells = 7.6×10^5 cells per ml in cDMEM (-)PR.
Seeded sterile white luminometer TC plates with the following cell numbers:

- 10 ml
 $5 \times 10^3/\text{well} = 0.75 \text{ ml in } 9.25 \text{ ml media}$
 $1.0 \times 10^4/\text{well} = 1.5 \text{ ml in } 8.5 \text{ ml media}$

Seeded 100 μ L cells per well.
Incubate overnight at 37°C, 5% CO₂.

Day 2

2.) Made up media with appropriate dilutions of inhibitors.

5 On no-inhibitor controls, added 100 μ L of cDMEM with 1% DMSO

On wells with Compound X, added 10 μ M inhibitor in cDMEM

On wells with L-875,532, added 10 μ M inhibitor in cDMEM

3.) Prior to transfection, pulled off media on P4-R5 cells and replaced with media +/- inhibitor.

10 FUGENE® transfection:

For FUGENE® transfection:

4.) Added 600 μ L of OPTIMEM® to sterile EPPENDORF® tube and carefully added 30 μ L FUGENE® to media, without touching walls of tube. Incubated at room temperature for 5 minutes.

15 In separate EPPENDORF® tubes, added each DNA.

Added FUGENE®/OPTIMEM® dropwise to DNA; incubated at room temperature for 15 minutes.

Added 15 μ L /well of DNA/FUGENE®/OPTIMEM® dropwise to media in appropriate wells on P4-R5 cells, swirling to mix.

20

TABLE 4

Transfection number	Conc of DNA	Vol of DNA	Vol of FUGENE®	Vol of sterile OPTIMEM®
APP-ML-Tat-APPct	0.78 μ g/ μ L	5 μ g = 6.5 μ L	30 μ L of FUGENE®	600 μ L of OPTIMEM®
pUCd5TAT	1.24 μ g/ μ L	5 μ g = 4.0 μ L	30 μ L of FUGENE®	600 μ L of OPTIMEM®
p243-4	0.56 μ g/ μ L	5 μ g = 9 μ L	30 μ L of FUGENE®	600 μ L of OPTIMEM®

In Table 4, "APP-ML-Tat-APPct" refers to pcDNA3.1 zeo (+)APP(1-651)SW, K612V-TATexonI(M1L) APP(664-695). "pUCd5TAT" is an expression vector that

serves as a positive control for TAT expression, since it is a construct in which TAT is under the control of a strong, constitutive promoter (see Figure 24). "p243-4" is a control expression vector that directs the expression of APP.

- 5 5.) Plates were transferred to an incubator and incubated for 48 hours to allow expression and processing of the proteins.

Day 4

- 6.) The protocol below was followed for lysis of the cells and measurement of β -galactosidase in the cell lysates.

10

Measurement of β -galactosidase in lysates of transfected cells.

1. Removed TROPIX® chemiluminescence kit(s) from cold room, allowed to come to room temperature in a 37°C water bath.
 2. β -galactosidase standards were prepared:
 - 15 Made 1:5000 dilution of β -galactosidase stock (1 mg/ml) in lysis buffer. Did 2 fold dilutions.
 3. Diluted TROPIX® substrate 1:25 into buffer. (Made enough for 100 μ L /well).
 4. Added to reservoir and added 100 μ L/well.
 - 20 5. Added 10 μ L of β -galactosidase standards to column 12 on plate and incubated in dark for 1 hour.
 6. Read immediately in luminometer using standard file. Filled in required fields, read plate.
- 25 The results are shown in Figure 33. Figure 33 demonstrates that the present invention was able to identify both the β -secretase inhibitor (Compound X) and the γ -secretase inhibitor (L-875,532). In Figure 33, "APP-tat-ct32" refers to pcDNA3.1 zeo (+)APP(1-651)SW, K612V-TATexonI(M1L) APP(664-695). Although not indicated in Figure 33, the results for the controls were as expected: a large transactivation of
- 30 the LTR by pUCd5TAT was observed which was not affected by either inhibitor. No transactivation was seen with p243-4.

EXAMPLE 9

Comparison of the use of APP(1-651)SW, K612V-TATexonI(M1L) APP(664-695) and APP(1-651)wt, K612V-TATexonI(M1L) APP(664-695) with a β -galactosidase reporter gene

- 5 The following shows a side-by-side comparison of the practice of the present invention with the APP(1-651)SW, K612V-TATexonI(M1L) APP(664-695) fusion protein (SEQ ID NO:2) and the APP(1-651)wt, K612V-TATexonI(M1L) APP(664-695) fusion protein (SEQ ID NO:4). P4-R5 cells are HeLa cells that contain a stably integrated β -galactosidase reporter gene under the control of the HIV1 LTR.

10

Materials:

- 1.) Cells: P4-R5 cells
- 2.) DNA: 0.78 μ g/ μ L pcDNA3.1 neo (+) APP(1-651)SW, K612V-TATexonI(M1L) APP(664-695)
- 15 0.812 μ g/ μ L pcDNA3.1 neo (+) APP(1-651)wt, K612V-TATexonI(M1L) APP(664-695)
- 1.24 μ g/ μ L pUCd5TAT
- 0.56 μ g/ μ L p243-4
- 3.) Transfection reagents: FUGENE®
- 20 4.) Media: OPTIMEM®
- cDMEM (-)phenol red /10% FBS
- 5.) Compounds: Compound X (β -secretase inhibitor) 10 mM
- L-875,532 (γ -secretase inhibitor) 10 mM

Day 1

- 25 1.) Cell count on P4-R5 cells = 5×10^5 cells per ml in cDMEM (-)PR.
Seeded sterile white luminometer TC plates with the following cell numbers:
- 10 ml
- 5×10^3 /well = 4.0 ml in 36.0 ml media
- Diluted 1:1 into media and seeded one plate at 2.5×10^3 /well.
- 30 Seeded 100 μ L cells per well.
- Incubated overnight at 37°C, 5% CO₂.

Day 2

- 2.) Made up media with appropriate dilutions of inhibitors.
 On no-inhibitor controls, added 100 μ L of cDMEM with 1% DMSO
 On wells with Compound X, added titration curve from 100 μ M
 5 inhibitor in cDMEM (-)PR.
 On wells with L-875,532, added titration curve from 100 μ M inhibitor
 in cDMEM (-)PR.
- 3.) Prior to transfection, pulled off media on P4-R5 cells and replaced with media +/-
 10 inhibitor.

FUGENE® transfection:

- 4.) Added volume of OPTIMEM® to sterile EPPENDORF® tube and carefully
 15 added correct volume of FUGENE® to media, without touching walls of tube.
 Incubated at room temperature for 5 minutes.
 In separate EPPENDORF® tubes, added each DNA, as outlined below.
 Added FUGENE®/OPTIMEM® dropwise to DNA; incubated at room
 temperature for 15 minutes.
 20 Added 15 μ L/well of DNA/FUGENE®/OPTIMEM® dropwise to media in
 appropriate wells on P4-R5 cells, swirling to mix.

TABLE 5

Transfection number	Conc of DNA	Vol of DNA	Vol of FUGENE®	Vol of sterile OPTIMEM®
1.) APP-ML-Tat-APPct (Sw)	0.78 μ g/ μ L	10 μ g = 13 μ L	60 μ L of FUGENE®	1200 μ L of OPTIMEM®
2.) APP-ML-Tat-APPct (WT)	0.812 μ g/ μ L	10 μ g = 12.2 μ L	60 μ L of FUGENE®	1200 μ L of OPTIMEM®
3.) pUCd5TAT	1.24 μ g/ μ L	5 μ g = 4.0 μ L	30 μ L of FUGENE®	600 μ L of OPTIMEM®
4.) p243-4	0.56 μ g/ μ L	5 μ g = 9 μ L	30 μ L of FUGENE®	600 μ L of OPTIMEM®

In Table 5, "APP-ML-Tat-APPct (Sw)" refers to pcDNA3.1 neo (+) APP(1-651)SW, K612V-TATexonI(M1L) APP(664-695). "APP-ML-Tat-APPct (WT)" refers to pcDNA3.1 neo (+) APP(1-651)wt, K612V-TATexonI(M1L) APP(664-695).

- 5 "pUCd5TAT" is an expression vector that serves as a positive control for TAT expression, since it is a construct in which TAT is under the control of a strong, constitutive promoter (see Figure 24). "p243-4" is a control expression vector that directs the expression of APP.
- 10 5.) Plates were transferred to an incubator and incubated for 36 hours to allow expression and processing of proteins.

Day 4

- 15 6.) The protocol below was followed for lysis of the cells and measurement of β -galactosidase in the cell lysates.

Measurement of β -galactosidase in lysates of transfected cells.

- 20 1. Removed TROPIX® chemiluminescence kit(s) from cold room, allowed to come to room temperature in a 37°C water bath.
2. β -galactosidase standards were prepared:
Made 1:5000 dilution of β -galactosidase stock (1 mg/ml) in lysis buffer. Did 2 fold dilutions.
- 25 3. Diluted TROPIX® substrate 1:25 into buffer. (Made enough for 120 μ L /well).
4. Added to reservoir and added 120 μ L/well.
5. Added 10 μ L of β -galactosidase standards to column 12 on plate and incubated in dark for 1 hour.
- 30 6. Read immediately in luminometer using standard file. Filled in required fields, read plate.


The results are shown in Figure 34. In Figure 34, "APP(NFEV)HAMycFLAG" refers to a protein that is a variant of APP in which NFEV is present at the β -secretase cleavage site and there are epitope tags in the amino terminal portion of the protein

but there is no transcription factor fused to APP. "APP(Sw)tat-ct32" refers to pcDNA3.1 neo (+) APP(1-651)SW, K612V-TATexonI(MIL) APP(664-695). "APP(WT)tat-ct32" refers to pcDNA3.1 neo (+) APP(1-651)wt, K612V-TATexonI(MIL) APP(664-695). Figure 34 shows that the Swedish version and the wild-type version of APP appear to work about equally well in the assay.

EXAMPLE 10

L-685,458

L-685,458 is a γ -secretase inhibitor having the following structure:



L-685,458 contains an hydroxyethylene dipeptide isostere and is thought to function as a transition state analog mimic of aspartyl proteases (Shearman et al., 2000, Biochemistry 39:8698-8704). L-685,458 was prepared as follows:

{1S-Benzyl-4R-[1-(1S-carbamoyl-2-phenylethylcarbamoyl)-1S-3-methylbutylcarbamoyl]-2R-hydroxy-5-phenylpentyl}carbamic acid tert-butyl ester (L-685,458) was prepared by the coupling of 2R-benzyl-5S-tert-butoxycarbonylamino-4R-(tert-butyltrimethylsilyloxy)-6-phenylhexanoic acid (Evans et al., 1985, J. Org. Chem. 50:4615-4625) with Leu-Phe-NH₂ followed by deprotection with tetrabutylammonium fluoride. The synthesis of {1S-benzyl-4R-[1-(1S-carbamoyl-2-phenylethylcarbamoyl)-1S-3-methylbutylcarbamoyl]-2S-hydroxy-5-phenylpentyl}carbamic acid tert-butyl ester (L-682,679) has been described previously (De Solms et al., 1991, J. Med. Chem. 34:2852-2857). {1S-Benzyl-4R-[1-(1S-carbamoyl-2-phenylethylcarbamoyl)-1S-3-methylbutylcarbamoyl]-2-oxo-5-phenylpentyl}carbamic acid tert-butyl ester (L-684,414) was prepared by pyridinium dichromate-mediated oxidation of L-682,679.

The present invention is not to be limited in scope by the specific embodiments described herein. Indeed, various modifications of the invention in addition to those described herein will become apparent to those skilled in the art from
5 the foregoing description. Such modifications are intended to fall within the scope of the appended claims.

Various publications are cited herein, the disclosures of which are incorporated by reference in their entireties.

WHAT IS CLAIMED IS:

1. A DNA molecule comprising a nucleotide sequence encoding a fusion protein comprising amino acids 589-651 selected from the group consisting of wild type APP₆₉₅, the Swedish version of APP₆₉₅ and the NFEV (SEQ ID NO:40) version of APP₆₉₅ and a transcription factor where the transcription factor is fused in frame to the carboxyl terminus of amino acids 589-651.
5
2. The DNA molecule of claim 1 where amino acids 589-651 contain a K612V mutation.
10
3. The DNA molecule of claim 1 where the nucleotide sequence further encodes amino acids 664-695 of APP₆₉₅ wherein amino acids 664-695 are fused in frame to the carboxyl terminus of the transcription factor.
15
4. The DNA molecule of claim 1 where the transcription factor is selected from the group consisting of: HIV-1 TAT, Gal4-VP16, the entire Gal4 protein, LexA-VP16, E12, E47, Twist, Papillomavirus E2, EBV Zta, BIV TAT, HIV-2 TAT, or SIV TAT.
20
5. The DNA molecule of claim 3 where the fusion protein is selected from the group consisting of: APP(1-651)wt, K612V-TATexonI(M1L) APP (664-695) (SEQ ID NO:4); APP(1-651)wt, K612V, Gal4-VP16(M1L) APP (664-695) (SEQ ID NO:8); APP(1-651)wt, TATexonI(M1L) APP (664-695) (SEQ ID NO:12); and APP(1-651)wt, Gal4-VP16(M1L) APP (664-695) (SEQ ID NO:16).
25
6. The DNA molecule of claim 3 where the fusion protein is selected from the group consisting of: APP(1-651)SW, K612V-TATexonI(M1L) APP (664-695) (SEQ ID NO:2); APP(1-651)SW, K612V, Gal4-VP16(M1L) APP (664-695) (SEQ ID NO:6); APP(1-651)SW, TATexonI(M1L) APP (664-695) (SEQ ID NO:10); and APP(1-651)SW, Gal4-VP16(M1L) APP (664-695) (SEQ ID NO:14).
30
7. The DNA molecule of claim 3 where the fusion protein is selected from the group consisting of: APP(1-651)NFEV, K612V-TATexonI(M1L)

APP (664-695) (SEQ ID NO:23) and APP(1-651)NFEV, K612V, GAL4-VP16(M1L)
APP (664-695) (SEQ ID NO:25).

- 5 8. An expression vector comprising the DNA molecule of claim 1.
9. A eukaryotic cell comprising the DNA molecule of claim 1.
10. The cell of claim 9 further comprising a reporter gene where the
10 reporter gene is under the control of a regulatory DNA sequence that is capable of
being activated by the transcription factor.
11. A method of identifying a substance that inhibits APP
processing comprising:
- (a) providing a recombinant eukaryotic cell which:
- 15 (i) expresses a fusion protein comprising amino acids 589-
651 selected from the group consisting of wild type APP₆₉₅, the Swedish version of
APP₆₉₅ and the NFEV (SEQ ID NO:40) version of APP₆₉₅ and a transcription factor
where the transcription factor is fused in frame to the carboxyl terminus of amino
acids 589-651; and
- 20 (ii) comprises a reporter gene operably linked to a
regulatory DNA sequence which capable of being activated by the transcription factor;
- (b) measuring the level of reporter gene product in the cell in the
absence of the substance;
- (c) adding the compound to the cell and measuring the level of
25 reporter gene product in the cell in the presence of the substance;
where a decrease in the level of reporter gene product in the presence
as compared to the absence of the substance indicates that the substance inhibits APP
processing.
- 30 12. The method of claim 11 where amino acids 589-651 contain a
K612V mutation.
13. The method of claim 11 where the transcription factor is
selected from the group consisting of: HIV-1 TAT, Gal4-VP16, the entire Gal4

protein, LexA-VP16, E12, E47, Twist, Papillomavirus E2, EBV Zta, BIV TAT, HIV-2 TAT, or SIV TAT.

14. The method of claim 11 where the fusion protein is selected
5 from the group consisting of: APP(1-651)wt, K612V-TATexonI(M1L) APP (664-695) (SEQ ID NO:4); APP(1-651)wt, K612V, Gal4-VP16(M1L) APP (664-695) (SEQ ID NO:8); APP(1-651)wt, TATexonI(M1L) APP (664-695) (SEQ ID NO:12); and APP(1-651)wt, Gal4-VP16(M1L) APP (664-695) (SEQ ID NO:16).

10 15. The method of claim 11 where the fusion protein is selected from the group consisting of: APP(1-651)SW, K612V-TATexonI(M1L) APP (664-695) (SEQ ID NO:2); APP(1-651)SW, K612V, Gal4-VP16(M1L) APP (664-695) (SEQ ID NO:6); APP(1-651)SW, TATexonI(M1L) APP (664-695) (SEQ ID NO:10); and APP(1-651)SW, Gal4-VP16(M1L) APP (664-695) (SEQ ID NO:14).

15 16. The method of claim 11 where the fusion protein is selected from the group consisting of: APP(1-651)NFEV, K612V-TATexonI(M1L) APP (664-695) (SEQ ID NO:23) and APP(1-651)NFEV, K612V, Gal4-VP16(M1L) APP (664-695) (SEQ ID NO:25).

20 17. A method of identifying a substance that inhibits APP processing comprising:

- (a) providing a recombinant eukaryotic cell which:
 - (i) expresses a fusion protein comprising an amino acid
25 sequence from APP that is capable of being cleaved by both β -secretase and γ -secretase and a transcription factor where the transcription factor is fused in frame to the amino acid sequence from APP; and
 - (ii) comprises a reporter gene operably linked to a
regulatory DNA sequence which capable of being activated by the transcription factor;
- 30 (b) measuring the level of reporter gene product in the cell in the absence of the substance;
- (c) adding the compound to the cell and measuring the level of reporter gene product in the cell in the presence of the substance;

where a decrease in the level of reporter gene product in the presence as compared to the absence of the substance indicates that the substance inhibits APP processing.

- 5 18. The method of claim 17 where the amino acid sequence from APP comprises an amino acid sequence selected from the group consisting of 589-651 of APP₆₉₅, 589-651 of the Swedish version of APP₆₉₅, and 589-651 of the NFEV version of APP₆₉₅.
- 10 19. The method of claim 17 where the amino acid sequence from APP contains the amino acid sequence NLDA (SEQ ID NO:38) at the β -secretase cleavage site instead of the wild-type sequence KMDA (SEQ ID NO:34).
- 15 20. The method of claim 17 where the amino acid sequence from APP contains the amino acid sequence NFEV (SEQ ID NO:40) at the β -secretase cleavage site instead of the wild-type sequence KMDA (SEQ ID NO:34).




FIG.1A



FIG.1B




FIG.1C




FIG.1D



FIG.1E



FIG.1F



FIG.1G

2/76

DNA sequence of APP(1-651)SW, K612V-TATexon1(M1 L) APP (664-695)

(SEQ ID NO: 1)

```
1 ATGCTGCCCCG GTTTGGCACT GCTCCTGCTG GCCGCCTGGA CGGCTCGGGC
51 GCTGGAGGTA CCCACTGATG GTAATGCTGG CCTGCTGGCT GAACCCCAAGA
101 TTGCCATGTT CTGTGGCAGA CTGAACATGC ACATGAATGT CCAGAATGGG
151 AAGTGGGATT CAGATCCATC AGGGACCAAA ACCTGCATTG ATACCAAGGA
201 AGGCATCCTG CAGTATTGCC AAGAAGTCTA CCCTGAACTG CAGATCACCA
251 ATGTGGTAGA AGCCAACCAA CCAGTGACCA TCCAGAACTG GTGCAAGCGG
301 GGCCGCAAGC AGTGCAAGAC CCATCCCCAC TTTGTGATTG CCTACCGCTG
351 CTTAGTTGGT GAGTTTATAA GTGATGCCCT TCTCGTTCCT GACAAGTGCA
401 AATTCTTACA CCAGGAGAGG ATGGATGTTT GCGAAACTCA TCTTCACTGG
451 CACACCGTCG CCAAAGAGAC ATGCAGTGAG AAGAGTACCA ACTTGCATGA
501 CTACGGCATG TTGCTGCCCT GCGGAATTGA CAAGTCCGA GGGGTAGAGT
551 TTGTGTGTTG CCCACTGGCT GAAGAAAGTG ACAATGTGGA TTCTGCTGAT
601 GCGGAGGAGG ATGACTCGGA TGTCTGGTGG GCGGAGCAG ACACAGACTA
651 TGCAGATGGG AGTGAAGACA AAGTAGTAGA AGTAGCAGAG GAGGAAGAAG
701 TGGCTGAGGT GGAAGAAGAA GAAGCCGATG ATGACGAGGA CGATGAGGAT
751 GGTGATGAGG TAGAGGAAGA GGCTGAGGAA CCCTACGAAG AAGCCACAGA
801 GAGAACCACC AGCATTGCCA CCACCACCAC CACCACCACA GAGTCTGTGG
851 AAGAGGTGGT TCGAGTTCCT ACAACAGCAG CCAGTACCCC TGATGCCGTT
901 GACAAGTATC TCGAGACACC TGGGGATGAG AATGAACATG CCCATTTCCA
951 GAAAGCCAAA GAGAGGCTTG AGGCCAAGCA CCGAGAGAGA ATGTCCCAGG
1001 TCATGAGAGA ATGGGAAGAG GCAGAACGTC AAGCAAAGAA CTTGCCTAAA
1051 GCTGATAAGA AGGCAGTTAT CCAGCATTTT CAGGAGAAAG TGGAATCTTT
1101 GGAACAGGAA GCAGCCAACG AGAGACAGCA GCTGGTGGAG ACACACATGG
1151 CCAGAGTGGG AGCCATGCTC AATGACCGCC GCCGCCTGGC CCTGGAGAAC
1201 TACATCACCG CTCTGCAGGC TGTTCCTCCT CGGCCTCGTC ACGTGTTCAG
1251 TATGCTAAAG AAGTATGTCC GCGCAGAACA GAAGGACAGA CAGCACACCC
1301 TAAAGCATTT CGAGCATGTG CGCATGGTGG ATCCCAAGAA AGCCGCTCAG
```

FIG.2A

3/76

1351 ATCCGGTCCC AGGTTATGAC ACACCTCCGT GTGATTTATG AGCGCATGAA
1401 TCAGTCTCTC TCCCTGCTCT ACAACGTGCC TGCAGTGGCC GAGGAGATTC
1451 AGGATGAAGT TGATGAGCTG CTTCAGAAAG AGCAAAACTA TTCAGATGAC
1501 GTCTTGGCCA ACATGATTAG TGAACCAAGG ATCAGTTACG GAAACGATGC
1551 TCTCATGCCA TCTTTGACCG AAACGAAAAC CACCGTGGAG CTCCTTCCCG
1601 TGAATGGAGA GTTCAGCCTG GACGATCTCC AGCCGTGGCA TTCTTTGGG
1651 GCTGACTCTG TGCCAGCCAA CACAGAAAAC GAAGTTGAGC CTGTTGATGC
1701 CCGCCCTGCT GCCGACCGAG GACTGACCAC TCGACCAGGT TCTGGGTTGA
1751 CAAATATCAA GACGGAGGAG ATCTCTGAAG TGAATCTAGA TGCAGAATTC
1801 CGACATGACT CAGGATATGA AGTTCATCAT CAAGTATTGG TGTTCTTTC
1851 AGAAGATGTG GGTCAAACA AAGGTGCAAT CATTGGACTC ATGGTGGGCG
1901 GTGTTGTCAT AGCGACAGTG ATCGTCATCA CCTTGGTGAT GCTGAAGAAG
1951 AAAAAGCTTG GTACCGAGCT CGGATCCACT AGTCCAGTGT GGTGGAATTC
2001 TGCAGATATC CTGGAGCCAG TAGATCCTAG ACTAGAGCCC TGGAAGCATC
2051 CAGGAAGTCA GCCTAAAAC GCTTGATCCA ATTGCTATTG TAAAAAGTGT
2101 TGCTTTCATT GCCAAGTTTG TTTCATGACA AAAGCCTTAG GCATCTCCTA
2151 TGGCAGGAAG AAGCGGAGAC AGCGACGAAG AGCTCATCAG AACAGTCAGA
2201 CTCATCAAGC TTCTCTATCA AAGCAGAGGA TATCCAGCAC AGTGGCGGCC
2251 GCAGACGCCG CTGTCACCCC AGAGGAGCGC CACCTGTCCA AGATGCAGCA
2301 GAACGGCTAC GAAAATCCAA CCTACAAGTT CTTTGAGCAG ATGCAGAACT
2351 AG

FIG.2B

4/76

(SEQ ID NO: 2)

Amino acid sequence of APP(1-651)SW, K612V-TATexonI(M1L) APP (664-695)

mlpgla1111aawtaralevptdgnagllaepqiamfcgrlnmhmvmqngkwdsdpstktcidtkegilqycq
 evypelqitnvveanqpvtiqnwckrgrkqckthphfviyrclvgefisdallvpdkckflhqermdvcethlh
 whtvaketcsekstnlhdygmllpcgidkfrgvefvccplaeesdnvdsadaeeddsdwwggadtdyadgs
 edkvvevaeveveveeadddeddgdveveeaepeyeaterttsiatTTTTTtesveevrvpttaastpd
 avdkyletpgdenehahfqkakerleakhrermsqvmreweeaerqaknlpkadkkaviqhfkvesleqe
 aanerqqlvethmarveamlndrrrlalenyitalqavpprrhvfmlkkyvraeqkdrqhtlkhfehvmvd
 pkkaaqrsvmthlrviyermnqslsllnvpavaeeiqdevdelqkeqnysddvlanmiseprisgnda1
 mpsltetkttvellpvngfslddlqpwhsfgadsvpantenevepvdarpaadrglttrpgsgltnikteeisev
 2 3 4 5
 nldaefrhdsgyevhhqylvffaedvgssnkgaiiglmvggyiatvivitlvm1kkklgtelgstspvwms
 6
 adi1epvdprlepwhpgsqpktactncycckccfhcqvcmfka1qisygrkrrrrahqnsqthqaslskg
 7 8
 risstvaaadaavtpeerhlskmqngyenptykffeqmqn

FIG.3

5/76

DNA sequence of APP(1-651)wt, K612V-TATexon1(M1L) APP (664-695)

(SEQ ID NO: 3)

```
1 ATGCTGCCCG GTTTGGCACT GCTCCTGCTG GCCGCCTGGA CGGCTCGGGC
51 GCTGGAGGTA CCCACTGATG GTAATGCTGG CCTGCTGGCT GAACCCAGAG
101 TTGCCATGTT CTGTGGCAGA CTGAACATGC ACATGAATGT CCAGAATGGG
151 AAGTGGGATT CAGATCCATC AGGGACCAAA ACCTGCATTG ATACCAAGGA
201 AGGCATCCTG CAGTATTGCC AAGAAGTCTA CCCTGAACTG CAGATCACCA
251 ATGTGGTAGA AGCCAACCAA CCAGTGACCA TCCAGAACTG GTGCAAGCGG
301 GGCCGCAAGC AGTGCAAGAC CCATCCCCAC TTTGTGATTG CCTACCGCTG
351 CTTAGTTGGT GAGTTTATAA GTGATGCCCT TCTCGTTCCT GACAAGTGCA
401 AATTCTTACA CCAGGAGAGG ATGGATGTTT GCGAAACTCA TCTTCACTGG
451 CACACCGTCG CCAAAGAGAC ATGCAGTGAG AAGAGTACCA ACTTGCATGA
501 CTACGGCATG TTGCTGCCCT GCGGAATTGA CAAGTCCGA GGGGTAGAGT
551 TTGTGTGTTG CCCACTGGCT GAAGAAAGTG ACAATGTGGA TTCTGCTGAT
601 GCGGAGGAGG ATGACTCGGA TGTCTGGTGG GCGGAGCAG ACACAGACTA
651 TGCAGATGGG AGTGAAGACA AAGTAGTAGA AGTAGCAGAG GAGGAAGAAG
701 TGGCTGAGGT GGAAGAAGAA GAAGCCGATG ATGACGAGGA CGATGAGGAT
751 GGTGATGAGG TAGAGGAAGA GGCTGAGGAA CCCTACGAAG AAGCCACAGA
801 GAGAACCACC AGCATTGCCA CCACCACCAC CACCACCACA GAGTCTGTGG
851 AAGAGGTGGT TCGAGTTCCT ACAACAGCAG CCAGTACCCC TGATGCCGTT
901 GACAAGTATC TCGAGACACC TGGGGATGAG AATGAACATG CCCATTTCCA
951 GAAAGCCAAA GAGAGGCTTG AGGCCAAGCA CCGAGAGAGA ATGTCCCAGG
1001 TCATGAGAGA ATGGGAAGAG GCAGAACGTC AAGCAAAGAA CTTGCCTAAA
1051 GCTGATAAGA AGGCAGTTAT CCAGCATTTT CAGGAGAAAG TGGAATCTTT
1101 GGAACAGGAA GCAGCCAACG AGAGACAGCA GCTGGTGGAG ACACACATGG
1151 CCAGAGTGGA AGCCATGCTC AATGACCGCC GCCGCCTGGC CCTGGAGAAC
1201 TACATCACCG CTCTGCAGGC TGTTCTCCT CGGCCTCGTC ACGTGTTCAG
1251 TATGCTAAAG AAGTATGTCC GCGCAGAAC GAAGGACAGA CAGCACACCC
1301 TAAAGCATTT CGAGCATGTG CGCATGGTGG ATCCCAAGAA AGCCGCTCAG
1351 ATCCGGTCCC AGGTTATGAC ACACCTCCGT GTGATTTATG AGCGCATGAA
```

FIG.4A

6/76

1401 TCAGTCTCTC TCCCTGCTCT ACAACGTGCC TGCAGTGGCC GAGGAGATTG
1451 AGGATGAAGT TGATGAGCTG CTTGAGAAAG AGCAAACTA TTCAGATGAC
1501 GTCTTGGCCA ACATGATTAG TGAACCAAGG ATCAGTTACG GAAACGATGC
1551 TCTCATGCCA TCTTTGACCG AAACGAAAAC CACCGTGGAG CTCCTTCCCG
1601 TGAATGGAGA GTTCAGCCTG GACGATCTCC AGCCGTGGCA TTCTTTTGGG
1651 GCTGACTCTG TGCCAGCCAA CACAGAAAAC GAAGTTGAGC CTGTTGATGC
1701 CCGCCCTGCT GCCGACCGAG GACTGACCAC TCGACCAGGT TCTGGGTTGA
1751 CAAATATCAA GACGGAGGAG ATCTCTGAAG TGAAGATGGA TGCAGAATTC
1801 CGACATGACT CAGGATATGA AGTTCATCAT CAAGTATTGG TGTTCTTTGC
1851 AGAAGATGTG GGTTCAAACA AAGGTGCAAT CATTGGACTC ATGGTGGGCG
1901 GTGTTGTCAT AGCGACAGTG ATCGTCATCA CCTTGGTGAT GCTGAAGAAG
1951 AAAAAGCTTG GTACCGAGCT CGGATCCACT AGTCCAGTGT GGTGGAATTC
2001 TGCAGATATC CTGGAGCCAG TAGATCCTAG ACTAGAGCCC TGGAAGCATC
2051 CAGGAAGTCA GCCTAAACT GCTTGTACCA ATTGCTATTG TAAAAAGTGT
2101 TGCTTTCATT GCCAAGTTTG TTTCATGACA AAAGCCTTAG GCATCTCCTA
2151 TGGCAGGAAG AAGCGGAGAC AGCGACGAAG AGCTCATCAG AACAGTCAGA
2201 CTCATCAAGC TTCTCTATCA AAGCAGAGGA TATCCAGCAC AGTGCGCGCC
2251 GCAGACGCCG CTGTCACCCC AGAGGAGCGC CACCTGTCCA AGATGCAGCA
2301 GAACGGCTAC GAAAATCCAA CCTACAAGTT CTTTGAGCAG ATGCAGAACT
2351 AG

FIG.4B

7/76

(SEQ ID NO: 4)

Amino acid sequence of APP(1-651)wt, K612V-TATexonI(M1L) APP (664-695)

mlpgla111laawtaralevptdgnagllaepqiamfcgrlnmhmnvqngkwdsdpsgtktcidtkegilqycq
 evypelqitnvveanqpvtiqnwckrgrkqckthphfviptyrc1vgefisdallvpdkckflhqermdvcethlh
 whtvaketcsekstnlhdygmllpcgidkfrgvefvccplaeesdnvdsadaeeddsdvwggadtdyadgs
 1
 edkvvevaeeeeaeveeeeeadddedddgdeveeeaepeyeaterttsiatTTTTTTesveevrvpttaastpd
 avdkyletpgdenehahfqakerleakhrermsqvmreweeaerqaknlpkadkkaviqhfqekvesleqe
 aanerqqlvethmarveamlnrrrrlalenyitalqavpprrhvfnm1kkyvraeqdrqht1khfehvrmd
 pkkaaqrismthlrviyermnqslsllnvpavaeeiqdevdel1qkeqnysddv1anmiseprisgndal
 mpsltetktv1lpvngefslddlqpwhsfgadsvpantenevepvdarpaadrglttrpgsglnikteeisev
 2 3 4 5
kmdaefrhdsgyevhhqylvffaedvgsnkgaiiglmvggv~~iatv~~ivitlvm1kkkl~~gtel~~gstspwvns
 6
 adilepvdprlepwkhpqspktactncyckkccfhcqvcm~~tkal~~gisyrkrrrrahqnsqthgaslskq
 7 8
 rissstvaaadaavtpeerhlskmaqngyenptykffeqmqn

FIG.5

8/76

DNA sequence of APP(1-651)SW, K612V-GAL4VP16(M1 L) APP (664-695)

(SEQ ID NO: 5)

```
1 ATGCTGCCCCG GTTTGGCACT GCTCCTGCTG GCCGCCTGGA CGGCTCGGGC
51 GCTGGAGGTA CCCACTGATG GTAATGCTGG CCTGCTGGCT GAACCCAGA
101 TTGCCATGTT CTGTGGCAGA CTGAACATGC ACATGAATGT CCAGAATGGG
151 AAGTGGGATT CAGATCCATC AGGGACCAAA ACCTGCATTG ATACCAAGGA
201 AGGCATCCTG CAGTATTGCC AAGAAGTCTA CCCTGAACTG CAGATCACCA
251 ATGTGGTAGA AGCCAACCA CCAGTGACCA TCCAGAACTG GTGCAAGCGG
301 GGCCGCAAGC AGTGCAAGAC CCATCCCCAC TTTGTGATTC CCTACCGCTG
351 CTTAGTTGGT GAGTTTATAA GTGATGCCCT TCTCGTTCCT GACAAGTGCA
401 AATTCTTACA CCAGGAGAGG ATGGATGTTT GCGAAACTCA TCTTCACTGG
451 CACACGTCG CCAAAGAGAC ATGCAGTGAG AAGAGTACCA ACTTGCATGA
501 CTACGGCATG TTGCTGCCCT GCGGAATTGA CAAGTCCGA GGGGTAGAGT
551 TTGTGTGTTG CCCACTGGCT GAAGAAAGTG ACAATGTGGA TTCTGCTGAT
601 GCGGAGGAGG ATGACTCGGA TGTCTGGTGG GCGGAGCAG ACACAGACTA
651 TGCAGATGGG AGTGAAGACA AAGTAGTAGA AGTAGCAGAG GAGGAAGAAG
701 TGGCTGAGGT GGAAGAAGAA GAAGCCGATG ATGACGAGGA CGATGAGGAT
751 GGTGATGAGG TAGAGGAAGA GGCTGAGGAA CCCTACGAAG AAGCCACAGA
801 GAGAACCACC AGCATTGCCA CCACCACCAC CACCACCACA GAGTCTGTGG
851 AAGAGGTGGT TCGAGTTCCT ACAACAGCAG CCAGTACCCC TGATGCCGTT
901 GACAAGTATC TCGAGACACC TGGGGATGAG AATGAACATG CCCATTTCCA
951 GAAAGCCAAA GAGAGGCTTG AGGCCAAGCA CCGAGAGAGA ATGTCCCAGG
1001 TCATGAGAGA ATGGGAAGAG GCAGAACGTC AAGCAAAGAA CTTGCCTAAA
1051 GCTGATAAGA AGGCAGTTAT CCAGCATTTT CAGGAGAAAG TGGAATCTTT
1101 GGAACAGGAA GCAGCCAACG AGAGACAGCA GCTGGTGGAG ACACACATGG
1151 CCAGAGTGGA AGCCATGCTC AATGACCGCC GCCGCCTGGC CCTGGAGAAC
1201 TACATCACCG CTCTGCAGGC TGTTCTCCTT CGGCCTCGTC ACGTGTTCAA
1251 TATGCTAAAG AAGTATGTCC GCGCAGAACA GAAGGACAGA CAGCACACCC
```

FIG.6A

9/76

1301 TAAAGCATTT CGAGCATGTG CGCATGGTGG ATCCCAAGAA AGCCGCTCAG
1351 ATCCGGTCCC AGGTTATGAC ACACCTCCGT GTGATTTATG AGCGCATGAA
1401 TCAGTCTCTC TCCCTGCTCT ACAACGTGCC TGCAGTGGCC GAGGAGATTC
1451 AGGATGAAGT TGATGAGCTG CTTCAGAAAG AGCAAACTA TTCAGATGAC
1501 GTCTTGGCCA ACATGATTAG TGAACCAAGG ATCAGTTACG GAAACGATGC
1551 TCTCATGCCA TCTTTGACCG AAACGAAAAC CACCGTGGAG CTCCTTCCCG
1601 TGAATGGAGA GTTCAGCCTG GACGATCTCC AGCCGTGGCA TTCTTTTGGG
1651 GCTGACTCTG TGCCAGCCAA CACAGAAAAC GAAGTTGAGC CTGTTGATGC
1701 CCGCCCTGCT GCCGACCGAG GACTGACCAC TCGACCAGGT TCTGGGTTGA
1751 CAAATATCAA GACGGAGGAG ATCTCTGAAG TGAATCTAGA TGCAGAATTC
1801 CGACATGACT CAGGATATGA AGTTCATCAT CAAGTATTGG TGTTCTTTGC
1851 AGAAGATGTG GGTTCAAACA AAGGTGCAAT CATTGGACTC ATGGTGGGCG
1901 GTGTTGTCAT AGCGACAGTG ATCGTCATCA CCTTGGTGAT GCTGAAGAAG
1951 AAAAAGCTTG GTACCGAGCT CGGATCCACT AGTCCAGTGT GGTGGAATTC
2001 TGCAGATATC AAGCTACTGT CTTCTATCGA ACAAGCATGC GATATTTGCC
2051 GACTTAAAAA GCTCAAGTGC TCCAAAGAAA AACCGAAGTG CGCCAAGTGT
2101 CTGAAGAACA ACTGGGAGTG TCGCTACTCT CCCAAAACCA AAAGGTCTCC
2151 GCTGACTAGG GCACATCTGA CAGAAGTGGA ATCAAGGCTA GAAAGACTGG
2201 AACAGCTATT TCTACTGATT TTTCTCGAG AAGACCTTGA CATGATTTTG
2251 AAAATGGATT CTTTACAGGA TATAAAGCA TTGTTAACAG GATTATTTGT
2301 ACAAGATAAT GTGAATAAAG ATGCCGTCAC AGATAGATTG GCTTCAGTGG
2351 AGACTGATAT GCCTCTAACA TTGAGACAGC ATAGAATAAG TGCGACATCA
2401 TCATCGGAAG AGAGTAGTAA CAAAGGTCAA AGACAGTTGA CTGTATCGGG
2451 AATTCCCGGG GATCTGGCCC CCCCAGCCGA TGTCAGCCTG GGGGACGAGC
2501 TCCAATTAGA CGGCGAGGAC GTGGCGATGG CGCATGCCGA CGCGCTAGAC
2551 GATTTGATC TGGACATGTT GGGGGACGGG GATTCCCCGG GTCCGGGATT

FIG.6B

10/76

2601 TACCCCCAC GACTCCGCCC CCTACGGCGC TCTGGATATG GCCGACTTCG
2651 AGTTTGAGCA GATGTTTACC GATGCCCTTG GAATTGACGA GTACGGTGGG
2701 GATATCCAGC ACAGTGGCGG CCGCGACGCC GCTGTCACCC CAGAGGAGCG
2751 CCACCTGTCC AAGATGCAGC AGAACGGCTA CGAAAATCCA ACCTACAAGT
2801 TCTTTGAGCA GATGCAGAAC TAG

FIG.6C

11/76

(SEQ ID NO: 6)

Amino acid sequence of APP(1-651)SW, K612V, GAL4-VP16(delM1) APP (664-695)

mlpglalllllaawtaralevptdgnagllaepqiamfcgrlnmhmvmqngkwdsdpsgtktcidtkegilqycq
 evypelqitnvveanqpvtiqnwckrgrkqckthphfviptyrcivgefisdallvpdkckflhqermvdcethlh
 whtvaketcsekstnlhdygmllpcgidkfrgvefvccplaeedndvsadaeeddsdvwggadtdyadgs
 edkvvevaeeeeavaeueeeadddeddedgdeveeeaeepyeateerttsiatTTTTTTesveevrvpttaastpd
 avdkyletpgdenehahfqakerleakhrermsqvmreweeaerqaknlpkadkkaviqhfhqekvesleqe
 aanerqqivethmarveamIndrrrlalenyitalqavpprprhvfnnlkkyyvraeqkdrqhtlkhfehvmvd
 pkkaaqrsvqvmthlrviyermnqslsllnvpavaeeiqdevdelqkeqnysddvlanmisseprisgndal
 mpsltetkttvellpvngfslddlqpwhsfgadsvpantenevepvdarpaadrglttrpgsgltnikteeisev
 2 3 4 5
 nldaefrhdsgeyvhqvlvffaedvgsnkgaiiglmvggvvialvivitlvmllkkklgtelgstspvwns
 ædkllssieqacdicrlkklkskekpkcakclknwecryspktrspltrahltevesrlerleqlfllifpredld
 6
 milkmDSLQdikaLLtglfvqdnvknkdavtdrlasvetdmpLtlrqhrisatssseessnkqgrqltvsgipqglapp
 tdvsLgdelhldgedvamahadalddfdldmlqgdsgpggftphdsapygalmdadfeeqmftdalqidey
 7 8
 ggdiqhsGaaadaavtpeerhlSkmgngyenptykffeqmqn

FIG. 7

12/76

DNA sequence of APP(1-651)wt, K612V, GAL4-VP16(deIM1) APP (664-695)

(SEQ ID NO: 7)

```
1  ATGCTGCCCCG  GTTTGGCACT  GCTCCTGCTG  GCCGCCTGGA  CGGCTCGGGC
51  GCTGGAGGTA   CCCACTGATG  GTAATGCTGG  CCTGCTGGCT  GAACCCAGA
101 TTGCCATGTT   CTGTGGCAGA  CTGAACATGC  ACATGAATGT  CCAGAATGGG
151 AAGTGGGATT    CAGATCCATC  AGGGACCAAA  ACCTGCATTG  ATACCAAGGA
201 AGGCATCCTG    CAGTATTGCC  AAGAAGTCTA  CCCTGAACTG  CAGATCACCA
251 ATGTGGTAGA    AGCCAACCAA  CCAGTGACCA  TCCAGAACTG  GTGCAAGCGG
301 GGCCGCAAGC    AGTGCAAGAC  CCATCCCCAC  TTTGTGATTG  CCTACCGCTG
351 CTTAGTTGGT    GAGTTTATAA  GTGATGCCCT  TCTCGTTCCT  GACAAGTGCA
401 AATTCTTACA    CCAGGAGAGG  ATGGATGTTT  GCGAACTCA  TCTTCACTGG
451 CACACCGTCG    CCAAAGAGAC  ATGCAGTGAG  AAGAGTACCA  ACTTGCAATG
501 CTACGGCATG    TTGCTGCCCT  GCGGAATTGA  CAAGTTCCGA  GGGGTAGAGT
551 TTGTGTGTTG    CCCACTGGCT  GAAGAAAGTG  ACAATGTGGA  TTCTGCTGAT
601 GCGGAGGAGG    ATGACTCGGA  TGTCTGGTGG  GCGGAGCAG  ACACAGACTA
651 TGCAGATGGG    AGTGAAGACA  AAGTAGTAGA  AGTAGCAGAG  GAGGAAGAAG
701 TGGCTGAGGT    GGAAGAAGAA  GAAGCCGATG  ATGACGAGGA  CGATGAGGAT
751 GGTGATGAGG    TAGAGGAAGA  GGCTGAGGAA  CCCTACGAAG  AAGCCACAGA
801 GAGAACCACC    AGCATTGCCA  CCACCACCAC  CACCACCACA  GAGTCTGTGG
851 AAGAGGTGGT    TCGAGTTCCT  ACAACAGCAG  CCAGTACCCC  TGATGCCGTT
901 GACAAGTATC    TCGAGACACC  TGGGGATGAG  AATGAACATG  CCCATTTCCA
951 GAAAGCCAAA    GAGAGGCTTG  AGGCCAAGCA  CCGAGAGAGA  ATGTCCCAGG
1001 TCATGAGAGA    ATGGGAAGAG  GCAGAACGTC  AAGCAAAGAA  CTTGCCTAAA
1051 GCTGATAAGA    AGGCAGTTAT  CCAGCATTTT  CAGGAGAAAG  TGAATCTTT
1101 GGAACAGGAA    GCAGCCAACG  AGAGACAGCA  GCTGGTGGAG  ACACACATGG
1151 CCAGAGTGGA    AGCCATGCTC  AATGACCGCC  GCCGCCTGGC  CCTGGAGAAC
1201 TACATACCCG    CTCTGCAGGC  TGTTCTCCTC  CGGCCTCGTC  ACGTGTTCAA
```

FIG.8A

13/76

1251 TATGCTAAAG AAGTATGTCC GCGCAGAACA GAAGGACAGA CAGCACACCC
1301 TAAAGCATTT CGAGCATGTG CGCATGGTGG ATCCCAAGAA AGCCGCTCAG
1351 ATCCGGTCCC AGGTATGAC ACACCTCCGT GTGATTTATG AGCGCATGAA
1401 TCAGTCTCTC TCCCTGCTCT ACAACGTGCC TGCAGTGGCC GAGGAGATTC
1451 AGGATGAAGT TGATGAGCTG CTTCAGAAAAG AGCAAACTA TTCAGATGAC
1501 GTCTTGCCA ACATGATTAG TGAACCAAGG ATCAGTTACG GAAACGATGC
1551 TCTCATGCCA TCTTTGACCG AAACGAAAAC CACCGTGGAG CTCCTTCCCG
1601 TGAATGGAGA GTTCAGCCTG GACGATCTCC AGCCGTGGCA TTCTTTGGG
1651 GCTGACTCTG TGCCAGCCAA CACAGAAAAC GAAGTTGAGC CTGTTGATGC
1701 CCGCCCTGCT GCCGACCGAG GACTGACCAC TCGACCAGGT TCTGGGTGA
1751 CAAATATCAA GACGGAGGAG ATCTCTGAAG TGAAGATGGA TGCAGAATTC
1801 CGACATGACT CAGGATATGA AGTTCATCAT CAAGTATTGG TGTCTTTGC
1851 AGAAGATGTG GGTCAAACA AAGGTGCAAT CATTGGACTC ATGGTGGGCG
1901 GTGTTGTCAT AGCGACAGTG ATCGTCATCA CCTTGGTGAT GCTGAAGAAG
1951 AAAAAGCTTG GTACCGAGCT CGGATCCACT AGTCCAGTGT GGTGGAATTC
2001 TGCAGATATC AAGCTACTGT CTTCTATCGA ACAAGCATGC GATATTTGCC
2051 GACTTAAAAA GCTCAAGTGC TCCAAAGAAA AACC GAAGTG CGCCAAGTGT
2101 CTGAAGAACA ACTGGGAGTG TCGCTACTCT CCCAAAACCA AAAGGTCTCC
2151 GCTGACTAGG GCACATCTGA CAGAAGTGGA ATCAAGGCTA GAAAGACTGG
2201 AACAGCTATT TCTACTGATT TTTCTCGAG AAGACCTTGA CATGATTTTG
2251 AAAATGGATT CTTTACAGGA TATAAAAGCA TTGTTAACAG GATTATTTGT
2301 ACAAGATAAT GTGAATAAAG ATGCCGTCAC AGATAGATTG GCTTCAGTGG
2351 AGACTGATAT GCCTCTAACA TTGAGACAGC ATAGAATAAG TGCGACATCA
2401 TCATCGGAAG AGAGTAGTAA CAAAGGTCAA AGACAGTTGA CTGTATCGGG
2451 AATTCCTGGG GATCTGGCCC CCCCACCGA TGTCAGCCTG GGGGACGAGC
2501 TCCACTTAGA CGGCGAGGAC GTGGCGATGG CGCATGCCGA CGCGCTAGAC
2551 GATTCGATC TGGACATGTT GGGGGACGGG GATTCCCCGG GTCCGGGATT

FIG.8B

14/76

2601 TACCCCCAC GACTCCGCCC CCTACGGCGC TCTGGATATG GCCGACTTCG
2651 AGTTTGAGCA GATGTTTACC GATGCCCTTG GAATTGACGA GTACGGTGGG
2701 GATATCCAGC ACAGTGGCGG CCGCGACGCC GCTGTCACCC CAGAGGAGCG
2751 CCACCTGTCC AAGATGCAGC AGAACGGCTA CGAAAATCCA ACCTACAAGT
2801 TCTTTGAGCA GATGCAGAAC TAG

FIG.8C

15/76

(SEQ ID NO: 8)

Amino acid sequence of APP(1-651)wt, K612V, GAL4-VP16(delM1) APP (664-695)

mlpgla1111aawtaralevptdgnagllaepqiamfcgrlnmhmrvqngkwdsdpsgtktcidtkegilqycq
 evypelqitnvveanqpvtiqnwckrgrkqckthphfviqpyrc1vgefisdallvpdkckflhqermdvcethlh
 whtvaketcsekstnlhdygmllpcgidkfrgvefvccplaesdnvdsadaeedsdvwggadtdyadgs
 edkvvevaeveveveeadddeddgedveveeaepeyeater1ttsiatTTTTTTesveevrvpttaastpd
 avdkyletpgdenehahfqkakerleakhrermsqvmreweeaerqaknlpkadkkaviqhfaqekvesleqe
 aanerqq1vethmarveamlnrrrlalenyitalqavpprprhvfnm1kkyvraeqkdrqht1khfehrmvd
 pkkaaqrismthlrviyermnqsls1lynpavaeeiqdevde1l1keqnysddv1anmiseprisgnda1
 mps1tetkttve1lpvngefs1dd1qpwhsfgadsvpantenevepvdarpaadrg1ttrpgsg1tnikteeisev
 2 kmdaefrhdsgeyvhqk1 3 vffaedvgsnkgaiig1 4 mvggvviatvivi1 5 tmlkkklgtelgstspwms
 ad1kl1ssieqacdicr1kklkskekpkcakclknwecryspktrsp1trah1tevesr1erleqlf1l1ifpred1d
 6 mlkmdslqdikalltqlfvqdnvkdavtdrlasvetdmp1tlrqhrisatssseessnkqgrqltvsgipgd1app
 tdvslqdelh1dgedvamahadalddfd1dmlgdqdsppgqftphdsapygalmdadfeqgmftdalqidey
 7 8 ggdiqhsaaaadaavtpeerh1skmqnqyenptykffeqmqn

FIG.9

16/76

DNA sequence of APP(1-651)SW, TATexon1(M1 L) APP (664-695)

(SEQ ID NO: 9)

```
1  ATGCTGCCCC  GTTTGGCACT  GCTCCTGCTG  GCCGCCTGGA  CGGCTCGGGC
51  GCTGGAGGTA  CCCACTGATG  GTAATGCTGG  CCTGCTGGCT  GAACCCAGAG
101 TTGCCATGTT  CTGTGGCAGA  CTGAACATGC  ACATGAATGT  CCAGAATGGG
151 AAGTGGGATT  CAGATCCATC  AGGGACCAAA  ACCTGCATTG  ATACCAAGGA
201 AGGCATCCTG  CAGTATTGCC  AAGAAGTCTA  CCCTGAACTG  CAGATCACCA
251 ATGTGGTAGA  AGCCAACCAA  CCAGTGACCA  TCCAGAACTG  GTGCAAGCGG
301 GGCCGCAAGC  AGTGCAAGAC  CCATCCCCAC  TTTGTGATTG  CCTACCGCTG
351 CTTAGTTGGT  GAGTTTATAA  GTGATGCCCT  TCTCGTTCCT  GACAAGTGCA
401 AATTCTTACA  CCAGGAGAGG  ATGGATGTTT  GCGAAACTCA  TCTTCACTGG
451 CACACCGTCG  CCAAAGAGAC  ATGCAGTGAG  AAGAGTACCA  ACTTGCATGA
501 CTACGGCATG  TTGCTGCCCT  GCGGAATTGA  CAAGTCCGA  GGGGTAGAGT
551 TTGTGTGTTG  CCCACTGGCT  GAAGAAAGTG  ACAATGTGGA  TTCTGCTGAT
601 GCGGAGGAGG  ATGACTCGGA  TGTCTGGTGG  GGCGGAGCAG  ACACAGACTA
651 TGCAGATGGG  AGTGAAGACA  AAGTAGTAGA  AGTAGCAGAG  GAGGAAGAAG
701 TGGCTGAGGT  GGAAGAAGAA  GAAGCCGATG  ATGACGAGGA  CGATGAGGAT
751 GGTGATGAGG  TAGAGGAAGA  GGCTGAGGAA  CCCTACGAAG  AAGCCACAGA
801 GAGAACCACC  AGCATTGCCA  CCACCACCAC  CACCACCACA  GAGTCTGTGG
851 AAGAGGTGGT  TCGAGTTCCT  ACAACAGCAG  CCAGTACCCC  TGATGCCGTT
901 GACAAGTATC  TCGAGACACC  TGGGGATGAG  AATGAACATG  CCCATTTCCA
951 GAAAGCCAAA  GAGAGGCTTG  AGGCCAAGCA  CCGAGAGAGA  ATGTCCCAGG
1001 TCATGAGAGA  ATGGGAAGAG  GCAGAACGTC  AAGCAAAGAA  CTTGCCTAAA
1051 GCTGATAAGA  AGGCAGTTAT  CCAGCATTTT  CAGGAGAAAG  TGAATCTTT
1101 GGAACAGGAA  GCAGCCAACG  AGAGACAGCA  GCTGGTGGAG  ACACACATGG
1151 CCAGAGTGGA  AGCCATGCTC  AATGACCGCC  GCCGCCTGGC  CCTGGAGAAC
1201 TACATCACCG  CTCTGCAGGC  TGTTCCTCCT  CGGCCTCGTC  ACGTGTTCAA
```

FIG. 10A

17/76

1251 TATGCTAAAG AAGTATGTCC GCGCAGAACA GAAGGACAGA CAGCACACCC
1301 TAAAGCATTT CGAGCATGTG CGCATGGTGG ATCCCAAGAA AGCCGCTCAG
1351 ATCCGGTCCC AGGTTATGAC ACACCTCCGT GTGATTTATG AGCGCATGAA
1401 TCAGTCTCTC TCCCTGCTCT ACAACGTGCC TGCAGTGGCC GAGGAGATTC
1451 AGGATGAAGT TGATGAGCTG CTTCAGAAAG AGCAAACTA TTCAGATGAC
1501 GTCTTGCCA ACATGATTAG TGAACCAAGG ATCAGTTACG GAAACGATGC
1551 TCTCATGCCA TCTTTGACCG AAACGAAAAC CACCGTGGAG CTCCTTCCCG
1601 TGAATGGAGA GTTCAGCCTG GACGATCTCC AGCCGTGGCA TTCTTTTGGG
1651 GCTGACTCTG TGCCAGCCAA CACAGAAAAC GAAGTTGAGC CTGTTGATGC
1701 CCGCCCTGCT GCCGACCGAG GACTGACCAC TCGACCAGGT TCTGGGTTGA
1751 CAAATATCAA GACGGAGGAG ATCTCTGAAG TGAATCTAGA TGCAGAATTC
1801 CGACATGACT CAGGATATGA AGTTCATCAT CAAAATTGG TGTCTTTGC
1851 AGAAGATGTG GGTTCAAACA AAGGTGCAAT CATTGGA CTC ATGGTGGGCG
1901 GTGTTGTCAT AGCGACAGTG ATCGTCATCA CCTTGGTGAT GCTGAAGAAG
1951 AAAAAGCTTG GTACCGAGCT CGGATCCACT AGTCCAGTGT GGTGGAATTC
2001 TGCAGATATC CTGGAGCCAG TAGATCCTAG ACTAGAGCCC TGGGAAGCATC
2051 CAGGAAGTCA GCCTAAACT GCTTGTACCA ATTGCTATTG TAAAAAGTGT
2101 TGCTTTCATT GCCAAGTTTG TTTCATGACA AAAGCCTTAG GCATCTCCTA
2151 TGGCAGGAAG AAGCGGAGAC AGCGACGAAG AGCTCATCAG AACAGTCAGA
2201 CTCATCAAGC TTCTCTATCA AAGCAGAGGA TATCCAGCAC AGTGGCGGCC
2251 GCAGACGCCG CTGTCACCCC AGAGGAGCGC CACCTGTCCA AGATGCAGCA
2301 GAACGGCTAC GAAAATCCAA CCTACAAGTT CTTTGAGCAG ATGCAGAACT
2351 AG

FIG.10B

18/76

(SEQ ID NO: 10)

Amino acid sequence of APP(1-651)SW, TATexonI(M1L) APP (664-695)

mlpgla1111aawtaralevptdgnagllaepqiamfcgrlnmhmnvqngkwsdpsgtktcidtkegilqycq
 evypelqitnvveanqpvtiqnwckrgrkqckthphfviptyrc1vgefisdallvpdkckflhqermdvcethlh
 whtvaketcsekstnlhdygmllpcgidkfrgvefvccplaeesdnvdsadaeeddsdvwggadtdyadgs
 1
 edkvvevaeeeeeaeveeeeadddeddedgdeveeeaeepyeeaterttsiatTTTTTTesveevrvpttaastpd
 avdkyletpgdenehahfqakerleakhrermsqvmreweeaerqaknlpkadkkaviqhfqekvesleqe
 aanerqq1vethmarveamlndrrrlalenyitalqavpprprhvfmlkkyvraeqdrqhtlkhfehvrmvd
 pkkaa1irsqvmthlrviyermnqslsllynvpavaeeiqdevdellqkeqnysddv1anmi seprisygndal
 mpsltetkttvellpvngefslddlqpwhsfgadsvpantenevepvdarpaadrgl1trpgsgltnikteeisev
 2 3 4 5
 n1daefrhdsgyevhhqklvffaedvgnskgaiiglmvggv1atv1v1t1vmlkkklgtelgstspwms
 6
 ad1lepvdprlepwhpgsqpktactncycckccfhcqvcmfka1gisgrkrrrrahqnsqthqaslskq
 7 8
 r1sstvaaadaavtpeerhlsknqqngyenptykffeqmqn

FIG. 11

19/76

DNA sequence of APP(1-651)wt, TATexon1(M1L)-APP (664-695)
(SEQ ID NO: 11)

```
1 ATGCTGCCCC GTTTGGCACT GCTCCTGCTG GCCGCCTGGA CGGCTCGGGC
51 GCTGGAGGTA CCCACTGATG GTAATGCTGG CCTGCTGGCT GAACCCAGAG
101 TTGCCATGTT CTGTGGCAGA CTGAACATGC ACATGAATGT CCAGAATGGG
151 AAGTGGGATT CAGATCCATC AGGGACCAAA ACCTGCATTG ATACCAAGGA
201 AGGCATCCTG CAGTATTGCC AAGAAGTCTA CCCTGAACTG CAGATCACCA
251 ATGTGGTAGA AGCCAACCAA CCAGTGACCA TCCAGAACTG GTGCAAGCGG
301 GGCCGCAAGC AGTGCAAGAC CCATCCCAC TTTGTGATTG CCTACCGCTG
351 CTTAGTTGGT GAGTTTATAA GTGATGCCCT TCTCGTTCCT GACAAGTGCA
401 AATTCCTACA CCAGGAGAGG ATGGATGTTT GCGAACTCA TCTTCACTGG
451 CACACGTCG CCAAAGAGAC ATGCAGTGAG AAGAGTACCA ACTTGCATGA
501 CTACGGCATG TTGCTGCCCT GCGGAATTGA CAAGTCCGA GGGGTAGAGT
551 TTGTGTGTTG CCCACTGGCT GAAGAAAGTG ACAATGTGGA TTCTGCTGAT
601 GCGGAGGAGG ATGACTCGGA TGTCTGGTGG GCGGAGCAG ACACAGACTA
651 TGCAGATGGG AGTGAAGACA AAGTAGTAGA AGTAGCAGAG GAGGAAGAAG
701 TGGCTGAGGT GGAAGAAGAA GAAGCCGATG ATGACGAGGA CGATGAGGAT
751 GGTGATGAGG TAGAGGAAGA GGCTGAGGAA CCCTACGAAG AAGCCACAGA
801 GAGAACCACC AGCATTGCCA CCACCACCAC CACCACCACA GAGTCTGTGG
851 AAGAGGTGGT TCGAGTTCCT ACAACAGCAG CCAGTACCCC TGATGCCGTT
901 GACAAGTATC TCGAGACACC TGGGGATGAG AATGAACATG CCCATTTCCA
951 GAAAGCCAAA GAGAGGCTTG AGGCCAAGCA CCGAGAGAGA ATGTCCCAGG
1001 TCATGAGAGA ATGGGAAGAG GCAGAACGTC AAGCAAAGAA CTTGCCTAAA
1051 GCTGATAAGA AGGCAGTTAT CCAGCATTTT CAGGAGAAAG TGGAATCTTT
1101 GGAACAGGAA GCAGCCAACG AGAGACAGCA GCTGGTGGAG ACACACATGG
1151 CCAGAGTGGA AGCCATGCTC AATGACCGCC GCCGCCTGGC CCTGGAGAAC
1201 TACATCACCG CTCTGCAGGC TGTTCTCCT CGGCCTCGTC ACGTGTTCAA
```

FIG.12A

20/76

1251 TATGCTAAAG AAGTATGTCC GCGCAGAACA GAAGGACAGA CAGCACACCC
1301 TAAAGCATTT CGAGCATGTG CGCATGGTGG ATCCCAAGAA AGCCGCTCAG
1351 ATCCGGTCCC AGGTTATGAC ACACCTCCGT GTGATTTATG AGCGCATGAA
1401 TCAGTCTCTC TCCCTGCTCT ACAACGTGCC TGCAGTGGCC GAGGAGATTC
1451 AGGATGAAGT TGATGAGCTG CTTCAGAAAG AGCAAAACTA TTCAGATGAC
1501 GTCTTGGCCA ACATGATTAG TGAACCAAGG ATCAGTTACG GAAACGATGC
1551 TCTCATGCCA TCTTTGACCG AAACGAAAAC CACCGTGGAG CTCCTTCCCG
1601 TGAATGGAGA GTTCAGCCTG GACGATCTCC AGCCGTGGCA TTCTTTTGGG
1651 GCTGACTCTG TGCCAGCCAA CACAGAAAAC GAAGTTGAGC CTGTTGATGC
1701 CCGCCCTGCT GCCGACCGAG GACTGACCAC TCGACCAGGT TCTGGGTTGA
1751 CAAATATCAA GACGGAGGAG ATCTCTGAAG TGAAGATGGA TGCAGAATTC
1801 CGACATGACT CAGGATATGA AGTTCATCAT CAAAAATTGG TGTTCCTTGC
1851 AGAAGATGTG GGTTCAAACA AAGGTGCAAT CATTGGACTC ATGGTGGGCG
1901 GTGTTGTCAT AGCGACAGTG ATCGTCATCA CCTTGGTGAT GCTGAAGAAG
1951 AAAAAGCTTG GTACCGAGCT CGGATCCACT AGTCCAGTGT GGTGGAATTC
2001 TGCAGATATC CTGGAGCCAG TAGATCCTAG ACTAGAGCCC TGGAAGCATC
2051 CAGGAAGTCA GCCTAAAACT GCTTGTACCA ATTGCTATTG TAAAAAGTGT
2101 TGCTTTCATT GCCAAGTTTG TTTCATGACA AAAGCCTTAG GCATCTCCTA
2151 TGGCAGGAAG AAGCGGAGAC AGCGACGAAG AGCTCATCAG AACAGTCAGA
2201 CTCATCAAGC TTCTCTATCA AAGCAGAGGA TATCCAGCAC AGTGGCGGCC
2251 GCAGACGCCG CTGTCACCCC AGAGGAGCGC CACCTGTCCA AGATGCAGCA
2301 GAACGGCTAC GAAAATCCAA CCTACAAGTT CTTTGAGCAG ATGCAGAACT
2351 AG

FIG.12B

(SEQ ID NO: 12)

mlpglalllaawtaralevptdgnagllaepqiamfcgrlnmhmrvqngkwdsdpsgtkctcidtkegilqycq
evypelqitnvveanqpvtiqnwckrgrkqckthphfvipyrclvgefisdallvpdkckflhqermdivcethlh
whtvaketcsekstnlhdygmllpcgidkfrgvfvccplaeesdnvdsadaeeddsdvwggadtdyadgs
1
edkvvevaeeeeavaeueeeaddededgdveeeaeapeyeaterttsiatTTTTTTTseveevrvpttaastpd
avdkyletpgdenehahfqkakerleakhrmsqvmreweeaerqaknlpkadkkaviqhfaqekvesleqe
aanerqqlvethmarveamlnrrrrlalenyitalqavpprprhvfnmllkkyvraeqdrqhtlkhfehvrmd
pkkaaqrsvqvmthlrviyermnqslsllnvpavaeeiqdevdellqkeqnysddvlnmissepriysgndal
mpsltetkttvellpvngefslddlqpwhsfgadsvpantenevepvdarpaadrgl ttrpgsgltnikteeisev
2 3 4 5
kmdaefrhdsgyevhhqklvffaedvgsnkgaiiglmvggvv iatvivitlvmllkkklgtelgstspwms
6
adilepvdprlepwhkpgsqpktactncycckccfhcqvcmfktalqisygrkrrrrrrahqnsqthqaslskq
7 8
risstvaaadaavtpeerhlsmqngyenptykffeqmqn

FIG. 13

22/76

DNA sequence of APP(1-651)SW, GAL4VP16(delMet) APP (664-695)

(SEQ ID NO: 13)

```
1 ATGCTGCCCC GTTTGGCACT GCTCCTGCTG GCCGCCTGGA CGGCTCGGGC
51 GCTGGAGGTA CCCACTGATG GTAATGCTGG CCTGCTGGCT GAACCCAGA
101 TTGCCATGTT CTGTGGCAGA CTGAACATGC ACATGAATGT CCAGAAATGGG
151 AAGTGGGATT CAGATCCATC AGGGACCAAA ACCTGCATTG ATACCAAGGA
201 AGGCATCCTG CAGTATTGCC AAGAAGCTA CCCTGAACTG CAGATCACCA
251 ATGTGGTAGA AGCCAACCAA CCAGTGACCA TCCAGAACTG GTGCAAGCGG
301 GGCCGCAAGC AGTGCAAGAC CCATCCCCAC TTTGTGATTG CCTACCGCTG
351 CTTAGTTGGT GAGTTTATAA GTGATGCCCT TCTCGTTCCT GACAAGTGCA
401 AATTCTTACA CCAGGAGAGG ATGGATGTTT GCGAAACTCA TCTTCACTGG
451 CACACCGTCG CCAAGAGAGC ATGCAGTGAG AAGAGTACCA ACTTGCAATG
501 CTACGGCATG TTGCTGCCCT GCGGAATTGA CAAGTTCCGA GGGGTAGAGT
551 TTGTGTGTTG CCCACTGGCT GAAGAAAGTG ACAATGTGGA TTCTGCTGAT
601 GCGGAGGAGG ATGACTCGGA TGTCTGGTGG GGCGGAGCAG ACACAGACTA
651 TGCAGATGGG AGTGAAGACA AAGTAGTAGA AGTAGCAGAG GAGGAAGAAG
701 TGGCTGAGGT GGAAGAAGAA GAAGCCGATG ATGACGAGGA CGATGAGGAT
751 GGTGATGAGG TAGAGGAAGA GGCTGAGGAA CCCTACGAAG AAGCCACAGA
801 GAGAACCACC AGCATTGCCA CCACCACCAC CACCACCACA GAGTCTGTGG
851 AAGAGGTGGT TCGAGTTCCT ACAACAGCAG CCAGTACCCC TGATGCCGTT
901 GACAAGTATC TCGAGACACC TGGGGATGAG AATGAACATG CCCATTTCCA
951 GAAAGCCAAA GAGAGGCTTG AGGCCAAGCA CCGAGAGAGA ATGTCCCAGG
1001 TCATGAGAGA ATGGGAAGAG GCAGAACGTC AAGCAAAGAA CTTGCCTAAA
1051 GCTGATAAGA AGGCAGTTAT CCAGCATTTT CAGGAGAAAG TGGAATCTTT
1101 GGAACAGGAA GCAGCCAACG AGAGACAGCA GCTGGTGGAG ACACACATGG
1151 CCAGAGTGGA AGCCATGCTC AATGACCGCC GCCGCCTGGC CCTGGAGAAC
1201 TACATCACCG CTCTGCAGGC TGTTCTCCTT CGGCCTCGTC ACGTGTTCAA
```

FIG.14A

23/76

1251 TATGCTAAAG AAGTATGTCC GCGCAGAACA GAAGGACAGA CAGCACACCC
1301 TAAAGCATTT CGAGCATGTG CGCATGGTGG ATCCCAAGAA AGCCGCTCAG
1351 ATCCGGTCCC AGGTTATGAC ACACCTCCGT GTGATTTATG AGCGCATGAA
1401 TCAGTCTCTC TCCCTGCTCT ACAACGTGCC TGCAGTGGCC GAGGAGATTC
1451 AGGATGAAGT TGATGAGCTG CTTCAGAAAG AGCAAACTA TTCAGATGAC
1501 GTCTTGGCCA ACATGATTAG TGAACCAAGG ATCAGTTACG GAAACGATGC
1551 TCTCATGCCA TCTTTGACCG AAACGAAAAC CACCGTGGAG CTCCTTCCCG
1601 TGAATGGAGA GTTCAGCCTG GACGATCTCC AGCCGTGGCA TTCTTTGGG
1651 GCTGACTCTG TGCCAGCCAA CACAGAAAAC GAAGTTGAGC CTGTTGATGC
1701 CCGCCCTGCT GCCGACCGAG GACTGACCAC TCGACCAGGT TCTGGGTTGA
1751 CAAATATCAA GACGGAGGAG ATCTCTGAAG TGAATCTAGA TGCAGAATTC
1801 CGACATGACT CAGGATATGA AGTTCATCAT CAAAAATTGG TGTCTTTGC
1851 AGAAGATGTG GGTCAAACA AAGGTGCAAT CATTGGACTC ATGGTGGGCG
1901 GTGTTGTCAT AGCGACAGTG ATCGTCATCA CCTTGGTGAT GCTGAAGAAG
1951 AAAAAGCTTG GTACCGAGCT CGGATCCACT AGTCCAGTGT GGTGGAATTC
2001 TGCAGATATC AAGCTACTGT CTTCTATCGA ACAAGCATGC GATATTTGCC
2051 GACTTAAAAA GCTCAAGTGC TCCAAAGAAA AACCGAAGTG CGCCAAGTGT
2101 CTGAAGAACA ACTGGGAGTG TCGCTACTCT CCCAAAACCA AAAGGTCTCC
2151 GCTGACTAGG GCACATCTGA CAGAAGTGGA ATCAAGGCTA GAAAGACTGG
2201 AACAGCTATT TCTACTGATT TTTCTCGAG AAGACCTTGA CATGATTTTG
2251 AAAATGGATT CTTTACAGGA TATAAAAGCA TTGTTAACAG GATTATTTGT
2301 ACAAGATAAT GTGAATAAAG ATGCCGTAC AGATAGATTG GCTTCAGTGG
2351 AGACTGATAT GCCTCTAACA TTGAGACAGC ATAGAATAAG TGCGACATCA
2401 TCATCGGAAG AGAGTAGTAA CAAAGGTCAA AGACAGTTGA CTGTATCGGG
2451 AATTCCTGGG GATCTGGCCC CCCGACCGA TGTGAGCCTG GGGGACGAGC
2501 TCCAATTAGA CGGCGAGGAC GTGGCGATGG CGCATGCCGA CGCGCTAGAC
2551 GATTCGATC TGGACATGTT GGGGACGGG GATTCCCCGG GTCCGGGATT

FIG. 14B

24/76

2601 TACCCCCAC GACTCCGCCC CCTACGGCGC TCTGGATATG GCCGACTTCG
2651 AGTTTGAGCA GATGTTTACC GATGCCCTTG GAATTGACGA GTACGGTGGG
2701 GATATCCAGC ACAGTGGCGG CCGCGACGCC GCTGTCACCC CAGAGGAGCG
2751 CCACCTGTCC AAGATGCAGC AGAACGGCTA CGAAAATCCA ACCTACAAGT
2801 TCTTTGAGCA GATGCAGAAC TAG

FIG.14C

25/76

(SEQ ID NO: 14)

Amino acid sequence of APP(1-651)SW, K612V, GAL4-VP16(delM1) APP (664-695)

mlpgla1111aawtaralevptdgnagllaepqiamfcgrlnmhmrvqngkwdsdpsgtktcidtkegilqycq
 evype1qitnvveanqpvtiqnwckrgrkqckthphfviptyrc1vgefisdallvpdkckflhqermdvcethlh
 whtvaketcskstnlhdygmllpcgidkfrgvefvccplaeesdnvdsadaeeddsdvwggadtdyadgs
 edkvvevaeveveveeadddeddgdveveeeaepeyeaterttsiatTTTTTTesveevrvvpttaastpd
 avdkyletpgdenehahfqkakerleakhrermsqvmreweeaeqaknlpkadkkaviqhfqekvesleqe
 aanerqq1vethmarveamlnrrrrlaenyitalqavpprprhvfnm1kkyvraeqkdrqhtlkhfehrmvd
 pkkaaqrsvmthlrviyermnqslsllnvpavaeeiqdevdellqkeqnysddv1anmiseprisgnda1
 mpsltetkttvellpvngfslddlqpwhsfgadsvpantenevepydarpaadrglttrpgsgltnikteeisev
 2 n1daefrhdsgeyevhhqk1vffaedvgsnkgaiiglmvggvv1atvivitlvm1kkkk1gtelgstspwms
 3 4 5
 ad+k11ssieqacdicr1kk1kcskekpkcakclknwecryspktrsp1trahltevesrlerleqlfllifpredld
 6
 milkmdslqdikal1tg1fvqdnvknkdavtdr1asvetdmp1tlrqhrisatssseessnkqgrq1tvsqipgd1app
 7 8
 tdvslgdelh1dgedvamahada1ddfd1dm1gdgdspgpgftphdsapygal1madfefeqmftdal1qidey
 ggdiqhsгаааааavtpeerh1skmqngyenptykffeqmqn

FIG. 15

26/76

DNA sequence of APP(1-651)wt, GAL4VP16(delMet) APP (664-695)

(SEQ ID NO: 15)

```
1  ATGCTGCCCC  GTTTGGCACT  GCTCCTGCTG  GCCGCCTGGA  CGGCTCGGGC
51  GCTGGAGGTA  CCCACTGATG  GTAATGCTGG  CCTGCTGGCT  GAACCCAGAG
101 TTGCCATGTT  CTGTGGCAGA  CTGAACATGC  ACATGAATGT  CCAGAATGGG
151 AAGTGGGATT  CAGATCCATC  AGGGACCAAA  ACCTGCATTG  ATACCAAGGA
201 AGGCATCCTG  CAGTATTGCC  AAGAAGCTA  CCCTGAACTG  CAGATCACCA
251 ATGTGGTAGA  AGCCAACCAA  CCAGTGACCA  TCCAGAACTG  GTGCAAGCGG
301 GGCCGCAAGC  AGTGCAAGAC  CCATCCCCAC  TTTGTGATTG  CCTACCGCTG
351 CTTAGTTGGT  GAGTTTATAA  GTGATGCCCT  TCTCGTTCCT  GACAAGTGCA
401 AATTCTTACA  CCAGGAGAGG  ATGGATGTTT  GCGAAACTCA  TCTTCACTGG
451 CACACCGTCG  CCAAAGAGAC  ATGCAGTGAG  AAGAGTACCA  ACTTGCAATG
501 CTACGGCATG  TTGCTGCCCT  GCGGAATTGA  CAAGTTCCGA  GGGGTAGAGT
551 TTGTGTGTTG  CCCACTGGCT  GAAGAAAGTG  ACAATGTGGA  TTCTGCTGAT
601 GCGGAGGAGG  ATGACTCGGA  TGTCTGGTGG  GGCGGAGCAG  ACACAGACTA
651 TGCAGATGGG  AGTGAAGACA  AAGTAGTAGA  AGTAGCAGAG  GAGGAAGAAG
701 TGGCTGAGGT  GGAAGAAGAA  GAAGCCGATG  ATGACGAGGA  CGATGAGGAT
751 GGTGATGAGG  TAGAGGAAGA  GGCTGAGGAA  CCCTACGAAG  AAGCCACAGA
801 GAGAACCACC  AGCATTGCCA  CCACCACCAC  CACCACCACA  GAGTCTGTGG
851 AAGAGGTGGT  TCGAGTTCCT  ACAACAGCAG  CCAGTACCCC  TGATGCCGTT
901 GACAAGTATC  TCGAGACACC  TGGGGATGAG  AATGAACATG  CCCATTTCCA
951 GAAAGCCAAA  GAGAGGCTTG  AGGCCAAGCA  CCGAGAGAGA  ATGTCCCAGG
1001 TCATGAGAGA  ATGGGAAGAG  GCAGAACGTC  AAGCAAAGAA  CTTGCCTAAA
1051 GCTGATAAGA  AGGCAGTTAT  CCAGCATTTT  CAGGAGAAAG  TGGAATCTTT
1101 GGAACAGGAA  GCAGCCAACG  AGAGACAGCA  GCTGGTGGAG  ACACACATGG
1151 CCAGAGTGGA  AGCCATGCTC  AATGACCGCC  GCCGCCTGGC  CCTGGAGAAC
1201 TACATCACCG  CTCTGCAGGC  TGTTCTCCTC  CGGCCTCGTC  ACGTGTTCAA
```

FIG. 16A

27/76

1251 TATGCTAAAG AAGTATGTCC GCGCAGAACA GAAGGACAGA CAGCACACCC
1301 TAAAGCATTT CGAGCATGTG CGCATGGTGG ATCCCAAGAA AGCCGCTCAG
1351 ATCCGGTCCC AGGTTATGAC ACACCTCCGT GTGATTTATG AGCGCATGAA
1401 TCAGTCTCTC TCCCTGCTCT ACAACGTGCC TGCAGTGGCC GAGGAGATTC
1451 AGGATGAAGT TGATGAGCTG CTTCAGAAAG AGCAAACTA TTCAGATGAC
1501 GTCTTGGCCA ACATGATTAG TGAACCAAGG ATCAGTTACG GAAACGATGC
1551 TCTCATGCCA TCTTTGACCG AAACGAAAAC CACCGTGGAG CTCCTTCCCG
1601 TGAATGGAGA GTTCAGCCTG GACGATCTCC AGCCGTGGCA TTCTTTTGGG
1651 GCTGACTCTG TGCCAGCCAA CACAGAAAAC GAAGTTGAGC CTGTTGATGC
1701 CCGCCCTGCT GCCGACCGAG GACTGACCAC TCGACCAGGT TCTGGGTTGA
1751 CAAATATCAA GACGGAGGAG ATCTCTGAAG TGAAGATGGA TGCAGAATTC
1801 CGACATGACT CAGGATATGA AGTTCATCAT CAAAAATTGG TGTTCTTTGC
1851 AGAAGATGTG GGTTCAAACA AAGGTGCAAT CATTGGACTC ATGGTGGGCG
1901 GTGTTGTCAT AGCGACAGTG ATCGTCATCA CCTTGGTGAT GCTGAAGAAG
1951 AAAAAGCTTG GTACCGAGCT CGGATCCACT AGTCCAGTGT GGTGGAATTC
2001 TGCAGATATC AAGCTACTGT CTTCTATCGA ACAAGCATGC GATATTTGCC
2051 GACTTAAAAA GCTCAAGTGC TCCAAAGAAA AACCGAAGTG CGCCAAGTGT
2101 CTGAAGAACA ACTGGGAGTG TCGTACTCT CCCAAAACCA AAAGGTCTCC
2151 GCTGACTAGG GCACATCTGA CAGAAGTGA ATCAAGGCTA GAAAGACTGG
2201 AACAGCTATT TCTACTGATT TTTCCTCGAG AAGACCTTGA CATGATTTTG
2251 AAAATGGATT CTTTACAGGA TATAAAAGCA TTGTTAACAG GATTATTTGT
2301 ACAAGATAAT GTGAATAAAG ATGCCGTCAC AGATAGATTG GCTTCAGTGG
2351 AGACTGATAT GCCTCTAACA TTGAGACAGC ATAGAATAAG TGCGACATCA
2401 TCATCGGAAG AGAGTAGTAA CAAAGGTCAA AGACAGTTGA CTGTATCGGG
2451 AATTCCTGGG GATCTGGCCC CCCCACCGA TGTCAGCCTG GGGGACGAGC
2501 TCCACTTAGA CGGCGAGGAC GTGGCGATGG CGCATGCCGA CGCGCTAGAC
2551 GATTTTCGATC TGGACATGTT GGGGGACGGG GATTCCCCGG GTCCGGGATT

FIG.16B

28/76

2601 TACCCCCAC GACTCCGCCC CCTACGGCGC TCTGGATATG GCCGACTTCG
2651 AGTTTGAGCA GATGTTTACC GATGCCCTTG GAATTGACGA GTACGGTGGG
2701 GATATCCAGC ACAGTGGCGG CCGCGACGCC GCTGTCACCC CAGAGGAGCG
2751 CCACCTGTCC AAGATGCAGC AGAACGGCTA CGAAAATCCA ACCTACAAGT
2801 TCTTTGAGCA GATGCAGAAC TAG

FIG.16C

29/76

(SEQ ID NO: 16)

Amino acid sequence of APP(1-651)wt, K612V, GAL4-VP16(de1M1) APP (664-695)

mlpgla1111aawtaralevptdgnagllaepqiamfcgrlnmhmrvqngkwdsdpsgtktcidtkegilqycq
 evypelqitnvveanqpvtiqnwckrgrkqckthphfviyrc1vgefisdallvpdkckflhqermdvcethlh
 whtvaketcskstnlhdygmllpcgidkfrgvefvccplaesdnvdsadaeedsdvwggadtdyadgs
 edkvvevaeeeeaeveeeeeeadddeddedgdeveeeaepeyeaterettsiatTTTTTTesveevrvpttaastpd
 avdkyletpgdenehahfqkakerleakhrermsqvmreweeaerqaknlpkadkkaviqhfkvesleqe
 aanerqq1vethmarveamlnrrrrla1enyitalqavpprprhvfmlkkyvraeqkdrqhtlkhfehrvmvd
 pkkaaqrsvqmthlrviyermnqsls1lynpavaeeiqdevdellqkeqnysddv1anmiseprisgnda1
 mpsltetkttvellpvngefs1dd1qpwhsfgadsvpantenevepvdarpaadrglttrpgsgltnikteeisev
 2 kmdaefrhdsgeyvhqklvffaedvgsnkgaiiglmvggvviatvivitlvm1kkkk1gtelgstspvwns
 adik11ssieqacdicr1kk1kcskekpkcakclknwecryspktrsp1trahltevesr1erleqlf11ifpred1d
 6 milkmdslqdika11tqlfvqdnvkdavtdrlasvetdmp1tlrqhrisatssseessnkqqrqltvsqipgd1app
 tdvslqdelh1dgedvamahada1ddfd1dm1gdqdsppgpgftphdsapygalmdadfeeqmftdalqidey
 7 8 ggdiqhsaaaadaavtpeerh1skmqngyenptykffeqmqn

FIG.17

30/76

(SEQ ID NO: 17)

```
1 agtttcctcg gcagcggtag gcgagagcac gcggaggagc gtgcgcgggg gccccgggag
61 acggcggcgg tggcggcgcg ggcagagcaa ggacgcggcg gatccactc gcacagcagc
121 gcactcggtg ccccgcgagc ggtcgcgatg ctgcccgggt tggcactgct cctgctggcc
181 gcctggacgg ctcgggcgct ggaggtaccc actgatggta atgctggcct gctggctgaa
241 cccagattg ccatgttctg tggcagactg aacatgcaca tgaatgtcca gaatgggaag
301 tgggattcag atccatcagg gaccaaacc tgcattgata ccaaggaagg catcctgcag
361 tattgccaag aagtctaccc tgaactgcag atcaccaatg tggtagaagc caaccaacca
421 gtgaccatcc agaactggcg caagcggggc cgcaagcagt gcaagacca tccccacttt
481 gtgattccct accgctgctt agttggtgag tttgtaagtg atgcccttct cgttcctgac
541 aagtgcaa atcttacacca ggagaggatg gatgtttgag aaactcatct tcaactggcac
601 accgtcgcca aagagacatg cagtgagaag agtaccactg tgcattgata cggcatgttg
661 ctgccctgcg gaattgacaa gttccgaggg gtagagtttg tgtgttgccc actggctgaa
721 gaaagtgaca atgtggattc tgctgatgag gaggaggatg actcggatgt ctggtggggc
781 ggagcagaca cagactatgc agatgggagt gaagacaaag tagtagaagt agcagaggag
841 gaagaagtgg ctgagtgga agaagaaga gccgatgatg acgaggacga tgaggatggt
901 gatgaggtag aggaagaggc tgaggaaccc tacgaagaag ccacagagag aaccaccagc
961 attgccacca ccaccaccac caccacagag tctgtggaag aggtggttcg agttcctaca
1021 acagcagcca gtaccctga tgccgttgac aagtatctcg agacacctgg ggatgagaat
1081 gaacatgccc atttcagaa agccaaagag aggttgagg ccaagcaccg agagagaatg
1141 tcccaggcca tgagagaatg ggaagaggca gaacgtcaag caaagaactt gcciaaagct
1201 gataagaagg cagttatcca gcatttccag gagaaagtgg aatctttgga acaggaagca
1261 gccaacgaga gacagcagct ggtggagaca cacatggcca gagtggaagc catgctcaat
1321 gaccgcccgc gcctggccct ggagaactac atcacgctc tgcaggctgt tcctcctcgg
1381 cctcgtaacg tgttcaatat gctaaagaag tatgtccgag cagaacagaa ggacagacag
1441 cacaccctaa agcatttcga gcatgtgcgc atggtggatc ccaagaaagc cgctcagatc
1501 cgggtcccag ttatgacaca cctccgtgtg atttatgagc gcatgaatca gtctctctcc
1561 ctgctctaca acgtgcctgc agtgccgag gagattcagg atgaagtga tgagctgctt
1621 cagaaagagc aaaactattc agatgacgtc ttggccaaca tgattagtga accaaggatc
1681 agttacggaa acgatgctct catgccatct ttgaccgaaa cgaaaaccac cgtggagctc
1741 cttcccgtga atggagagtt cagcctggac gatctccagc cgtggcattc ttttggggct
1801 gactctgtgc cagccaacac agaaaacgaa gttgagcctg ttgatgcccg ccctgctgcc
1861 gaccgaggac tgaccactcg accaggttct gggttgacaa atatcaagac ggaggagatc
1921 tctgaagtga agatggatgc agaattccga catgactcag gatatgaagt tcatcatcaa
1981 aaattggtgt tctttgcaga agatgtgggt tcaaacaaag gtgcaatcat tggactcatg
2041 gtgggcggtg ttgtcatagc gacagtgatc gtcacacatc tgggtgatgct gaagaagaaa
2101 cagtacacat ccattcatca tgggtgtgtg gaggttgacg ccgctgtcac ccagaggag
2161 cgccacctgt ccaagatgca gcagaacggc tacgaaaatc caacctacaa gttctttgag
2221 cagatgcaga actagacccc cgccacagca gcctctgaag ttggacagca aaaccattgc
2281 ttcactaccc atcgggtgtc atttatagaa taatgtggga agaaacaaac ccgttttatg
2341 atttactcat tatcgcttct tgacagctgt gctgtaacac aagtagatgc ctgaacttga
2401 attaatccac acatcagtaa tgtattctat ctctctttac attttggctc ctatactaca
2461 ttattaatgg gttttgtgta ctgtaaagaa tttagctgta tcaaactagt gcatgaatag
2521 attctctcct gattatttat cacatagccc ctttagccagt tgtatattat tcttgtggtt
2581 tgtgacccaa ttaagtccta ctttacatat gctttaagaa tcgatggggg atgcttcag
2641 tgaacgtggg agttcagctg cttctcttgc ctaagtattc ctttctgat cactatgcat
2701 tttaaagtta aacattttta agtatttcag atgctttaga gagatttttt ttccatgact
2761 gcattttact gtacagattg ctgcttctgc tatatttgtg atataggaat taagaggata
```

FIG. 18A

31/76

2821 cacacgtttg tttcttcgtg cctgttttat gtgcacacat taggcattga gacttcaagc
2881 ttttcttttt ttgtccacgt atctttgggt ctttgataaa gaaaagaatc cctgttcatt
2941 gtaagcactt ttacggggcg ggtggggagg ggtgctctgc tggctctcaa ttaccaagaa
3001 ttctccaaaa caattttctg caggatgatt gtacagaatc attgcttatg acatgatcgc
3061 tttctacact gtattacata aataaattaa ataaaataac cccgggcaag acttttcttt
3121 gaaggatgac tacagacatt aaataatcga agtaattttg ggtggggaga agaggcagat
3181 tcaattttct ttaaccagtc tgaagtttca tttatgatac aaaagaagat gaaaatggaa
3241 gtggcaatat aaggggatga ggaaggcatg cctggacaaa cccttctttt aagatgtgtc
3301 ttcaatttgt ataaaatggt gttttcatgt aaataaatac attcttgag gagc

FIG. 18B

32/76

(SEQ ID NO: 18)

MLPGLALLLLAAWTARALEVPTDGNAGLLAEPQIAMFCGRLNMH
MNVQNGKWDSDPSGKTCIDTKEGILQYCQEVPELQITNVVEANQPVTIQNWCKRGR
KQCKTHPHFVIPYRCLVGEFVSDALLVPDKCKFLHQERMDVCETHLHWHTVAKETCSE
KSTNLHDYGMLLPCGIDKFRGVEFVCCPLAEESDNVDSADAEEDSDVWGGADTDYA
DGSEDKVVEVAEEEEVAVEEEEEADDEDEDGDEVEEEAEPEYEEATERTTSIATTT
TTTTESVEEVVRVPTTAASTPDAVDKYLETPGDENEHAHFQAKERLEAKHRERMSQV
MREWEAERQAKNLPKADKKAVIQHFQEKVESLEQEAAERQQLVETHMARVEAMLND
RRRLALENYITALQAVPPRPRHVFNMLKKYVRAEQKDRQHTLKHFEHVRMVDPKKAAQ
IRSQVMTHLRVIYERMNQSLSLLYNVPAVAEEIQDEVDELLQKEQNYSDDLANMISE
PRISYGNALMPSLTETKTTVELLPVNGEFSDDLQPWHSFGADSVANTENEVEPVD
ARPAADRGLTTRPGSGLTNIKTEEISEVKMDAEFRHDSGYEVHHQKLVFFAEDVGSNK
GAIIGLMVGGVVIATVIVITLVMLKKKQYTSIHGVEVDAAVTPEERHLSKMQQNGY
ENPTYKFFEQMQN

FIG. 18C

33/76




FIG.19

34/76




FIG.20

35/76




FIG.21A




FIG.21B

37/76




FIG.22A




FIG.22B




FIG.22C




FIG.23

41/76




FIG.24

42/76




FIG.25A

43/76

(SEQ ID NO: 19 AND 20)

```

1  ATGGTGAGCA AGGGCGAGGA GCTGTTCAAC GGGGTGGTGC CCATCCTGGT
   TACCACTCGT TCCCGCTCCT CGACAAGTGG CCCCACCACG GGTAGGACCA
51  CGAGCTGGAC GGGGACGTAA ACGGCCACAA GTTCAGCGTG TCCGGCGAGG
   GCTCGACCTG CCCTGTCATT TGCCGGTGTT CAAGTCGCAC AGGCCGCTCC
101  GCGAGGGCGA TGCCACCTAC GGCAAGCTGA CCCTGAAGTT CATCTGCACC
   CGCTCCCGCT ACGGTGGATG CCGTTCGACT GGGACTTCAA GTAGACGTGG
151  ACCGGCAAGC TGCCCGTGCC CTGGCCACAC CTCGTGACCA CCTTCACCTA
   TGGCCGTTTCG ACGGGCACGG GACCGGGTGG GAGCACTGGT GGAAGTGGAT
201  CGGCGTGCA G TCTTCGCCC GCTACCCCGA CCACATGAAG CAGCACGACT
   GCCGCACGTC ACGAAGCGGG CGATGGGGCT GGTGTACTTC GTCGTGCTGA
251  TCTTCAAGTC CGCCATGCCC GAAGGCTACG TCCAGGAGCG CACCATCTTC
   AGAAGTTCAG GCGGTACGGG CTTCCGATGC AGGTCTCTCG GTGGTAGAAG
301  TTCAAGGACG ACGGCAACTA CAAGACCCGC GCCGAGGTGA AGTTCGAGGG
   AAGTTCCTGC TGCCGTTGAT GTTCTGGGCG CGGCTCCACT TCAAGCTCCC
351  CGACACCCTG GTGAACCGCA TCGAGCTGAA GGGCATCGAC TTCAAGGAGG
   GCTGTGGGAC CACTTGGCGT AGCTCGACTT CCCGTAGCTG AAGTTCCTCC
401  ACGGCAACAT CCTGGGGCAC AAGCTGGAGT ACAACTACAA CAGCCACAAG
   TGCCGTTGTA GGACCCCGTG TTCGACCTCA TGTTGATGTT GTCGGTGTTC
451  GTCTATATCA CCGCCGACAA GCAGAAGAAC GGCATCAAGG TGAACCTCAA
   CAGATATAGT GGCGGCTGTT CGTCTTCTTG CCGTAGTTCC ACTTGAAGTT
501  GACCCGCCAC AACATCGAGG ACGGCAGCGT GCAGCTCGCC GACCACTACC
   CTGGGCGGTG TTGTAGCTCC TGCCGTGCGA CGTCGAGCGG CTGGTGATGG
551  AGCAGAACAC CCCCATCGGC GACGGCCCCG TGCTGCTGCC CGACAACCAC
   TCGTCTTGTG GGGGTAGCCG CTGCCGGGGC ACGACGACGG GCTGTTGGTG
601  TACCTGAGCA CCCAGTCCGC CCTGAGCAAA GACCCCAACG AGAAGCGCGA
   ATGGACTCGT GGGTCAGGCG GGA CTGTTT CTGGGGTTGC TCTTCGCGCT
651  TCACATGGTC CTGCTGGAGT TCGTGACCGC CGCCGGGATC ACTCTCGGCA
   AGTGTACCAG GACGACCTCA AGCACTGGCG GCGGCCCTAG TGAGAGCCGT
701  TGGACGAGCT GTACAAGTAA CTCGAGTCTA GAGGGCCCGT TTAACCCCGC
   ACCTGCTCGA CATGTTTATT GAGCTCAGAT CTCCCAGGCA AATTTGGGCG
751  TGATCAGCCT CGACTGTGCC TTCTAGTTGC CAGCCATCTG TTGTTTGCCC
   ACTAGTCGGA GCTGACACGG AAGATCAACG GTCGGTAGAC AACAAACGGG
801  CTCCCCCGTG CCTTCCTTGA CCCTGGAAGG TGCCACTCCC ACTGTCCTTT
   GAGGGGGCAC GGAAGGAACT GGGACCTTCC ACGGTGAGGG TGACAGGAAA
851  CCTAATAAAA TGAGGAAATT GCATCGCATT GTCTGAGTAG GTGTCATTCT
   GGATTATTTT ACTCCTTTAA CGTAGCGTAA CAGACTCATC CACAGTAAGA
901  ATTCTGGGGG GTGGGGTGGG GCAGGACAGC AAGGGGGAGG ATTGGGAAGA
   TAAGACCCCC CACCCACCCC CGTCCTGTCTG TTCCCCTCC TAACCCTTCT
951  CAATAGCAGG CATGCTGGGG ATGCGGTGGG CTCTATGGCT TCTGAGGCGG
   GTTATCGTCC GTACGACCCC TACGCCACCC GAGATACCGA AGACTCCGCC
1001  AAAGAACCAG CATGTGAGCA AAAGGCCAGC AAAAGGCCAG GAACCGTAAA
   TTTCTTGGTC GTACACTCGT TTTCCGGTCTG TTTTCCGGTC CTTGGCATTT
1051  AAGGCCGCGT TGCTGGCGTT TTTCCATAGG CTCCGCCCCC CTGACGAGCA
   TTCCGGCGCA ACGACCGCAA AAAGGTATCC GAGGCGGGGG GACTGCTCGT
1101  TCACAAAAAT CGACGCTCAA GTCAGAGGTG GCGAAACCCG ACAGGACTAT
   AGTGTTTTTA GCTGCGAGTT CAGTCTCCAC CGCTTTGGGC TGTCTGATA
1151  AAAGATACCA GCGGTTTCCC CCTGGAAGCT CCCTCGTGCG CTCTCCTGTT
   TTTCTATGGT CCGCAAAGGG GGACCTTCGA GGGAGCACGC GAGAGGACAA
1201  CCGACCCTGC CGCTTACCGG ATACCTGTCC GCCTTTCTCC CTTGCGGAAG
   GGCTGGGACG GCGAATGGCC TATGGACAGG CCGAAAGAGG GAAGCCCTTC
1251  CGTGGCGCTT TCTCATAGCT CACGCTGTAG GTATCTCAGT TCGGTGTAGG
   GCACCGCGAA AGAGTATCGA GTGCGACATC CATAGAGTCA AGCCACATCC
1301  TCGTTGCTC CAAGCTGGGC TGTGTGCACG AACCCCCCGT TCAGCCCGAC
   AGCAAGCGAG GTTCGACCCG ACACACGTGC TTGGGGGGCA AGTCGGGCTG
1351  CGCTGCGCCT TATCCGGTAA CTATCGTCTT GAGTCCAACC CGGTAAGACA
   CCGACGCGGA ATAGGCCATT GATAGCAGAA CTCAGGTTGG GCCATTCTGT
1401  CGACTTATCG CCACTGGCAG CAGCCACTGG TAACAGGATT AGCAGAGCGA
   GCTGAATAGC GGTGACCGTC GTCGGTGACC ATTGTCCTAA TCCTCTCGCT

```

FIG.25B

44/76

1451	GGTATGTAGG	CGGTGCTACA	GAGTTCTTGA	AGTGGTGGCC	TAACACGGC
	CCATACATCC	GCCACGATGT	CTCAAGAACT	TCACCACCGG	ATTGATGCCG
1501	TACACTAGAA	GAACAGTATT	TGGTATCTGC	GCTCTGCTGA	AGCCAGTTAC
	ATGTGATCTT	CTTGTCATAA	ACCATAGACG	CGAGACGACT	TCGGTCAATG
1551	CTTCGGA AAA	AGAGTTGGTA	GCTCTTGATC	CGGCAAACAA	ACCACCGCTG
	GAAGCCTTTT	TCTCAACCAT	CGAGAACTAG	GCCGTTTGTT	TGGTGGCGAC
1601	GTAGCGGTGG	TTTTTTTGTT	TGCAAGCAGC	AGATTACGCG	CAGAAAAAAA
	CATGCCACC	AAAAAACAA	ACGTTGCTCG	TCTAATGCGC	GTCTTTTTTT
1651	GGATCTCAAG	AAGATCCTTT	GATCTTTTCT	ACGGGGTCTG	ACGCTCAGTG
	CCTAGAGTTC	TTCTAGGAAA	CTAGAAAAGA	TGCCCCAGAC	TGCGAGTCAC
1701	GAACGAAAAC	TCACGTAAAG	GGATTTTGTT	CATGACATTA	ACCTATAAAA
	CTTGCTTTTG	AGTGCAATTC	CCTAAAACCA	GTACTGTAAT	TGGATATTTT
1751	ATAGGCGTAT	CACGAGGCC	TTTCGTCTCG	CGCGTTTCGG	TGATGACGGT
	TATCCGCATA	GTGCTCCGGG	AAAGCAGAGC	GCGCAAAGCC	ACTACTGCCA
1801	GA AAACCTCT	GACACATGCA	GCTCCCGGAG	ACGGTCACAG	CTTGTCTGTA
	CTTTTGGAGA	CTGTGTACGT	CGAGGGCCTC	TGCCAGTGTC	GAACAGACAT
1851	AGCGGATGCC	GGGAGCAGAC	AAGCCCGTCA	GGGCGCGTCA	GCGGGTGTTG
	TCGCCTACGG	CCCTCGTCTG	TTCGGGCAGT	CCGCGCAGT	CGCCACAAC
1901	GCGGGTGTCG	GGGCTGGCTT	AACTATGCGG	CATCAGAGCA	GATTGTACTG
	CGCCACAGC	CCCGACCGAA	TTGATACGCC	GTAGTCTCGT	CTAACATGAC
1951	AGAGTGCACC	ATATGCGGTG	TGAAATACCG	CACAGATGCG	TAAGGAGAAA
	TCTACGTGG	TATACGCCAC	ACTTTATGGC	GTGTCTACGC	ATTCCTCTTT
2001	ATACCGCATC	AGGACGCGCC	CTGTAGCGGC	GCATTAAGCG	CGGCGGGTGT
	TATGGCGTAG	TCCTGCGCGG	GACATCGCCG	CGTAATTCGC	GCCGCCACA
2051	GGTGGTTACG	CGCAGCGTGA	CCGCTACACT	TGCCAGCGCC	CTAGCGCCCG
	CCACCAATGC	GCGTCGCACT	GGCGATGTGA	ACGGTCGCGG	GATCGCGGGG
2101	CTCCTTTTCG	TTTTTCCCT	TCCTTTCTCG	CCACGTTTCG	CGGCTTTCC
	GAGGAAAGCG	AAAGAAGGGA	AGGAAAGAGC	GGTGCAAGCG	GCCGAAAGGG
2151	CGTCAAGCTC	TAAATCGGGG	GCTCCCTTTA	GGGTTCCGAT	TTAGTGCTTT
	GCAGTTCGAG	ATTTAGCCCC	CGAGGGAAT	CCCAAGGCTA	AATCACGAAA
2201	ACGGCACCTC	GACCCCAAAA	AACTTGATTA	GGGTGATGGT	TCACGTAGTG
	TGCCGTGGAG	CTGGGGTTTT	TTGAACTAAT	CCCACTACCA	AGTGCATCAC
2251	GGCCATCGCC	CTGATAGACG	GTTTTTCGCC	CTTTGACGTT	GGAGTCCACG
	CCGGTAGCGG	GA CTATCTGC	CAAAAAGCGG	GAAACTGCAA	CCTCAGGTGC
2301	TTCTTTTAATA	GTGGACTCTT	GTTCCAAACT	GGAACAACAC	TCAACCCTAT
	AAGAAATTAT	CACCTGAGAA	CAAGGTTTGA	CCTTGTTGTG	AGTTGGGATA
2351	CTCGGTCTAT	TC TTTTGATT	TATAAGGGAT	TTTGCCGATT	TCGGCCTATT
	GAGCCAGATA	AGAAAACATA	ATATTCCCTA	AAACGGCTAA	AGCCGGATAA
2401	GGTTAAAAAA	TGAGCTGATT	TAACAAAAAT	TTAACGCGAA	TTTTAACAAA
	CCAA TTTTTT	ACTCGACTAA	ATTGTTTTTA	AATTGCGCTT	AAAATTGTTT
2451	ATATTAACGC	TTACAATTTT	CATTGCGCAT	TCAGGCTGAA	CTAGATCTAG
	TATAATTGCG	AATGTTAAAG	GTAAGCGGTA	AGTCCGACTT	GATCTAGATC
2501	AGTCCGTTAC	ATAACTTACG	GTA AATGGCC	CGCCTGGCTG	ACCGCCCAAC
	TCAGGCAATG	TATTGAATGC	CATTTACCGG	GCGGACCGAC	TGGCGGGTTG
2551	GACCCCGGCC	CATTGACGTC	AATAATGACG	TATGTTCCCA	TAGTAACGCC
	CTGGGGGCGG	GTA ACTGCAG	TTATTACTGC	ATACAAGGGT	ATCATTGCGG
2601	AATAGGGACT	TTCCATTGAC	GTCAATGGGT	GGAGTATTTA	CGGTAAACTG
	TTATCCCTGA	AAGGTA ACTG	CAGTTACCCA	CCTCATAAAT	GCCATTTGAC
2651	CCCACCTTGG	AGTACATCAA	GTGTATCATA	TGCCAAGTAC	GCCCCCTATT
	GGGTGAACCG	TCATGTAGTT	CACATAGTAT	ACGGTTCATG	CGGGGGATAA
2701	GACGTCAATG	ACGGTAAATG	GCCGCTGCTG	CATTATGCCC	AGTACATGAC
	CTGCAGTTAC	TGCCATTTAC	CGGGCGGACC	GTAATACGGG	TCATGTACTG
2751	CTTATGGGAC	TTTCCTACTT	GGCAGTACAT	CTACGTATTA	GTCATCGCTA
	GAATACCCCTG	AAAGGATGAA	CCGT CATGTA	GATGCATAAT	CAGTAGCGAT
2801	TTACCATGGT	GATGCGGTTT	TGGCAGTACA	TCAATGGGCG	TGGATAGCGG
	AATGGTACCA	CTACGCCAAA	ACCGTCATGT	AGTTACCCGC	ACCTATCGCC
2851	TTTGACTCAC	GGGGATTTCC	AAGTCTCCAC	CCCATTGACG	TCAATGGGAG
	AAACTGAGTG	CCCCTAAAGG	TTCAAGAGTG	GGGTA ACTGC	AGTTACCCTC

FIG.25C

45/76

```
2901 TTTGTTTTGG CACCAAAATC AACGGGACTT TCCAAAATGT CGTAACAACT
AAACAAAACC GTGGTTTTAG TTGCCCTGAA AGGTTTTTACA GCATTGTTGA
2951 CCGCCCCATT GACGCAAATG GCGGGTAGGC GTGTACGGTG GGAGGTCTAT
GGCGGGGTAA CTGCGTTTAC CCGCCATCCG CACATGCCAC CCTCCAGATA
3001 ATAAGCAGAG CTCGTTTAGT GAACCGTCAG ATCGCCTGGA GACGCCATCC
TATTCGTCTC GAGCAAATCA CTTGGCAGTC TAGCGGACCT CTGCGGTAGG
3051 ACGCTGTTTT GACCTCCATA GAAGACACCG GGACCGATCC AGCCTCCGCG
TGCGACAAAA CTGGAGGTAT CTTCTGTGGC CCTGGCTAGG TCGGAGGCGC
3101 GCCGGGAACG GTGCATTGGA ACGGACCGTG TTGACAATTA ATCATCGGCA
CGGCCCTTGC CACGTAACCT TGCCTGGCAC AACTGTTAAT TAGTAGCCGT
3151 TAGTATATCG GCATAGTATA ATACGACAAG GTGAGGAACT AAACCATGGC
ATCATATAGC CGTATCATAT TATGCTGTTT CACTCCTTGA TTTGGTACCG
3201 CAAGTTGACC AGTGCCGTTT CCGTGCTCAC CGCGCGCGAC GTCGCCGGAG
GTTCAACTGG TCACGGCAAG GCCACGAGTG GCGCGCGCTG CAGCGGCCCTC
3251 CGGTCGAGTT CTGGACCGAC CGGCTCGGGT TCTCCCGGGA CTTCTGTGGG
GCCGCTCAA GACCTGGCTG GCCGAGCCCA AGAGGGCCCT GAAGCACCTC
3301 GACGACTTCG CCGGTGTGGT CCGGGACGAC GTGACCCTGT TCATCAGCGC
CTGCTGAAGC GGCCACACCA GGCCCTGCTG CACTGGGACA AGTAGTCGCG
3351 GGTCCAGGAC CAGGTGGTGC CGGACAACAC CCTGGCCTGG GTGTGGGTGC
CCAGGTCTGT GTCCACCACG GCCTGTTGTG GGACCGGACC CACACCCACG
3401 GCGGCCCTGA CGAGCTGTAC GCCGAGTGGT CCGAGGTCGT GTCCACGAAC
CGCCGGACCT GCTCGACATG CGGCTCACCA GCCTCCAGCA CAGGTGCTTG
3451 TTCCGGGACG CCTCCGGGCC GGCCATGACC GAGATCGGCG AGCAGCCGTG
AAGGCCCTGC GGAGGCCCGG CCGGTACTGG CTCTAGCCGC TCGTCGGCAC
3501 GGGGCGGGAG TTCGCCCTGC GCGACCCGGC CGGCAACTGC GTGCACTTCG
CCCCGCCCTC AAGCGGGACG CGCTGGGCCG GCCGTTGACG CACGTGAAGC
3551 TGGCCGAGGA GCAGGACTGA CACTCGACCT CGAAACTTGT TTATTGCAGC
ACCGGCTCCT CGTCCTGACT GTGAGCTGGA GCTTTGAACA AATAACGTCG
3601 TTATAATGGT TACAAATAAA GCAATAGCAT CACAAATTTT ACAAATAAAG
AATATTACCA ATGTTTATTT CGTTATCGTA GTGTTTAAAG TGTTTATTTT
3651 CATTTTTTTC ACTGCATTCT AGTTGTGGTT TGTCCAACT CATCAATGTA
GTAAAAAAG TGACGTAAGA TCAACACCAA ACAGGTTTGA GTAGTTACAT
3701 TCTTATCATG TCTGGATCGA TACTTCAAGA ACTGCTGACA TCGAGCTTGC
AGAATAGTAC AGACCTAGCT ATGAAGTTCT TGACGACTGT AGCTCGAAGC
3751 TACAAGGGAC TTTCCGCTGG GGACTTTCCA GGGAGGCGTG GCCTGGGCGG
ATGTTCCCTG AAAGGCGACC CCTGAAAGGT CCCTCCGCAC CGGACCCGCC
3801 GACTGGGGAG TGGCGAGCCC TCAGATCCTG CATATAAGCA GCTGCTTTTT
CTGACCCCTC ACCGCTCGGG AGTCTAGGAC GTATATTCTG CGACGAAAAA
3851 GCCTGTACTG GGTCTCTCTG GTTAGACCAG ATCTGAGCCT GGGAGCTCTC
CGGACATGAC CCAGAGAGAC CAATCTGGTC TAGACTCGGA CCCTCGAGAG
3901 TGGCTAACTA GGAACCCAC TGCTTAAGCC TCAATAAAGC TTGGTACCGA
ACCGATTGAT CCCTTGGGTG ACGAATTCGG AGTTATTTCT AACCATGGCT
3951 GCTCGGATCC GAATTCGCCA CC
CGAGCCTAGG CTTAAGCGGT GG
```

FIG.25D




FIG.26A

47/76

(SEQ ID NO: 21 AND 22)

```

1  GACGGATCGG GAGATCTCCC GATCCCCTAT GGTGCGACTCT CAGTACAATC
   CTGCCTAGCC CTCTAGAGGG CTAGGGGATA CCAGCTGAGA GTCATGTTAG
51  TGCTCTGATG CCGCATAGTT AAGCCAGTAT CTGCTCCCTG CTTGTGTGTT
   ACGAGACTAC GGCCTATCAA TTCGGTCATA GACGAGGGAC GAACACACAA
101 GGAGGTCGCT GAGTAGTGCG CGAGCAAAAT TTAAGCTACA ACAAGGCAAG
   CCTCCAGCGA CTCATCACGC GCTCGTTTTA AATTCGATGT TGTTCGGTTC
151 GCTTGACCGA CAATTGCATG AAGAATCTGC TTAGGGTTAG GCGTTTTGCG
   CGAACTGGCT GTTAACGTAC TTCTTAGACG AATCCCAATC CGCAAAACGC
201 CTGCTTCGCG ATGTACGGGC CAGATATACG CGTTGACATT GATTATTGAC
   GACGAAGCGC TACATGCCCG GTCTATATGC GCAACTGTAA CTAATAACTG
251 TAGTTATTAA TAGTAATCAA TTACGGGGTC ATTAGTTCAT AGCCCATATA
   ATCAATAATT ATCATTAGTT AATGCCCCAG TAATCAAGTA TCGGGTATAT
301 TGGAGTTCGG CGTTACATAA CTTACGGTAA ATGGCCCCCG TGGCTGACCG
   ACCTCAAGGC GCAATGTATT GAATGCCATT TACCGGGCGG ACCGACTGGC
351 CCCAACGACC CCCGCCATT GACGTCAATA ATGACGTATG TTCCCATAGT
   GGGTTGCTGG GGGCGGGTAA CTGCAGTTAT TACTGCATAC AAGGGTATCA
401 AACGCCAATA GGGACTTTCC ATTGACGTCA ATGGGTGGAC TATTTACGGT
   TTGCGGTTAT CCCTGAAAGG TAACTGCAGT TACCCACCTG ATAAATGCCA
451 AAACGTCCCA CTTGGCAGTA CATCAAGTGT ATCATATGCC AAGTACGCC
   TTTGACGGGT GAACCGTCAT GTAGTTTACA TAGTATACGG TTCATGCGGG
501 CCTATTGACG TCAATGACGG TAAATGGCCC GCCTGGCATT ATGCCAGTA
   GGATAACTGC AGTTACTGCC ATTTACGGGG CGGACCGTAA TACGGGTCAT
551 CATGACCTTA TGGGACTTTC CTACTTGGCA GTACATCTAC GTATTAGTCA
   GTACTGGAAT ACCCTGAAAG GATGAACCGT CATGTAGATG CATAATCAGT
601 TCGCTATTAC CATGGTGATG CGGTTTTGGC AGTACATCAA TGGGCGTGGA
   AGCGATAATG GTACCACTAC GCCAAAACCG TCATGTAGTT ACCCGCACCT
651 TAGCGGTTTG ACTCACGGGG ATTTCCAAGT CTCCACCCCA TTGACGTCAA
   ATCGCCAAAC TGAGTGCCCC TAAAGGTTCA GAGGTGGGGT AACTGCAGTT
701 TGGGAGTTTG TTTTGGCACC AAAATCAACG GGACTTTCCA AAATGTCGTA
   ACCCTCAAAC AAAACCGTGG TTTTAGTTGC CCTGAAAGGT TTTACAGCAT
751 ACAACTCCGC CCCATTGACG CAAATGGGCG GTAGGCGTGT ACGGTGGGAG
   TGTTGAGGCG GGGTAACTGC GTTTACCCGC CATCCGCACA TGCCACCCTC
801 GTCTATATAA GCAGAGCTCT CTGGCTAACT AGAGAACCCA CTGCTTACTG
   CAGATATATT CGTCTCGAGA GACCGATTGA TCTCTTGGGT GACGAATGAC
851 GCTTATCGAA ATTAATACGA CTCACTATAG GGAGACCCAA GCTGGCTAGC
   CGAATAGCTT TAATTATGCT GAGTGATATC CCTCTGGGTT CGACCGATCG
901 GTTTAAACTT AAGCTTCCCC GCGCAGGGTC GCGATGCTGC CCGGTTTGGC
   CAAATTTGAA TTCGAAGGGG CGCGTCCAG CGCTACGACG GGCCAAACCG
951 ACTGCTCCTG CTGGCCGCCT GGACGGCTCG GGCGCTGGAG GTACCCACTG
   TGACGAGGAC GACCGGCGGA CCTGCCGAGC CCGCGACCTC CATGGGTGAC
1001 ATGGTAATGC TGGCCTGCTG GCTGAACCCC AGATTGCCAT GTTCTGTGGC
   TACCATTACG ACCGGACGAC CGACTTGGGG TCTAACGGTA CAAGACACCG
1051 AGACTGAACA TGCACATGAA TGTCCAGAAT GGAAGTGGG ATTACAGATC
   TCTGACTTGT ACGTGTACTT ACAGGTCTTA CCCTTCACCC TAAGTCTAGG
1101 ATCAGGGACC AAAACCTGCA TTGATACCAA GGAAGGCATC CTGCAGTATT
   TAGTCCCTGG TTTTGGACGT AACTATGGTT CCTTCCGTAG GACGTCATAA
1151 GCCAAGAAGT CTACCCTGAA CTGCAGATCA CCAATGTGGT AGAAGCCAAC
   CGGTTCTTCA GATGGGACTT GACGTCTAGT GGTTACACCA TCTTCGGTTG
1201 CAACCAAGTGA CCATCCAGAA CTGGTGCAAG CGGGGCCGCA AGCAGTGCAA
   GTTGGTCACT GGTAGGTCTT GACCACGTTT GCCCGGCGT TCGTCACGTT
1251 GACCCATCCC CACTTTGTGA TTCCCTACCG CTGCTTAGTT GGTGAGTTTA
   CTGGGTAGGG GTGAAACACT AAGGGATGGC GACGAATCAA CCACTCAAAT
1301 TAAGTGATGC CCTTCTCGTT CCTGACAAGT GCAAATCTT ACACCAGGAG
   ATTCACTACG GGAAGAGCAA GGACTGTTCA CGTTTAAGAA TGTGGTCCTC
1351 AGGATGGATG TTTGCGAAAC TCATCTTCAC TGGCACACCG TCGCCAAAGA
   TCCTACCTAC AAACGCTTTG AGTAGAAGTG ACCGTGTGGC AGCGGTTTCT

```

FIG.26B

48/76

1401	GACATGCAGT	GAGAAGAGTA	CCAACCTTGCA	TGACTACGGC	ATGTTGCTGC
	CTGTACGTCA	CTCTTCTCAT	GGTTGAACGT	ACTGATGCCG	TACAACGACG
1451	CCTGCGGAAT	TGACAAGTTC	CGAGGGGTAG	AGTTTGTGTG	TTGCCCACTG
	GGACGCCTTA	ACTGTTCAAG	GCTCCCATC	TCAAACACAC	AACGGGTGAC
1501	GCTGAAGAAA	GTGACAATGT	GGATTCTGCT	GATGCGGAGG	AGGATGACTC
	CGACTTCTTT	CACTGTTACA	CCTAAGACGA	CTACGCCTCC	TCCTACTGAG
1551	GGATGTCTGG	TGGGGCGGAG	CAGACACAGA	CTATGCAGAT	GGGAGTGAAG
	CCTACAGACC	ACCCCGCCTC	GTCTGTGTCT	GATACGTCTA	CCCTCACTTC
1601	ACAAAGTAGT	AGAAGTAGCA	GAGGAGGAAG	AAGTGGCTGA	GGTGAAGAA
	TGTTTCATCA	TCTTCATCGT	CTCCTCCTTC	TTCACCGACT	CCACCTTCTT
1651	GAAGAAGCCG	ATGATGACGA	GGACGATGAG	GATGGTGATG	AGGTAGAGGA
	CTTCTTCGGC	TACTACTGCT	CCTGCTACTC	CTACCACTAC	TCCATCTCCT
1701	AGAGGCTGAG	GAACCCTACG	AAGAAGCCAC	AGAGAGAACC	ACCAGCATTG
	TCTCCGACTC	CTTGGGATGC	TTCTTCGGTG	TCTCTCTTGG	TGGTCGTAAC
1751	CCACCACCA	CACCACCACC	ACAGAGTCTG	TGGAAGAGGT	GGTTCGAGTT
	GGTGGTGGTG	GTGGTGGTGG	TGTCTCAGAC	ACCTTCTCCA	CCAAGCTCAA
1801	CCTACAACAG	CAGCCAGTAC	CCCTGATGCC	GTTGACAAGT	ATCTCGAGAC
	GGATGTTGTC	GTCGGTCATG	GGGACTACGG	CAACTGTTCA	TAGAGCTCTG
1851	ACCTGGGGAT	GAGAATGAAC	ATGCCCATTT	CCAGAAAGCC	AAAGAGAGGC
	TGGACCCCTA	CTCTTACTTG	TACGGGTAAA	GGTCTTTCGG	TTTCTCTCCG
1901	TTGAGGCCAA	GCACCGAGAG	AGAATGTCCC	AGGTCATGAG	AGAATGGGAA
	AACTCCGGTT	CGTGGCTCTC	TCTTACAGGG	TCCAGTACTC	TCTTACCCTT
1951	GAGGCAGAAC	GTCAAGCAAA	GAACCTGCCT	AAAGCTGATA	AGAAGGCAGT
	CTCCGTCTTG	CAGTTCGTTT	CTTGAACGGA	TTTCGACTAT	TCTTCCGTCA
2001	TATCCAGCAT	TTCCAGGAGA	AAGTGGAAATC	TTTGGAAACAG	GAAGCAGCCA
	ATAGGTGCTA	AAGGTCTCT	TTACCTTAG	AAACCTTGTC	CTTCGTCCGT
2051	ACGAGAGACA	GCAGCTGGTG	GAGACACACA	TGGCCAGAGT	GGAAGCCATG
	TGCTCTCTGT	CGTCGACCAC	CTCTGTGTGT	ACCGGTCTCA	CCTTCGGTAC
2101	CTCAATGACC	GCCGCCGCCT	GGCCCTGGAG	AACTACATCA	CCGCTCTGCA
	GAGTTACTGG	CGGCGGCGGA	CCGGGACCTC	TTGATGTAGT	GGCGAGACGT
2151	GGCTGTTCT	CCTCGGCCTC	GTCACGTGTT	CAATATGCTA	AAGAAGTATG
	CCGACAAGGA	GGAGCCGGAG	CAGTGCACAA	GTTATACGAT	TTCTTCATAC
2201	TCCGCGCAGA	ACAGAAGGAC	AGACAGCACA	CCCTAAAGCA	TTTCGAGCAT
	AGGCGCGTCT	TGTCTTCTG	TCTGTCTGT	GGGATTTCTG	AAAGCTCGTA
2251	GTGCGCATGG	TGGATCCCAA	GAAAGCCGCT	CAGATCCGGT	CCCAGTTTAT
	CACGCGTACC	ACCTAGGGTT	CTTTCGGCGA	GTCTAGGCCA	GGGTCCAATA
2301	GACACACCTC	CGTGTGATTT	ATGAGCGCAT	GAATCAGTCT	CTCTCCCTGC
	CTGTGTGGAG	GCACACTAAA	TACTCGCGTA	CTTAGTCAGA	GAGAGGGACG
2351	TCTACAACGT	GCCTGCAGTG	GCCGAGGAGA	TTCAGGATGA	AGTTGATGAG
	AGATGTTGCA	CGGACGTCAC	CGGCTCCTCT	AAGTCCTACT	TCAACTACTC
2401	CTGCTTCAGA	AAGAGCAAAA	CTATTCAGAT	GACGTCTTGG	CCAACATGAT
	GACGAAGTCT	TTCTCGTTTT	GATAAGTCTA	CTGCAGAAC	GGTTGTACTA
2451	TAGTGAACCA	AGGATCAGTT	ACGGAAACGA	TGCTCTCATG	CCATCTTTGA
	ATCACTTGGT	TCCTAGTCAA	TGCCCTTGCT	ACGAGAGTAC	GGTAGAAACT
2501	CCGAAACGAA	AACCACCGTG	GAGCTCCTTC	CCGTGAATGG	AGAGTTCAGC
	GGCTTTGCTT	TTGGTGGCAC	CTCGAGGAAG	GGCACTTACC	TCTCAAGTCG
2551	CTGGACGATC	TCCAGCCGTG	GCATTCTTTT	GGGGCTGACT	CTGTGCCAGC
	GACCTGCTAG	AGGTGCGGAC	CGTAAGAAAA	CCCCGACTGA	GACACGGTCTG
2601	CAACACAGAA	AACGAAGTTG	AGCCTGTTGA	TGCCCGCCCT	GCTGCCGACC
	GTTGTGTCTT	TTGCTTCAAC	TGGGACAAC	ACGGGCGGGA	CGACGGCTGG
2651	GAGGACTGAC	CACTCGACCA	GGTTCTGGGT	TGACAAATAT	CAAGACGGAG
	CTCCTGACTG	GTGAGCTGGT	CCAAGACCCA	ACTGTTTATA	GTTCTGCCTC
2701	GAGATCTCTG	AAGTGAATCT	AGATGCAGAA	TTCCGACATG	ACTCAGGATA
	CTCTAGAGAC	TTCACCTAGA	TCTACGTCTT	AAGGCTGTAC	TGAGTCCTAT
2751	TGAAGTTCAT	CATCAAAAAT	TGGTGTCTT	TGCAGAAGAT	GTGGGTTCAA
	ACTTCAAGTA	GTAGTTTTTA	ACCACAAGAA	ACGTCTTCTA	CACCCAAGTT
2801	ACAAAGGTGC	AATCATTGGA	CTCATGGTGG	GCGGTGTTGT	CATAGCGACA
	TGTTTCCACG	TAGTAACCT	GAGTACCACC	CGCCACAACA	GTATCGCTGT

FIG.26C

49/76

2851	GTGATCGTCA	TCACCTTGGT	GATGCTGAAG	AAGAAAGATA	TCATGGAGCC
	CACTAGCAGT	AGTGGAACCA	CTACGACTTC	TTCTTTCTAT	AGTACCTCGG
2901	AGTAGATCCT	AGACTAGAGC	CCTGGAAGCA	TCCAGGAAGT	CAGCCTAAAA
	TCATCTAGGA	TCTGATCTCG	GGACCTTCGT	AGGTCCTTCA	GTCGGATTTT
2951	CTGCTTGATC	CAATTGCTAT	TGTAAAAAGT	GTTGCTTTCA	TTGCCAAGTT
	GACGAACATG	GTTAACGATA	ACATTTTTCA	CAACGAAAGT	AACGGTTCAA
3001	TGTTTCATGA	CAAAAGCCTT	AGGCATCTCC	TATGGCAGGA	AGAAGCGGAG
	ACAAAGTACT	GTTTTCGGAA	TCCGTAGAGG	ATACCGTCCT	TCTTCGCCTC
3051	ACAGCGACGA	AGAGCTCATC	AGAACAGTCA	GACTCATCAA	GCTTCTCTAT
	TGTCGCTGCT	TCTCGAGTAG	TCTTGTCAGT	CTGAGTAGTT	CGAAGAGATA
3101	CAAAGCAGTA	AGTAGGCGGC	CGCTCGAGTC	TAGAGGGCCC	GTTTAAACCC
	GTTTCGTCAT	TCATCCGCCG	GCGAGCTCAG	ATCTCCCGGG	CAAATTTGGG
3151	GCTGATCAGC	CTCGACTGTG	CCTTCTAGTT	GCCAGCCATC	TGTTGTTTGC
	CGACTAGTCG	GAGCTGACAC	GGAAAGATCAA	CGGTGCGTAG	ACAACAAACG
3201	CCCTCCCCCG	TGCCTTCCTT	GACCCTGGAA	GGTGCCACTC	CCACTGTCTC
	GGGAGGGGGC	ACGGAAGGAA	CTGGGACCTT	CCACGGTGAG	GGTGACAGGA
3251	TTCTTAATAA	AATGAGGAAA	TTGCATCGCA	TTGTCTGAGT	AGGTGTCATT
	AAGGATTATT	TTACTCCTTT	AACGTAGCGT	AACAGACTCA	TCCACAGTAA
3301	CTATTCTGGG	GGGTGGGGTG	GGGCAGGACA	GCAAGGGGGA	GGATTGGGAA
	GATAAGACCC	CCCACCCAC	CCCGTCCTGT	CGTTCCCCCT	CCTAACCCCT
3351	GACAATAGCA	GGCATGCTGG	GGATGCGGTG	GGCTCTATGG	CTTCTGAGGC
	CTGTTATCGT	CCGTACGACC	CCTACGCCAC	CCGAGATACC	GAAGACTCCG
3401	GGAAAGAACC	AGCTGGGGCT	CTAGGGGGTA	TCCCCACGCG	CCCTGTAGCG
	CCTTTCTTGG	TCGACCCCGA	GATCCCCCAT	AGGGGTGCGC	GGGACATCGC
3451	GGCGATTAAAG	CGCGGCGGGT	GTGGTGGTTA	CGCGCAGCGT	GACCGCTACA
	CGCGTAATTC	GCGCCGCCCA	CACCACCAAT	GCGCGTCGCA	CTGGCGATGT
3501	CTTGCCAGCG	CCCTAGCGCC	CGCTCCTTTC	GCTTTCTTCC	CTTCCTTTCT
	GAACCGTGC	GGGATCGCGG	GCGAGGAAAG	CGAAAGAAGG	GAAGGAAAGA
3551	CGCCACGTTT	GCCGGCTTTC	CCCGTCAAGC	TCTAAATCGG	GGCATCCCTT
	GCGGTGCAAG	CGGCCGAAAG	GGGCAGTTCG	AGATTTAGCC	CCGTAGGGAA
3601	TAGGGTTCGG	ATTTAGTGCT	TTACGGCACC	TCGACCCCAA	AAAACCTGAT
	ATCCCAAGGC	TAAATCACGA	AATGCCGTGG	AGCTGGGGTT	TTTTGAACCTA
3651	TAGGGTGATG	GTTTACGTCG	TGGGCCATCG	CCCTGATAGA	CGGTTTTTCG
	ATCCCACTAC	CAAGTGCATC	ACCCGGTAGC	GGGACTATCT	GCCAAAAAGC
3701	CCCTTTGACG	TTGGAGTCCA	CGTTCTTTAA	TAGTGGACTC	TTGTTCCAAA
	GGGAAGCTGC	AACCTCAGGT	GCAAGAAATT	ATCACCTGAG	AACAAGGTTT
3751	CTGGAACAAC	ACTCAACCCT	ATCTCGGTCT	ATTCTTTTGA	TTTATAAGGG
	GACCTTGTTG	TGAGTTGGGA	TAGAGCCAGA	TAAGAAAACT	AAATATTCCC
3801	ATTTTGGGGA	TTTCGGCCTA	TTGGTTAAAA	AATGAGCTGA	TTTAACAAAA
	TAAACCCCT	AAAGCCGGAT	AACCAATTTT	TACTCGACT	AAATTGTTTT
3851	ATTTAACGCG	AATTAATTCT	GTGGAATGTG	TGTCAGTTAG	GGTGTGAAAA
	TAAATTGCGC	TTAATTAAGA	CACCTTACAC	ACAGTCAATC	CCACACCTTT
3901	GTCCCCAGGC	TCCCCAGGCA	GGCAGAAGTA	TGCAAAGCAT	GCATCTCAAT
	CAGGGGTCCG	AGGGGTCCGT	CCGTCTTCAT	ACGTTTCGTA	CGTAGAGTTA
3951	TAGTCAGCAA	CCAGGTGTGG	AAAGTCCCCA	GGCTCCCCAG	CAGGCAGAAG
	ATCAGTCGTT	GGTCCACACC	TTTCAGGGGT	CCGAGGGGTC	GTCCGTCTTC
4001	TATGCAAAGC	ATGCATCTCA	ATTAGTCAGC	AACCATAGTC	CCGCCCTTAA
	ATACGTTTCG	TACGTAGAGT	TAATCAGTCG	TTGGTATCAG	GGCGGGGATT
4051	CTCCGCCCAT	CCCGCCCTTA	ACTCCGCCCA	GTTCCGCCCA	TTCTCCGCCC
	GAGGCGGGTA	GGGCGGGGAT	TGAGGCGGGT	CAAGGCGGGT	AAGAGGCGGG
4101	CATGGCTGAC	TAATTTTTTT	TATTTATGCA	GAGGCCGAGG	CCGCCTCTGC
	GTACCGACTG	ATTAAAAAAA	ATAAATACGT	CTCCGGCTCC	GGCGGAGACG
4151	CTCTGAGCTA	TTCCAGAAGT	AGTGAGGAGG	CTTTTTTGGA	GGCCTAGGCT
	GAGACTCGAT	AAGGTCTTCA	TCACTCTTCC	GAACCAACCT	CCGATCCGGA
4201	TTTGCAAAAA	GCTCCCGGGA	GCTTGTATAT	CCATTTTCGG	ATCTGATCAG
	AAACGTTTTT	CGAGGGCCCT	CGAACATATA	GGTAAAAGCC	TAGACTAGTC

FIG.26D

50/76

4251	CACGTGTTGA	CAATTAATCA	TCGGCATAGT	ATATCGGCAT	AGTATAATAC
	GTGCACAAC	GTTAATTAGT	AGCCGTATCA	TATAGCCGTA	TCATATTATG
4301	GACAAGGTGA	GGAACATAAC	CATGGCCAAG	TTGACCAGTG	CCGTTCCGGT
	CTGTTCCACT	CCTTGATTG	GTACCGGTTT	AACTGGTCAC	GGCAAGGCCA
4351	GCTCACCGCG	CGCGACGTCG	CCGGAGCGGT	CGAGTTCTGG	ACCGACCGGC
	CGAGTGGCGC	GCGCTGCAGC	GGCCTCGCCA	GCTCAAGACC	TGGCTGGCCG
4401	TCGGGTTCTC	CCGGGACTTC	GTGGAGGACG	ACTTCGCCGG	TGTGGTCCGG
	AGCCCAAGAG	GGCCCTGAAG	CACCTCCTGC	TGAAGCGGCC	ACACCAGGCC
4451	GACGACGTGA	CCCTGTTTAT	CAGCGCGGTC	CAGGACCAGG	TGGTGCCGGA
	CTGCTGCACT	GGGACAAGTA	GTGCGGCCAG	GTCCTGGTCC	ACCACGGCCT
4501	CAACACCCTG	GCCTGGGTGT	GGGTGCGCGG	CCTGGACGAG	CTGTACGCCG
	GTTGTGGGAC	CGGACCCACA	CCCACGCGCC	GGACCTGCTC	GACATGCGGC
4551	AGTGGTCGGA	GGTCGTGTCC	ACGAACCTCC	GGGACGCCTC	CGGGCCGGCC
	TCACCAGCCT	CCAGCACAGG	TGCTTGAAGG	CCCTGCGGAG	GCCCGGCCGG
4601	ATGACCGAGA	TCGGCGAGCA	GCCGTGGGGG	CGGGAGTTTC	CCCTGCGCGA
	TACTGGCTCT	AGCCGCTCGT	CGGCACCCCC	GCCCTCAAGC	GGGACGCGCT
4651	CCCGGCCGGC	AACTGCGTGC	ACTTCGTGGC	CGAGGAGCAG	GACTGACACG
	GGGCCGGCCG	TTGACGCACG	TGAAGCACCG	GCTCCTCGTC	CTGACTGTGC
4701	TGCTACGAGA	TTTCGATTCC	ACCGCCGCTT	TCTATGAAAG	GTTGGGCTTC
	ACGATGCTCT	AAAGCTAAGG	TGGCGGCGGA	AGATACTTTC	CAACCCGAAG
4751	GGAAATCGTT	TCCGGGACGC	CGGCTGGATG	ATCCTCCAGC	GCGGGGATCT
	CCTTAGCAAA	AGGCCCTGCG	GCCGACCTAC	TAGGAGGTTC	CGCCCTAGA
4801	CATGCTGGAG	TTCTTCGCCC	ACCCCAACTT	GTTTATTGCA	GCTTATAATG
	GTACGACCTC	AAGAAGCGGG	TGGGGTTGAA	CAAATAACGT	CGAATATTAC
4851	GTTACAAATA	AAGCAATAGC	ATCACAAATT	TCACAAATAA	AGCATTTTTT
	CAATGTTTAT	TTGTTATTCG	TAGTGTITTA	AGTGTITTAT	TCGTAAAAAA
4901	TCACTGCATT	CTAGTTGTGG	TTTGTCCTAA	CTCATCAATG	TATCTTATCA
	AGTGAGCTAA	GATCAACACC	AAACAGGTTT	GAGTAGTTAC	ATAGAATAGT
4951	TGTCTGTATA	CCGTGCACTT	CTAGCTAGAG	CTTGCGGTAA	TCATGGTCAT
	ACAGACATAT	GGCAGCTGGA	GATCGATCTC	GAACCGCATT	AGTACCAGTA
5001	AGCTGTTTCC	TGTGTGAAAT	TGTTATCCGC	TCACAATTCC	ACACAACATA
	TCGACAAAGG	ACACACTTTA	ACAATAGGCG	AGTGTTAAGG	TGTGTTGTAT
5051	CGAGCCGGAA	GCATAAAGTG	TAAAGCCTGG	GGTGCTTAAT	GAGTGAGCTA
	GCTCGGCCTT	CGTATTTTAC	ATTTGCGACC	CCACGGATTA	CTCACTCGAT
5101	ACTCACATTA	ATTGCGTTGC	GCTCACTGCC	CGCTTTCCAG	TCGGGAAACC
	TGAGTGTAAT	TAACGCAACG	CGAGTGACGG	GCGAAAGGTC	AGCCCTTTGG
5151	TGTCGTGCCA	GCTGCATTAA	TGAATCGGCC	AACGCGCGGG	GAGAGGCGGT
	ACAGCACGGT	CGACGTAATT	ACTTAGCCGG	TTGCGCGCCC	CTCTCCGCCA
5201	TTGCGTATTG	GGCGCTCTTC	CGCTTCCTCG	CTCACTGACT	CGCTGCGCTC
	AACGCATAAC	CCGCGAGAAG	GCGAAGGAGC	GAGTGACTGA	GCGACGCGAG
5251	GGTCGTTCCG	CTGCGGCGAG	CGGTATCAGC	TCACTCAAAG	GCGGTAATAC
	CCAGCAAGCC	GACGCCGCTC	GCCATAGTCG	AGTGAGTTTC	CGCCATTATG
5301	GGTTATCCAC	AGAATCAGGG	GATAACGCAG	GAAAGAACAT	GTGAGCAAAA
	CCAATAGGTG	TCTTAGTCCC	CTATTGCGTC	CTTTCTTGTA	CACTCGTTTT
5351	GGCCAGCAAA	AGGCCAGGAA	CCGTAAAAAG	GCCGCGTTGC	TGGCGTTTTT
	CCGGTCGTTT	TCCGGTCCTT	GGCATTTTTC	CGGCGCAACG	ACCGCAAAAA
5401	CCATAGGCTC	CGCCCCCTTG	ACGAGCATCA	CAAAAATCGA	CGCTCAAGTC
	GGTATCCGAG	GCGGGGGGAC	TGCTCGTAGT	GTTTTTAGCT	GCGAGTTTCA
5451	AGAGGTGGCG	AAACCCGACA	GGACTATAAA	GATACCAGGC	GTTTCCCTCT
	TCTCACCCGC	TTTGGGCTGT	CCTGATATTT	CTATGGTCCG	CAAAGGGGGA
5501	GGAAGCTCCC	TCGTGCGCTC	TCCTGTTCCG	ACCCTGCCGC	TTACCGGATA
	CCTTCGAGGG	AGCACGCGAG	AGGACAAGGC	TGGGACGGCG	AATGGCCTAT
5551	CCTGTCCGCC	TTTCTCCCTT	CGGGAAGCGT	GGCGCTTTCT	CAATGCTCAC
	GGACAGGCCG	AAAGAGGGAA	GCCCTTCGCA	CCGCGAAAGA	GTTACGAGTG
5601	GCTGTAGGTA	TCTCAGTTTC	GTGTAGGTCG	TTCGCTCCAA	GCTGGGCTGT
	CGACATCCAT	AGAGTCAAGC	CACATCCAGC	AAGCGAGGTT	CGACCCGACA

FIG.26E

51/76

5651	GTGCACGAAC	CCCCCGTTCA	GCCCGACCGC	TGCGCCTTAT	CCGGTAACTA
	CACGTGCTTG	GGGGGCAAGT	CGGGCTGGCG	ACGCGGAATA	GGCCATTGAT
5701	TCGTCTTGAG	TCCAACCCGG	TAAGACACGA	CTTATCGCCA	CTGGCAGCAG
	AGCAGAACTC	AGGTTGGGCC	ATTCTGTGCT	GAATAGCGGT	GACCGTCGTC
5751	CCACTGGTAA	CAGGATTAGC	AGAGCGAGGT	ATGTAGGCGG	TGCTACAGAG
	GGTGACCAAT	GTCCTAATCG	TCTCGTCCA	TACATCCGCC	ACGATGTCTC
5801	TTCTTGAAGT	GGTGGCCTAA	CTACGGCTAC	ACTAGAAGGA	CAGTATTTGG
	AAGAACTTCA	CCACCGGATT	GATGCCGATG	TGATCTTCCT	GTCATAAACC
5851	TATCTGCGCT	CTGCTGAAGC	CAGTTACCTT	CGGAAAAAGA	GTTGGTAGCT
	ATAGACGCGA	GACGACTTCG	GTCAATGGAA	GCCTTTTTCT	CAACCATCGA
5901	CTTGATCCGG	CAAACAAACC	ACCGCTGGTA	GCGGTGGTTT	TTTTGTTTGC
	GAAGTAGGCC	GTTTGTTTGG	TGGCGACCAT	CGCCACCAAA	AAAACAAACG
5951	AAGCAGCAGA	TTACGCGCAG	AAAAAAGGA	TCTCAAGAAG	ATCCTTTGAT
	TTGCTGCTCT	AATGCGCGTC	TTTTTTCCT	AGAGTTCCTC	TAGGAACTA
6001	CTTTTCTACG	GGGTCTGACG	CTCAGTGGAA	CGAAAACTCA	CGTTAAGGGA
	GAAAAAGATGC	CCCAGACTGC	GAGTCACCTT	GCTTTTGAGT	GCAATTCCCT
6051	TTTTGGTCAT	GAGATTATCA	AAAAGGATCT	TCACCTAGAT	CCTTTTAAAT
	AAAACCAGTA	CTCTAATAGT	TTTTCTAGA	AGTGGATCTA	GGAAAAATTA
6101	TAAAAATGAA	GTTTTAAATC	AATCTAAAGT	ATATATGAGT	AAACTTGGTC
	ATTTTTACTT	CAAAATTTAG	TTAGATTTCA	TATATACTCA	TTTGAACCAG
6151	TGACAGTTAC	CAATGCTTAA	TCAGTGAGGC	ACCTATCTCA	GCGATCTGTC
	ACTGTCAATG	GTTACGAATT	AGTCACTCCG	TGGATAGAGT	CGCTAGACAG
6201	TATTTGTTTC	ATCCATAGTT	GCCTGACTCC	CCGTCGTGTA	GATAACTACG
	ATAAAGCAAG	TAGGTATCAA	CGGACTGAGG	GGCAGCACAT	CTATTGATGC
6251	ATACGGGAGG	GCTTACCATC	TGGCCCCAGT	GCTGCAATGA	TACCGCGAGA
	TATGCCCTCC	CGAATGGTAG	ACCGGGGTCA	CGACGTTACT	ATGGCGCTCT
6301	CCCACGCTCA	CCGGCTCCAG	ATTTATCAGC	AATAAACCCAG	CCAGCCGGAA
	GGGTGCGAGT	GGCCGAGGTC	TAAATAGTCG	TTATTTGGTC	GGTGGGCCTT
6351	GGGCCGAGCG	CAGAAGTGGT	CCTGCAACTT	TATCCGCCTC	CATCCAGTCT
	CCCGGCTCGC	GTCTTCACCA	GGACGTTGAA	ATAGGCGGAG	GTAGGTGAGA
6401	ATTAATTGTT	GCCGGGAAGC	TAGAGTAAGT	AGTTCGCCAG	TTAATAGTTT
	TAATTAACAA	CGGCCCTTCG	ATCTCATTCA	TCAAGCGGTC	AATTATCAAA
6451	GCGCAACGTT	GTTGCCATTG	CTACAGGCAT	CGTGGTGTCA	CGCTCGTCGT
	CGCGTTGCAA	CAACGGTAAC	GATGTCCGTA	GCACCACAGT	GCGAGCAGCA
6501	TTGGTATGGC	TTCATTACAG	TCCGTTCCC	AACGATCAAG	GCGAGTTACA
	AACCATACCG	AAGTAAGTCG	AGGCCAAGGG	TTGCTAGTTC	CGCTCAATGT
6551	TGATCCCCCA	TGTTGTGCAA	AAAAGCGGTT	AGCTCCTTCG	GTCCTCCGAT
	ACTAGGGGGT	ACAACACGTT	TTTTCGCCAA	TCGAGGAAGC	CAGGAGGCTA
6601	CGTTGTCAGA	AGTAAGTTGG	CCGCAGTGTT	ATCACTCATG	GTTATGGCAG
	GCAACAGTCT	TCATTCAACC	GGCGTCACAA	TAGTGAGTAC	CAATACCGTC
6651	CACTGCATAA	TTCTCTTACT	GTCATGCCAT	CCGTAAGATG	CTTTTCTGTG
	GTGACGTATT	AAGAGAATGA	CAGTACGGTA	GGCATTCTAC	GAAAAGACAC
6701	ACTGGTGAGT	ACTCAACCAA	GTCATTCTGA	GAATAGTGTA	TGCGGCGACC
	TGACCACTCA	TGAGTTGGTT	CAGTAAGACT	CTTATCACAT	ACGCCGCTGG
6751	GAGTTGCTCT	TGCCCGGCGT	CAATACGGGA	TAATACCGCG	CCACATAGCA
	CTCAACGAGA	ACGGGCCGCA	GTTATGCCCT	ATTATGGCGC	GGTGTATCGT
6801	GAACTTTTAA	AGTGCTCATC	ATTGAAAAAC	GTTCTTCGGG	GCGAAAACTC
	CTTGAAATTT	TCACGAGTAG	TAACCTTTTG	CAAGAAGCCC	CGCTTTTGAG
6851	TCAAGGATCT	TACCGCTGTT	GAGATCCAGT	TCGATGTAAC	CCACTCGTGC
	AGTTCCTAGA	ATGGCGACAA	CTCTAGGTCA	AGCTACATTG	GGTGAGCACG
6901	ACCCAACCTG	TCTTCAGCAT	CTTTTACTTT	CACCAGCGTT	TCTGGGTGAG
	TGGGTTGACT	AGAAGTCGTA	GAAAATGAAA	GTGGTCGCAA	AGACCCACTC
6951	CAAAAACAGG	AAGGCAAAAT	GCCGCAAAAA	AGGGAATAAG	GGCGACACGG
	GTTTTTGTCC	TTCCGTTTTA	CGGCGTTTTT	TCCCTTATTG	CCGCTGTGCC
7001	AAATGTTGAA	TACTCATACT	CTTCCTTTTT	CAATATTATT	GAAGCATTTA
	TTTACAACCT	ATGAGTATGA	GAAGGAAAAA	GTTATAATAA	CTTCGTAAT

FIG.26F

52/76

```
7051 TCAGGGTTAT TGTCTCATGA GCGGATACAT ATTTGAATGT ATTTAGAAAA
      AGTCCCAATA ACAGAGTACT CGCCTATGTA TAAACTTACA TAAATCTTTT
7101 ATAAACAAAT AGGGGTTCCG CGCACATTTT CCCGAAAAGT GCCACCTGAC
      TATTTGTTTA TCCCAAGGC GCGTGTAAG GGGCTTTTCA CGGTGGACTG
7151 GTC
      CAG
```

FIG.26G

53/76




FIG.27A




FIG.27B

55/76

DNA sequence of APP(1-651)NFEV, K612V-TATexon1(M1L) APP (664-695)

(SEQ ID NO: 23)

```
1 ATGCTGCCCC GTTTGGCACT GCTCCTGCTG GCCGCCTGGA CGGCTCGGGC
51 GCTGGAGGTA CCCACTGATG GTAATGCTGG CCTGCTGGCT GAACCCAGA
101 TTGCCATGTT CTGTGGCAGA CTGAACATGC ACATGAATGT CCAGAATGGG
151 AAGTGGGATT CAGATCCATC AGGGACCAAA ACCTGCATTG ATACCAAGGA
201 AGGCATCCTG CAGTATTGCC AAGAAGTCTA CCCTGAACTG CAGATCACCA
251 ATGTGGTAGA AGCCAACCAA CCAGTGACCA TCCAGAACTG GTGCAAGCGG
301 GGCCGCAAGC AGTGCAAGAC CCATCCCCAC TTTGTGATTC CCTACCGCTG
351 CTTAGTTGGT GAGTTTATAA GTGATGCCCT TCTCGTTCCT GACAAGTGCA
401 AATTCTTACA CCAGGAGAGG ATGGATGTTT GCGAAACTCA TCTTCACTGG
451 CACACCGTCG CCAAAGAGAC ATGCAGTGAG AAGAGTACCA ACTTGCATGA
501 CTACGGCATG TTGCTGCCCT GCGGAATTGA CAAGTCCGA GGGGTAGAGT
551 TTGTGTGTTG CCCACTGGCT GAAGAAAGTG ACAATGTGGA TTCTGCTGAT
601 GCGGAGGAGG ATGACTCGGA TGTCTGGTGG GGCGGAGCAG ACACAGACTA
651 TGCAGATGGG AGTGAAGACA AAGTAGTAGA AGTAGCAGAG GAGGAAGAAG
701 TGGCTGAGGT GGAAGAAGAA GAAGCCGATG ATGACGAGGA CGATGAGGAT
751 GGTGATGAGG TAGAGGAAGA GGCTGAGGAA CCCTACGAAG AAGCCACAGA
801 GAGAACCACC AGCATTGCCA CCACCACCAC CACCACCACA GAGTCTGTGG
851 AAGAGGTGGT TCGAGTTCCT ACAACAGCAG CCAGTACCCC TGATGCCGTT
901 GACAAGTATC TCGAGACACC TGGGGATGAG AATGAACATG CCCATTTCCA
951 GAAAGCCAAA GAGAGGCTTG AGGCCAAGCA CCGAGAGAGA ATGTCCCAGG
1001 TCATGAGAGA ATGGGAAGAG GCAGAACGTC AAGCAAAGAA CTTGCCTAAA
1051 GCTGATAAGA AGGCAGTTAT CCAGCATTTC CAGGAGAAAG TGGAATCTTT
1101 GGAACAGGAA GCAGCCAACG AGAGACAGCA GCTGGTGGAG ACACACATGG
1151 CCAGAGTGGA AGCCATGCTC AATGACCGCC GCCGCCTGGC CCTGGAGAAC
1201 TACATCACCG CTCTGCAGGC TGTTCTCCTT CGGCCTCGTC ACGTGTTCAA
1251 TATGCTAAAG AAGTATGTCC GCGCAGAACA GAAGGACAGA CAGCACACCC
1301 TAAAGCATTT CGAGCATGTG CGCATGGTGG ATCCAAGAA AGCCGCTCAG
```

FIG.28A

56/76

1351 ATCCGGTCCC AGGTTATGAC ACACCTCCGT GTGATTTATG AGCGCATGAA
1401 TCAGTCTCTC TCCCTGCTCT ACAACGTGCC TGCAGTGGCC GAGGAGATTG
1451 AGGATGAAGT TGATGAGCTG CTTGAGAAAG AGCAAACTA TTCAGATGAC
1501 GTCTTGGCCA ACATGATTAG TGAACCAAGG ATCAGTTACG GAAACGATGC
1551 TCTCATGCCA TCTTTGACCG AAACGAAAAC CACCGTGGAG CTCCTTCCCG
1601 TGAATGGAGA GTTCAGCCTG GACGATCTCC AGCCGTGGCA TTCTTTTGGG
1651 GCTGACTCTG TGCCAGCCAA CACAGAAAAC GAAGTTGAGC CTGTTGATGC
1701 CCGCCCTGCT GCCGACCGAG GACTGACCAC TCGACCAGGT TCTGGGTTGA
1751 CAAATATCAA GACGGAGGAG ATCTCTGAAG TGAACTTTGA AGTGGAATTC
1801 CGACATGACT CAGGATATGA AGTTCATCAT CAAGTATTGG TGTCTTTGCG
1851 AGAAGATGTG GGTTCAAACA AAGGTGCAAT CATTGGACTC ATGGTGGGCG
1901 GTGTTGTCAT AGCGACAGTG ATCGTCATCA CCTTGGTGAT GCTGAAGAAG
1951 AAAAAGCTTG GTACCGAGCT CGGATCCACT AGTCCAGTGT GGTGGAATTC
2001 TGCAGATATC CTGGAGCCAG TAGATCCTAG ACTAGAGCCC TGGGAAGCATC
2051 CAGGAAGTCA GCCTAAACT GCTTGTACCA ATTGCTATTG TAAAAAGTGT
2101 TGCTTTCATT GCCAAGTTTG TTTCATGACA AAAGCCTTAG GCATCTCCTA
2151 TGGCAGGAAG AAGCGGAGAC AGCGACGAAG AGCTCATCAG AACAGTCAGA
2201 CTCATCAAGC TTCTCTATCA AAGCAGAGGA TATCCAGCAC AGTGGCGGCC
2251 GCAGACGCCG CTGTCACCCC AGAGGAGCGC CACCTGTCCA AGATGCAGCA
2301 GAACGGCTAC GAAAATCCAA CCTACAAGTT CTTTGAGCAG ATGCAGAACT
2351 AG

FIG.28B

(SEQ ID NO: 24)

Amino acid sequence of APP(1-651)NFEV, K612V-TATexonI(M1L) APP (664-695):

m l p g l a l l l l a a w t a r a l e v p t d g n a g l l a e p q i a m f c g r l n m h m v n q n g k w d s d p s g t k t c i d t k e g i l q y c q

e v y p e l q i t n v e a n q p v t i q n w c k r g r k q c k t h p h f v i p y r c l v g e f i s d a l l v p d k c k f l h q e r m d v c e t h l h

w h t v a k e t c s e k s t n l h d y g m l p c g i d k f r g v e f v c c p l a e s d n v d s a d a e e d d s d w w g g a d t d y a d g s

1

e d k v v e a e e e e v a e v e e e e a d d e d d e d g d e v e e e a e p y e e a t e r t t s i a t t t t t t t s v e e v r v p t t a a s t p d

a v d k y l e t p g d e n e h a h f q k a k e r l e a k h r e r m s q v m r e w e e a e r q a k n l p k a d k k a v i q h f q e k v e s l e q e

a a n e r q q l v e t h m a r v e a m l n d r r r l a l e n y i t a l q a v p p r p r h v f n m l k k y v r a e q d r q h t l k h f e h v r m v d

p k k a a q i r s q v m t h l r v i y e r m n q s l s l l y n v p a v a e e i q d e v d e l l q k e q n y s d d v l a n m i s e p r i s y g n d a l

m p s l t e t k t t v e l l p v n g e f s l d d l q p w h s f g a d s v p a n t e n e v e p v d a r p a a d r g l t t r p g s g l t n i k t e e i s e v

2 3 4 5

n f e v e f r h d s g y e v h h q l v f f a e d v g s n k g a i g l m v g g v v i a t v i v i t l v m l k k k l g t e l g s t s p w n s

6

a d i l e p v d p r l e p w k h p g s q p k t a c t n c y c k k c c f h c q v c f m t k a l g i s y g r k r r q r r r a h q n s q t h q a s l s q

7 8

r i s s t v a a a d a a v t p e e r h l s k m q g n g y e n p t y k f f e g m q n

FIG. 29

58/76

DNA sequence of APP(1-651)NFEV, K612V-GAL4VP16(delMet) APP (664-695)

(SEQ ID NO: 25)

1 ATGCTGCCCCG GTTTGGCACT GCTCCTGCTG GCCGCCTGGA CGGCTCGGGC
51 GCTGGAGGTA CCCACTGATG GTAATGCTGG CCTGCTGGCT GAACCCAGAG
101 TTGCCATGTT CTGTGGCAGA CTGAACATGC ACATGAATGT CCAGAATGGG
151 AAGTGGGATT CAGATCCATC AGGGACCAAA ACCTGCATTG ATACCAAGGA
201 AGGCATCCTG CAGTATTGCC AAGAAGTCTA CCCTGAACTG CAGATCACCA
251 ATGTGGTAGA AGCCAACCAA CCAGTGACCA TCCAGAACTG GTGCAAGCGG
301 GGCCGCAAGC AGTGCAAGAC CCATCCCCAC TTTGTGATTC CCTACCGCTG
351 CTTAGTTGGT GAGTTTATAA GTGATGCCCT TCTCGTTCCT GACAAGTGCA
401 AATTCTTACA CCAGGAGAGG ATGGATGTTT GCGAAACTCA TCTTCACTGG
451 CACACGTCG CCAAAGAGAC ATGCAGTGAG AAGAGTACCA ACTTGATGA
501 CTACGGCATG TTGCTGCCCT GCGGAATTGA CAAGTCCGA GGGGTAGAGT
551 TTGTGTGTTG CCCACTGGCT GAAGAAAGTG ACAATGTGGA TTCTGCTGAT
601 GCGGAGGAGG ATGACTCGGA TGTCTGGTGG GGCGGAGCAG ACACAGACTA
651 TGCAGATGGG AGTGAAGACA AAGTAGTAGA AGTAGCAGAG GAGGAAGAAG
701 TGGCTGAGGT GGAAGAAGAA GAAGCCGATG ATGACGAGGA CGATGAGGAT
751 GGTGATGAGG TAGAGGAAGA GGCTGAGGAA CCCTACGAAG AAGCCACAGA
801 GAGAACCACC AGCATTGCCA CCACCACCAC CACCACCACA GAGTCTGTGG
851 AAGAGGTGGT TCGAGTTCCT ACAACAGCAG CCAGTACCCC TGATGCCGTT
901 GACAAGTATC TCGAGACACC TGGGGATGAG AATGAACATG CCCATTTCCA
951 GAAAGCCAAA GAGAGGCTTG AGGCCAAGCA CCGAGAGAGA ATGTCCCAGG
1001 TCATGAGAGA ATGGGAAGAG GCAGAACGTC AAGCAAAGAA CTTGCCTAAA
1051 GCTGATAAGA AGGCAGTTAT CCAGCATTTT CAGGAGAAAG TGGAATCTTT
1101 GGAACAGGAA GCAGCCAACG AGAGACAGCA GCTGGTGGAG ACACACATGG
1151 CCAGAGTGGA AGCCATGCTC AATGACCGCC GCCGCCTGGC CCTGGAGAAC
1201 TACATCACCG CTCTGCAGGC TGTTCCTCCT CGGCCTCGTC ACGTGTTCAA

FIG.30A

59/76

1251 TATGCTAAAG AAGTATGTCC GCGCAGAACA GAAGGACAGA CAGCACACCC
1301 TAAAGCATTT CGAGCATGTG CGCATGGTGG ATCCCAAGAA AGCCGCTCAG
1351 ATCCGGTCCC AGGTTATGAC ACACCTCCGT GTGATTTATG AGCGCATGAA
1401 TCAGTCTCTC TCCCTGCTCT ACAACGTGCC TGCAGTGGCC GAGGAGATTC
1451 AGGATGAAGT TGATGAGCTG CTTCAGAAAG AGCAAACTA TTCAGATGAC
1501 GTCTTGCCCA ACATGATTAG TGAACCAAGG ATCAGTTACG GAAACGATGC
1551 TCTCATGCCA TCTTTGACCG AAACGAAAAC CACCGTGGAG CTCCTTCCCG
1601 TGAATGGAGA GTTCAGCCTG GACGATCTCC AGCCGTGGCA TTCTTTTGGG
1651 GCTGACTCTG TGCCAGCCAA CACAGAAAAC GAAGTTGAGC CTGTTGATGC
1701 CCGCCCTGCT GCCGACCGAG GACTGACCAC TCGACCAGGT TCTGGGTGTA
1751 CAAATATCAA GACGGAGGAG ATCTCTGAAG TGAACTTTGA AGTGAATTC
1801 CGACATGACT CAGGATATGA AGTTCATCAT CAAGTATTGG TGTCTTTGC
1851 AGAAGATGTG GGTTCAAACA AAGGTGCAAT CATTGGAATC ATGGTGGGCG
1901 GTGTTGTCAT AGCGACAGTG ATCGTCATCA CCTTGGTGAT GCTGAAGAAG
1951 AAAAAGCTTG GTACCGAGCT CGGATCCACT AGTCCAGTGT GGTGGAATTC
2001 TGCAGATATC AAGCTACTGT CTTCTATCGA ACAAGCATGC GATATTTGCC
2051 GACTTAAAAA GCTCAAGTGC TCAAAGAAA AACCGAAGTG CGCCAAGTGT
2101 CTGAAGAACA ACTGGGAGTG TCGCTACTCT CCAAAAACCA AAAGGTCTCC
2151 GCTGACTAGG GCACATCTGA CAGAAGTGA ATCAAGGCTA GAAAGACTGG
2201 AACAGCTATT TCTACTGATT TTTCTCGAG AAGACCTTGA CATGATTTTG
2251 AAAATGGATT CTTTACAGGA TATAAAAGCA TTGTAAACAG GATTATTTGT
2301 ACAAGATAAT GTGAATAAAG ATGCCGTCAC AGATAGATTG GCTTCAGTGG
2351 AGACTGATAT GCCTCTAACA TTGAGACAGC ATAGAATAAG TGCGACATCA
2401 TCATCGGAAG AGAGTAGTAA CAAAGGTCAA AGACAGTTGA CTGTATCGGG
2451 AATTCCCGGG GATCTGGCCC CCCCACCGA TGTACGCTG GGGGACGAGC
2501 TCCAATTAGA CGGCGAGGAC GTGGCGATGG CGCATGCCA CGCGCTAGAC
2551 GATTTGATC TGGACATGTT GGGGGACGGG GATTCCCCGG GTCCGGGATT

FIG.30B

60/76

2601 TACCCCCAC GACTCCGCCC CCTACGGCGC TCTGGATATG GCCGACTTCG
2651 AGTTTGAGCA GATGTTTACC GATGCCCTTG GAATTGACGA GTACGGTGGG
2701 GATATCCAGC ACAGTGGCGG CCGCGACGCC GCTGTCACCC CAGAGGAGCG
2751 CCACCTGTCC AAGATGCAGC AGAACGGCTA CGAAAATCCA ACCTACAAGT
2801 TCTTTGAGCA GATGCAGAAC TAG

FIG.30C

61/76

(SEQ ID NO: 26)

Amino acid sequence of APP(1-651)NFEV, K612V, GAL4-VP16(delM1) APP (664-695)

m l p g l a l l l l a a w t a r a l e v p t d g n a g l l a e p q i a m f c g r l n m h m v n g k w d s d p s g t k t c i d t k e g i l q y c q
e v y p e l q i t n v e a n q p v t i q n w c k r g r k q c k t h p h f v i p y r c l v g e f i s d a l l v p d k c k f l h q e r m d v c e t h l h
w h t v a k e t c s e k s t n l h d y g m l l p c g i d k f r g v e f v c c p l a e e s d n v d s a d e e d d s d v w g g a d t d y a d g s
1
e d k v v e a e e e e v a e v e e e e a d d d e d d e d g d e v e e e a e p y e e a t e r t t s i a t t t t t t t s e v e e v r v p t t a a s t p d
a v d k y l e t p g d e n e h a f q k a k e r l e a k h r e r m s q v m r e w e e a e r q a k n l p k a d k k a v i q h f q e k v e s l e q e
a a n e r q q l v e t h m a r v e a m l n d r r r l a l e n y i t a l q a v p p r p r h v f n m l k k y v r a e q k d r q h t l k h f e h v r m v d
p k k a a q i r s q v m t h l r v i y e r m n q s l s l l y n v p a v a e e i q d e v d e l l q k e q n y s d d v l a n m i s e p r i s y g n d a l
m p s l t e t k t t v e l l p v n g e f s l d d l q p w h s f g a d s v p a n t e n e v e p v d a r p a a d r g l t t r p g s g l t n i k t e e i s e v
2 3 4 5
n f e v e f r h d s g y e v h h q v l v f f a e d v g s n k g a i g l m v g g v i a t v i v i t l v m l k k k k l g t e l g s t s p w m s
a d i k l l s s i e g a c d i c r l k k l k c s k e k p k c a k c l k n w e c r y s p k t k r s p l t r a h l t e v e s r l e r l e q l f l l i f p r e d l d
6
m i l k m d s l q d i k a l l t g l f v q d n v n k d a v t d r l a s v e t d m p l t l r q h r i s a t s s e e s s n k q q r q l t v s q i p g d l a p p
t d v s l g d e l h l d q e d v a m a h a d a l d d f d l d m l g d d s p g q g f t p h d s a p y g a l d m a d f e f e q m f t d a l g i d e y
7 8
g g d i c h s g a a d a a v t p e e r h l s k m g q n g y e n p t y k f f e a m g n

FIG. 31

62/76




FIG.32A

63/76

(SEQ ID NO: 27 AND 28)

```
1 GACGGATCGG GAGATCTCCC GATCCCCTAT GGTGCGACTCT CAGTACAATC
  CTGCTAGACC CTCTAGAGGG CTAGGGGATA CCAGCTGAGA GTCATGTTAG
51 TGCTCTGATG CCGCATAGTT AAGCCAGTAT CTGCTCCCTG CTTGTGTGTT
  ACGAGACTAC GGCCTATCAA TTCGGTCATA GACGAGGGAC GAACACACAA
101 GGAGGTCGCT GAGTAGTGCG CGAGCAAAAT TTAAGCTACA ACAAGGCAAG
  CCTCCAGCGA CTCATCACGC GCTCGTTTTA AATTCGATGT TGTTCCGTTC
151 GCTTGACCGA CAATTGCATG AAGAATCTGC TTAGGGTTAG GCGTTTTGCG
  CGAACTGGCT GTTAACGTAC TTCTTAGACG AATCCCAATC CGCAAAACGC
201 CTGCTTCGCG ATGTACGGGC CAGATATACG CGTTGACATT GATTATTGAC
  GACGAAGCGC TACATGCCCG GTCTATATGC GCAACTGTAA CTAATAACTG
251 TAGTTATTAA TAGTAATCAA TTACGGGGTC ATTAGTTCAT AGCCCATATA
  ATCAATAATT ATCATTAGTT AATGCCCCAG TAATCAAGTA TCGGGTATAT
301 TGGAGTTCGG CGTTACATAA CTTACGGTAA ATGGCCCGCC TGGCTGACCG
  ACCTCAAGGC GCAATGTATT GAATGCCATT TACCGGGCGG ACCGACTGGC
351 CCCAACGACC CCCGCCCATT GACGTCAATA ATGACGTATG TTCCCATAGT
  GGGTTGCTGG GGGCGGGTAA CTGCAGTTAT TACTGCATAC AAGGGTATCA
401 AACGCCAATA GGGACTTTCC ATTGACGTCA ATGGGTGGAC TATTTACGGT
  TTGCGGTTAT CCCTGAAAGG TAACTGCAGT TACCCACCTG ATAAATGCCA
451 AAAGTCCCCA CTTGGCAGTA CATCAAGTGT ATCATATGCC AAGTACGCCC
  TTTGACGGGT GAACCGTCAT GTAGTTCACA TAGTATACGG TTCATGCGGG
501 CCTATTGACG TCAATGACGG TAAATGGCCC GCCTGGCATT ATGCCCAGTA
  GGATAACTGC AGTTACTGCC ATTTACGGG CGGACCGTAA TACGGGTCAT
551 CATGACCTTA TGGGACTTTC CTACTTGGCA GTACATCTAC GTATTAGTCA
  GTACTGGAAT ACCCTGAAAG GATGAACCGT CATGTAGATG CATAATCAGT
601 TCGCTATTAC CATGGTGATG CGGTTTTGGC AGTACATCAA TGGGCGTGGA
  AGCGATAATG GTACCACTAC GCCAAAACCG TCATGTAGTT ACCCGCACCT
651 TAGCGGTTTG ACTCACGGGG ATTTCCAAGT CTCCACCCCA TTGACGTCAA
  ATCGCCAAAC TGAGTGCCCC TAAAGGTTCA GAGGTGGGGT AACTGCAGTT
701 TGGGAGTTTG TTTTGGCACC AAAATCAACG GGACTTTCCA AAATGTCGTA
  ACCCTCAAAC AAAACCGTGG TTTTAGTTGC CCTGAAAGGT TTTACAGCAT
751 ACAACTCCGC CCCATTGACG CAAATGGGCG GTAGGCGTGT ACGGTGGGAG
  TGTTGAGGCG GGGTAACTGC GTTTACCCGC CATCCGCACA TGCCACCCTC
801 GTCTATATAA GCAGAGCTCT CTGGCTAACT AGAGAACCCA CTGCTTACTG
  CAGATATATT CGTCTCGAGA GACCGATTGA TCTCTTGGGT GACGAATGAC
851 GCTTATCGAA ATTAATACGA CTCACTATAG GGAGACCCAA GCTGGCTAGC
  CGAATAGCTT TAATTATGCT GAGTGATATC CCTCTGGGTT CGACCGATCG
901 GTTTAAACTT AAGCTTGGTA CCGAGCTCGG ATCCACTAGT CCAGTGTGGT
  CAAATTTGAA TTCGAACCAT GGCTCGAGCC TAGGTGATCA GGTCACACCA
951 GGAATTCTGC AGATATCCAG CACAGTGGCG GCCGCTCGAG TCTAGAGGGC
  CCTTAAGACG TCTATAGGTC GTGTCACCGC CGGCGAGCTC AGATCTCCCG
1001 CCGTTTAAAC CCGCTGATCA GCCTCGACTG TGCCTTCTAG TTGCCAGCCA
  GGCAAATTTG GCGGACTAGT CGGAGCTGAC ACGGAAGATC AACGGTCGGT
1051 TCTGTTGTTT GCCCTCCCC CGTGCCTTCC TTGACCCTGG AAGGTGCCAC
  AGACAACAAA CGGGGAGGGG GCACGGAAGG AACTGGGACC TTCCACGGTG
1101 TCCCACTGTC CTTTCCTAAT AAAATGAGGA AATTGCATCG CATTGTCTGA
  AGGGTGACAG GAAAGGATTA TTTTACTCCT TTAACGTAGC GTAACAGACT
1151 GTAGGTGTCA TTCTATTCTG GGGGGTGGGG TGGGGCAGGA CAGCAAGGGG
  CATCCACAGT AAGATAAGAC CCCCCACCCC ACCCGTCCT GTCGTTCCCC
```

FIG.32B

64/76

```

1201 GAGGATTGGG AAGACAATAG CAGGCATGCT GGGGATGCGG TGGGCTCTAT
      CTCCTAACCC TTCTGTTATC GTCCGTACGA CCCCTACGCC ACCCGAGATA
1251 GGCTTCTGAG GCGGAAAGAA CCAGCTGGGG CTCTAGGGGG TATCCCCACG
      CCGAAGACTC CGCCTTTCTT GGTCGACCCC GAGATCCCCC ATAGGGGTGC
1301 CGCCCTGTAG CGGCGCATT AAGCGCGCGG GTGTGGTGGT TACGCGCAGC
      GCGGGACATC GCCGCGTAAT TCGCGCCGCC CACACCACCA ATGCGCGTCG
1351 GTGACCGCTA CACTTGCCAG CGCCCTAGCG CCCGCTCCTT TCGCTTTCTT
      CACTGGCGAT GTGAACGGTC GCGGGATCGC GGGCGAGGAA AGCGAAAGAA
1401 CCCTTCCTTT CTCGCCACGT TCGCCGGCTT TCCCCGTCAA GCTCTAAATC
      GGGGAAGGAAA GAGCGGTGCA AGCGGCCGAA AGGGGCAGTT CGAGATTTAG
1451 GGGGCATCCC TTTAGGGTTC CGATTTAGTG CTTTACGGCA CCTCGACCCC
      CCCCCTAGGG AAATCCCAAG GCTAAATCAC GAAATGCCGT GGAGCTGGGG
1501 AAAAACTTG ATTAGGGTGA TGGTTCACGT AGTGGGCCAT CGCCCTGATA
      TTTTTGAAC TAATCCCACT ACCAAGTGCA TCACCCGGTA GCGGGACTAT
1551 GACGGTTTTT CGCCCTTTGA CGTTGGAGTC CACGTTCTTT AATAGTGGAC
      CTGCCAAAAA GCGGGAAGCT GCAACCTCAG GTGCAAGAAA TTATCACCTG
1601 TCTTGTTCCA AACTGGAACA ACACTCAACC CTATCTCGGT CTATTCTTTT
      AGAACAAGGT TTGACCTTGT TGTGAGTTGG GATAGAGCCA GATAAGAAAA
1651 GATTTATAAG GGATTTTGGG GATTTTCGGC TATTGGTTAA AAAATGAGAG
      CTAAATATTC CCTAAAAACC CTAAAGCCGG ATAACCAATT TTTTACTCGA
1701 GATTTAACAA AAATTTAACG CGAATTAATT CTGTGGAATG TGTGTCAGTT
      CTAAATTGTT TTTAAATTGC GCTTAATTAA GACACCTTAC ACACAGTCAA
1751 AGGGTGTGGA AAGTCCCAAG GCTCCCAGG CAGGCAGAAG TATGCAAAGC
      TCCCACACCT TTCAGGGGTC CGAGGGGTCC GTCCGTCTTC ATACGTTTCG
1801 ATGCATCTCA ATTAGTCAGC AACCAGGTGT GGAAAGTCCC CAGGCTCCCC
      TACGTAGAGT TAATCAGTCG TTGGTCCACA CCTTTCAGGG GTCCGAGGGG
1851 AGCAGGCAGA AGTATGCAAA GCATGCATCT CAATTAGTCA GCAACCATAG
      TCGTCCGTCT TCATACGTTT CGTACGTAGA GTTAATCAGT CGTTGGTATC
1901 TCCCGCCCTT AACTCCGCC ATCCCGCCCC TAACTCCGCC CAGTTCGCCC
      AGGGCGGGGA TTGAGGCGGG TAGGGCGGGG ATTGAGGCGG GTCAAGGCGG
1951 CATTCTCCGC CCCATGGCTG ACTAATTTTT TTTATTTATG CAGAGGCCGA
      GTAAGAGGCG GGGTACCGAC TGATTAATAA AAATAAATAC GTCTCCGGCT
2001 GGCCGCCTCT GCCTCTGAGC TATTCCAGAA GTAGTGAGGA GGCTTTTTTG
      CCGGCGGAGA CGGAGACTCG ATAAGGTCTT CATCACTCCT CCGAAAAAAC
2051 GAGGCCTAGG CTTTGTGAAA AAGCTCCCGG GAGCTTGTAT ATCCATTTTC
      CTCGGATCC GAAAACGTTT TTCGAGGGCC CTCGAACATA TAGGTAAAAG
2101 GGATCTGATC AGCACGTGTT GACAATTAAT CATCGGCATA GTATATCGGC
      CCTAGACTAG TCGTGACAAA CTGTTAATTA GTAGCCGTAT CATATAGCCG
2151 ATAGTATAAT ACGACAAGGT GAGGAATAA ACCATGGCCA AGTTGACCAG
      TATCATATTA TGCTGTTCCA CTCCTTGATT TGGTACCGGT TCAACTGGTC
2201 TGCCGTTCCG GTGCTCACCG CGCGCGACGT CGCCGGAGCG GTCGAGTTCT
      ACGCAAGGC CACGAGTGGC GCGCGCTGCA GCGGCCTCGC CAGCTCAAGA
2251 GGACCGACCG GCTCGGGTTC TCCCGGGACT TCGTGGAGGA CGACTTCGCC
      CCTGGCTGGC CGAGCCCAAG AGGGCCCTGA AGCACCTCCT GCTGAAGCGG
2301 GGTGTGGTCC GGGACGACGT GACCCTGTTC ATCAGCGCGG TCCAGGACCA
      CCACACCAGG CCCTGCTGCA CTGGGACAAG TAGTCGCGCC AGGTCTGGT
2351 GGTGTGGCCG GACAACACCC TGGCCTGGGT GTGGGTGCGC GGCCTGGACG
      CCACCACGGC CTGTTGTGGG ACCGGACCCA CACCACGCG CCGGACCTGC

```

FIG.32C

65/76

2401 AGCTGTACGC CGAGTGGTCG GAGGTCGTGT CCACGAACTT CCGGGACGCC
TCGACATGCG GCTCACCAGC CTCCAGCACA GGTGCTTGAA GGCCCTGCGG
2451 TCCGGGCCGG CCATGACCGA GATCGGCGAG CAGCCGTGGG GGCGGGAGTT
AGGCCCGGCC GGTACTGGCT CTAGCCGCTC GTCGGCACCC CCGCCCTCAA
2501 CGCCCTGCGC GACCCGGCCG GCAACTGCGT GCACTTCGTG GCCGAGGAGC
GCGGGACGCG CTGGGCCGGC CGTTGACGCA CGTGAAGCAC CGGCTCCTCG
2551 AGGACTGACA CGTGCTACGA GATTTTCGATT CCACCGCCGC CTTCTATGAA
TCCTGACTGT GCACGATGCT CTAAAGCTAA GGTGGCGGGC GAAGATACTT
2601 AGGTTGGGCT TCGGAATCGT TTTCCGGGAC GCCGGCTGGA TGATCCTCCA
TCCAACCCGA AGCCTTAGCA AAAGGCCCTG CGGCCGACCT ACTAGGAGGT
2651 GCGCGGGGAT CTCATGCTGG AGTTCTTCGC CCACCCCAAC TTGTTTATTG
CGCGCCCTA GAGTACGACC TCAAGAAGCG GGTGGGGTTG AACAAATAAC
2701 CAGCTTATAA TGGTTACAAA TAAAGCAATA GCATCACAAA TTTCACAAAT
GTCGAATATT ACCAATGTTT ATTTCTGTTT CGTAGTGTTT AAAGTGTTTA
2751 AAAGCATTTT TTTCACTGCA TTCTAGTTGT GGTGTGTCCA AACTCATCAA
TTTCGTAAAA AAAGTGACGT AAGATCAACA CCAAACAGGT TTGAGTAGTT
2801 TGTATCTTAT CATGTCTGTA TACCGTCGAC CTCTAGCTAG AGCTTGCCGT
ACATAGAATA GTACAGACAT ATGGCAGCTG GAGATCGATC TCGAACCGCA
2851 AATCATGGTC ATAGCTGTTT CCTGTGTGAA ATTGTTATCC GCTCACAATT
TTAGTACCAG TATCGACAAA GGACACACTT TAACAATAGG CGAGTGTTAA
2901 CCACACAACA TACGAGCCGG AAGCATAAAG TGTAAGCCT GGGGTGCCA
GGTGTGTTGT ATGCTCGGCC TTCGTATTTT ACATTTTCGA CCCACGGAT
2951 ATGAGTGAGC TAACTCACAT TAATTGCGTT GCGCTCACTG CCCGCTTTCC
TACTCACTCG ATTGAGTGTA ATTAACGCAA CGCGAGTGAC GGGCGAAAGG
3001 ATGCGGGAAA CCTGTCGTGC CAGCTGCATT AATGAATCGG CCAACGCGCG
TCAGCCCTTT GGACAGCACG GTCGACGTAA TTACTTAGCC GGTGCGCGC
3051 GGGAGAGGCG GTTTGCGTAT TGGGCGCTCT TCCGCTTCCT CGCTCACTGA
CCCTCTCCGC CAAACGCATA ACCCGCGAGA AGGCGAAGGA GCGAGTGACT
3101 CTCGCTCGCG TCGGTCGTTT GGCTGCGGCG AGCGGTATCA GCTCACTCAA
GAGCGACGCG AGCCAGCAAG CCGACGCGCG TCGCCATAGT CGAGTGAGTT
3151 AGGCGGTAAT ACGGTTATCC ACAGAATCAG GGGATAACGC AGGAAAGAAC
TCCGCCATTA TGCCAATAGG TGTCTTAGTC CCCTATTGCG TCCTTTCTTG
3201 ATGTGAGCAA AAGGCCAGCA AAAGGCCAGG AACCCTAAAA AGGCCGCGTT
TACACTCGTT TTCCGGTCGT TTTCCGGTCC TTGGCATTIT TCCGGCGCAA
3251 GCTGGCGTTT TTCCATAGGC TCCGCCCCC TGACGAGCAT CACAAAAATC
CGACCGCAAA AAGGTATCCG AGGCGGGGGG ACTGCTCGTA GTGTTTTAG
3301 GACGCTCAAG TCAGAGGTGG CGAAACCCGA CAGGACTATA AAGATACCAG
CTGCGAGTTC AGTCTCCACC GCTTTGGGCT GTCCTGATAT TTCTATGGTC
3351 GCGTTTCCCC CTGGAAGCTC CCTCGTGCGC TCTCTGTTT CGACCCTGCC
CGCAAAGGGG GACCTTCGAG GGAGCACGCG AGAGGACAAG GCTGGGACGG
3401 GCTTACCGGA TACCTGTCCG CCTTTCTCCC TTCGGGAAGC GTGGCGCTTT
CGAATGGCCT ATGGACAGGC GGAAGAGGG AAGCCCTTCG CACCGCGAAA
3451 CTCAATGCTC ACGCTGTAGG TATCTCAGTT CGGTGTAGGT CGTTGCTCC
GAGTTACGAG TGCGACATCC ATAGAGTCAA GCCACATCCA GCAAGCGAGG
3501 AAGCTGGGCT GTGTGCACGA ACCCCCGTT CAGCCCGACC GCTGCGCCTT
TTCGACCCGA CACACGTGCT TGGGGGGCAA GTCGGGCTGG CGACGCGGAA
3551 ATCCGGTAAC TATCGTCTTG AGTCCAACCC GGTAAGACAC GACTTATCGC
TAGGCCATTG ATAGCAGAAC TCAGGTTGGG CCATTCTGTG CTGAATAGCG

FIG.32D

66/76

```

3601 CACTGGCAGC AGCCACTGGT AACAGGATTA GCAGAGCGAG GTATGTAGGC
      GTGACCGTCG TCGGTGACCA TTGTCCTAAT CGTCTCGCTC CATACATCCG
3651 GGTGCTACAG AGTTCTTGAA GTGGTGGCCT AACTACGGCT ACACTAGAAG
      CCACGATGTC TCAAGAACTT CACCACCGGA TTGATGCCGA TGTGATCTTC
3701 GACAGTATTT GGTATCTGCG CTCTGCTGAA GCCAGTTACC TTCGGAAAAA
      CTGTCATAAA CCATAGACGC GAGACGACTT CCGTCAATGG AAGCCTTTTT
3751 GAGTTGGTAG CTCTTGATCC GGCAAACAAA CCACCGCTGG TAGCGGTGGT
      CTCAACCATC GAGAACTAGG CCGTTTGTTC GGTGGCGACC ATCGCCACCA
3801 TTTTTTGTTC GCAAGCAGCA GATTACGCGC AGAAAAAAG GATCTCAAGA
      AAAAAACAAA CGTTCGTCGT CTAATGCGCG TCTTTTTTTC CTAGAGTTCT
3851 AGATCCTTTG ATCTTTTCTA CGGGGTCTGA CGCTCAGTGG AACGAAAACT
      TCTAGGAAAC TAGAAAAGAT GCCCCAGACT GCGAGTCACC TTGCTTTTGA
3901 CACGTTAAGG GATTTTGGTC ATGAGATTAT CAAAAAGGAT CTTACCTAG
      GTGCAATTCC CTAACCACAG TACTCTAATA GTTTTTCCTA GAAGTGGATC
3951 ATCCTTTTAA ATTAATAATG AAGTTTTAAA TCAATCTAAA GTATATATGA
      TAGGAAAAAT TAATTTTAC TTCAAAATTT AGTTAGATT CATATATACT
4001 GTAAACTTGG TCTGACAGTT ACCAATGCTT AATCAGTGAG GCACCTATCT
      CATTTGAACC AGACTGTCAA TGGTTACGAA TTAGTCACTC CGTGGATAGA
4051 CAGCGATCTG TCTATTTCTG TCATCCATAG TTGCCTGACT CCCCGTCGTG
      GTCGCTAGAC AGATAAAGCA AGTAGGTATC AACGGACTGA GGGGCAGCAC
4101 TAGATAACTA CGATACGGGA GGGCTTACCA TCTGGCCCCA GTGCTGCAAT
      ATCTATTGAT GCTATGCCCT CCCGAATGGT AGACCGGGGT CACGACGTTA
4151 GATACCGCGA GACCCACGCT CACCGGCTCC AGATTTATCA GCAATAAACC
      CTATGGCGCT CTGGGTGCGA GTGGCCGAGG TCTAAATAGT CGTTATTTGG
4201 AGCCAGCCGG AAGGGCCGAG CGCAGAAGTG GTCCTGCAAC TTTATCCGCC
      TCGGTGCGCC TTCCCGGCTC GCGTCTTCAC CAGGACGTTG AAATAGGCGG
4251 TCCATCCAGT CTATTAATTG TTGCCGGGAA GCTAGAGTAA GTAGTTCGCC
      AGGTAGGTCA GATAATTAAC AACGGCCCTT CGATCTCATT CATCAAGCGG
4301 AGTTAATAGT TTGCGCAACG TTGTTGCCAT TGCTACAGGC ATCGTGGTGT
      TCAATTATCA AACGCGTTGC AACAACGGTA ACGATGTCCG TAGCACCACA
4351 CACGCTCGTC GTTTGGTATG GCTTCATTCA GCTCCGGTTC CCAACGATCA
      GTGCGAGCAG CAAACCATAC CGAAGTAAGT CGAGGCCAAG GGTTGCTAGT
4401 AGGCGAGTTA CATGATCCCC CATGTTGTGC AAAAAAGCGG TTAGCTCCTT
      TCCGCTCAAT GTACTAGGGG GTACAACACG TTTTTTCGCC AATCGAGGAA
4451 CGGTCTCTCC ATCGTTGTCA GAAGTAAGTT GGCCGCAGTG TTATCACTCA
      GCCAGGAGGC TAGCAACAGT CTTCAATTCA CCGGCGTCAC AATAGTGAGT
4501 TGGTTATGGC AGCACTGCAT AATTCTCTTA CTGTCATGCC ATCCGTAAGA
      ACCAATACCG TCGTGACGTA TTAAGAGAAT GACAGTACGG TAGGCATTCT
4551 TGCTTTTCTG TGA CTGGTGA GTACTCAACC AAGTCATTCT GAGAATAGTG
      ACGAAAAGAC ACTGACCACT CATGAGTTGG TTCAGTAAGA CTCTTATCAC
4601 TATGCGGCGA CCGAGTTGCT CTTGCCCGGC GTCAATACGG GATAATACCG
      ATACGCCGCT GGCTCAACGA GAACGGGCCG CAGTTATGCC CTATTATGGC
4651 CGCCACATAG CAGAACTTTA AAAGTGCTCA TCATTGAAA ACCTTCTTCG
      GCGGTGTATC GTCTTGAAAT TTTCACGAGT AGTAACCTTT TGCAAGAAGC
4701 GGGCGAAAAA TCTCAAGGAT CTTACCGCTG TTGAGATCCA GTTCGATGTA
      CCCGCTTTTG AGAGTTCCCTA GAATGGCGAC AACTCTAGGT CAAGCTACAT
4751 ACCCACTCGT GCACCCAAC GATCTTCAGC ATCTTTTACT TTCACCAGCG
      TGGGTGAGCA CGTGGGTGA CTAGAAGTCG TAGAAAATGA AAGTGGTCGC

```

FIG.32E

67/76

```
4801 TTTCTGGGTG AGCAAAAACA GGAAGGCAAA ATGCCGCAAA AAAGGGAATA
      AAAGACCCAC TCGTTTTTGT CCTTCCGTTT TACGGCGTTT TTCCCTTAT
4851 AGGGCGACAC GGAAATGTTG AATACTCATA CTCTTCCTTT TTCAATATTA
      TCCCGCTGTG CCTTTACAAC TTATGAGTAT GAGAAGGAAA AAGTTATAAT
4901 TTGAAGCATT TATCAGGGTT ATTGTCTCAT GAGCGGATAC ATATTTGAAT
      AACTTCGTAA ATAGTCCCAA TAACAGAGTA CTCGCCTATG TATAAACTTA
4951 GTATTTAGAA AAATAAACAA ATAGGGGTTC CGCGCACATT TCCCCGAAAA
      CATAAATCTT TTTATTTGTT TATCCCCAAG GCGCGTGTAA AGGGGCTTTT
5001 GTGCCACCTG ACGTC
      CACGGTGGAC TGCAG
```

FIG.32F

68/76




FIG.33

69/76




FIG.34

70/76

DNA sequence of APP(1-651)NFEV, TATexon1(M1L) APP (664-695)

(SEQ ID NO: 29)

```
1 ATGCTGCCCCG GTTTGGCACT GCTCCTGCTG GCCGCCTGGA CGGCTCGGGC
51 GCTGGAGGTA CCCACTGATG GTAATGCTGG CCTGCTGGCT GAACCCAGAG
101 TTGCCATGTT CTGTGGCAGA CTGAACATGC ACATGAATGT CCAGAATGGG
151 AAGTGGGATT CAGATCCATC AGGGACCAAA ACCTGCATTG ATACCAAGGA
201 AGGCATCCTG CAGTATTGCC AAGAAGTCTA CCCTGAACTG CAGATCACCA
251 ATGTGGTAGA AGCCAACCAA CCAGTGACCA TCCAGAACTG GTGCAAGCGG
301 GGCCGCAAGC AGTGCAAGAC CCATCCCCAC TTTGTGATTG CCTACCGCTG
351 CTTAGTTGGT GAGTTTATAA GTGATGCCCT TCTCGTTCCT GACAAGTGCA
401 AATTCTTACA CCAGGAGAGG ATGGATGTTT GCGAAACTCA TCTTCACTGG
451 CACACCGTCG CCAAAGAGAC ATGCAGTGAG AAGAGTACCA ACTTGCATGA
501 CTACGGCATG TTGCTGCCCT GCGGAATTGA CAAGTTCCGA GGGGTAGAGT
551 TTGTGTGTTG CCCACTGGCT GAAGAAAGTG ACAATGTGGA TTCTGCTGAT
601 GCGGAGGAGG ATGACTCGGA TGTCTGGTGG GCGGAGCAG ACACAGACTA
651 TGCAGATGGG AGTGAAGACA AAGTAGTAGA AGTAGCAGAG GAGGAAGAAG
701 TGGCTGAGGT GGAAGAAGAA GAAGCCGATG ATGACGAGGA CGATGAGGAT
751 GGTGATGAGG TAGAGGAAGA GGCTGAGGAA CCCTACGAAG AAGCCACAGA
801 GAGAACCACC AGCATTGCCA CCACCACCAC CACCACCACA GAGTCTGTGG
851 AAGAGGTGGT TCGAGTTCCT ACAACAGCAG CCAGTACCCC TGATGCCGTT
901 GACAAGTATC TCGAGACACC TGGGGATGAG AATGAACATG CCCATTTCCA
951 GAAAGCCAAA GAGAGGCTTG AGGCCAAGCA CCGAGAGAGA ATGTCCCAGG
1001 TCATGAGAGA ATGGGAAGAG GCAGAACGTC AAGCAAAGAA CTTGCCTAAA
1051 GCTGATAAGA AGGCAGTTAT CCAGCATTTT CAGGAGAAAAG TGAATCTTT
1101 GGAACAGGAA GCAGCCAACG AGAGACAGCA GCTGGTGGAG ACACACATGG
1151 CCAGAGTGGA AGCCATGCTC AATGACCGCC GCCGCCTGGC CCTGGAGAAC
1201 TACATACCGG CTCTGCAGGC TGTTCTCCTT CGGCCTCGTC ACGTGTTCAG
1251 TATGCTAAAG AAGTATGTCC GCGCAGAACA GAAGGACAGA CAGCACACCC
1301 TAAAGCATTT CGAGCATGTG CGCATGGTGG ATCCAAGAA AGCCGCTCAG
```

FIG.35A

71/76

1351 ATCCGGTCCC AGGTTATGAC ACACCTCCGT GTGATTTATG AGCGCATGAA
1401 TCAGTCTCTC TCCCTGCTCT ACAACGTGCC TGCAGTGGCC GAGGAGATTC
1451 AGGATGAAGT TGATGAGCTG CTTCAGAAAG AGCAAACTA TTCAGATGAC
1501 GTCTTGGCCA ACATGATTAG TGAACCAAGG ATCAGTTACG GAAACGATGC
1551 TCTCATGCCA TCTTTGACCG AAACGAAAAC CACCGTGGAG CTCCTTCCCG
1601 TGAATGGAGA GTTCAGCCTG GACGATCTCC AGCCGTGGCA TTCTTTTGGG
1651 GCTGACTCTG TGCCAGCCAA CACAGAAAAC GAAGTTGAGC CTGTTGATGC
1701 CCGCCCTGCT GCCGACCGAG GACTGACCAC TCGACCAGGT TCTGGGTTGA
1751 CAAATATCAA GACGGAGGAG ATCTCTGAAG TGAACTTTGA AGTGGAATTC
1801 CGACATGACT CAGGATATGA AGTTCATCAT CAAAAATTGG TGTTCTTTGC
1851 AGAAGATGTG GGTTCAAACA AAGGTGCAAT CATTGGAATC ATGGTGGGCG
1901 GTGTTGTCAT AGCGACAGTG ATCGTCATCA CCTTGGTGAT GCTGAAGAAG
1951 AAAAAGCTTG GTACCGAGCT CGGATCCACT AGTCCAGTGT GGTGGAATTC
2001 TGCAGATATC CTGGAGCCAG TAGATCCTAG ACTAGAGCCC TGAAGCATC
2051 CAGGAAGTCA GCCTAAACT GCTTGATCA ATTGCTATTG TAAAAAGTGT
2101 TGCTTTTCATT GCCAAGTTTG TTTCATGACA AAAGCCTTAG GCATCTCCTA
2151 TGGCAGGAAG AAGCGGAGAC AGCGACGAAG AGCTCATCAG AACAGTCAGA
2201 CTCATCAAGC TTCTCTATCA AAGCAGAGGA TATCCAGCAC AGTGGCGGCC
2251 GCAGACGCCG CTGTCACCCC AGAGGAGCGC CACCTGTCCA AGATGCAGCA
2301 GAACGGCTAC GAAAATCCAA CCTACAAGTT CTTTGAGCAG ATGCAGAACT
2351 AG

FIG.35B

72/76

(SEQ ID NO: 30)

Amino acid sequence of APP(1-651)NFEV, K612V-TATexonI(M1L) APP (664-695)

mlpgla111laawtaralevptdgnagllaepqiamfcgrlnmhmvmqngkwsdpsgtktcidtkegilqycq
 evype1qitnvveanqpvtiqnwckrgrkqckthphfviyrc1vgefisdallvpdkckflhgermdvcethlh
 whtvaketcsekstnlhdygmllpcgidkfrgvefvccplaeesdnvdsadaeeddsdvwggadtdyadgs
 edkvvevaeeeeaeveeeeeadddeddgdeveeeaeepyeaterttsiatTTTTTtesveevrvpttaastpd
 avdkyletpgdenehahfqkakerleakhrermsqvmreweeaerqaknlpkadkkaviqhfaqekvesleqe
 aanerqq1vethmarveamlnrrrrialenyitalqavpprprhvfnm1kkyvraeqkdrqhtlkhfehvmvd
 pkkaa1qirsqvmthlrviyermnqsls1lynvpavaeeiqdevdel1qkeqnysddlanmiseprisgndal
 mps1tetkttvellpvngefs1dd1qpwhsfgadsvpantenevepvdarpaadrg1ttrpgsg1tnikteeisev
 2 nfevefrhdsgyevhhq1lvffaedvgsnkgaiig1mvggv1atvivit1vm1kkk1gtelgstspwms
 3 4 5
 6
 ad1lepvdpr1epwkhpgsqpktactncyckkccfhcqvcmfka1qisygrkkrrrrahqnsqthqas1skq
 7 8
 risstvaaadaavtpeerh1skmqngyenptykffeqmqn

FIG.36

73/76

DNA sequence of APP(1-651)NFEV, GAL4VP16(delMet) APP (664-695)
(SEQ ID NO: 31)

```
1 ATGCTGCCCC GTTTGGCACT GCTCCTGCTG GCCGCCTGGA CGGCTCGGGC
51 GCTGGAGGTA CCCACTGATG GTAATGCTGG CCTGCTGGCT GAACCCAGA
101 TTGCCATGTT CTGTGGCAGA CTGAACATGC ACATGAATGT CCAGAATGGG
151 AAGTGGGATT CAGATCCATC AGGGACCAAA ACCTGCATTG ATACCAAGGA
201 AGGCATCCTG CAGTATTGCC AAGAAGTCTA CCCTGAACTG CAGATCACCA
251 ATGTGGTAGA AGCCAACCAA CCAGTGACCA TCCAGAACTG GTGCAAGCGG
301 GGCCGCAAGC AGTGCAAGAC CCATCCCCAC TTTGTGATTC CCTACCGCTG
351 CTTAGTTGGT GAGTTTATAA GTGATGCCCT TCTCGTTCCT GACAAGTGCA
401 AATTCTTACA CCAGGAGAGG ATGGATGTTT GCGAAACTCA TCTTCACTGG
451 CACACCGTCG CCAAAGAGAC ATGCAGTGAG AAGAGTACCA ACTTGCATGA
501 CTACGGCATG TTGCTGCCCT GCGGAATTGA CAAGTCCGA GGGGTAGAGT
551 TTGTGTGTTG CCCACTGGCT GAAGAAAGTG ACAATGTGGA TTCTGCTGAT
601 GCGGAGGAGG ATGACTCGGA TGTCTGGTGG GGCGGAGCAG ACACAGACTA
651 TGCAGATGGG AGTGAAGACA AAGTAGTAGA AGTAGCAGAG GAGGAAGAAG
701 TGGCTGAGGT GGAAGAAGAA GAAGCCGATG ATGACGAGGA CGATGAGGAT
751 GGTGATGAGG TAGAGGAAGA GGCTGAGGAA CCCTACGAAG AAGCCACAGA
801 GAGAACCACC AGCATTGCCA CCACCACCAC CACCACCACA GAGTCTGTGG
851 AAGAGGTGGT TCGAGTTCCT ACAACAGCAG CCAGTACCCC TGATGCCGTT
901 GACAAGTATC TCGAGACACC TGGGGATGAG AATGAACATG CCCATTTCCA
951 GAAAGCCAAA GAGAGGCTTG AGGCCAAGCA CCGAGAGAGA ATGTCCCAGG
1001 TCATGAGAGA ATGGGAAGAG GCAGAACGTC AAGCAAAGAA CTTGCCTAAA
1051 GCTGATAAGA AGGCAGTTAT CCAGCATTTT CAGGAGAAAG TGGAATCTTT
1101 GGAACAGGAA GCAGCCAACG AGAGACAGCA GCTGGTGGAG ACACACATGG
1151 CCAGAGTGGA AGCCATGCTC AATGACCGCC GCCGCCTGGC CCTGGAGAAC
1201 TACATCACCG CTCTGCAGGC TGTTCCTCCT CGGCCTCGTC ACGTGTTCAA
```

FIG.37A

74/76

1251 TATGCTAAAG AAGTATGTCC GCGCAGAACA GAAGGACAGA CAGCACACCC
1301 TAAAGCATTT CGAGCATGTG CGCATGGTGG ATCCCAAGAA AGCCGCTCAG
1351 ATCCGGTCCC AGGTTATGAC ACACCTCCGT GTGATTTATG AGCGCATGAA
1401 TCAGTCTCTC TCCCTGCTCT ACAACGTGCC TGCAGTGGCC GAGGAGATTC
1451 AGGATGAAGT TGATGAGCTG CTTCAGAAAG AGCAAACTA TTCAGATGAC
1501 GTCTTGCCA ACATGATTAG TGAACCAAGG ATCAGTTACG GAAACGATGC
1551 TCTCATGCCA TCTTTGACCG AAACGAAAAC CACCGTGGAG CTCCTTCCCG
1601 TGAATGGAGA GTTCAGCCTG GACGATCTCC AGCCGTGGCA TTCTTTTGGG
1651 GCTGACTCTG TGCCAGCCAA CACAGAAAAC GAAGTTGAGC CTGTTGATGC
1701 CCGCCCTGCT GCCGACCGAG GACTGACCAC TCGACCAGGT TCTGGGTTGA
1751 CAAATATCAA GACGGAGGAG ATCTCTGAAG TGAACTTTGA AGTGGAATTC
1801 CGACATGACT CAGGATATGA AGTTCATCAT CAAAAATTGG TGTTCTTTCG
1851 AGAAGATGTG GGTTCAAACA AAGGTGCAAT CATTGGACTC ATGGTGGGCG
1901 GTGTTGTCAT AGCGACAGTG ATCGTCATCA CCTTGGTGAT GCTGAAGAAG
1951 AAAAAGCTTG GTACCGAGCT CGGATCCACT AGTCCAGTGT GGTGGAATTC
2001 TGCAGATATC AAGCTACTGT CTTCTATCGA ACAAGCATGC GATATTTGCC
2051 GACTTAAAAA GCTCAAGTGC TCCAAAGAAA AACC GAAGTG CGCCAAGTGT
2101 CTGAAGAACA ACTGGGAGTG TCGCTACTCT CCCAAAACCA AAAGGTCTCC
2151 GCTGACTAGG GCACATCTGA CAGAAGTGGA ATCAAGGCTA GAAAGACTGG
2201 AACAGCTATT TCTACTGATT TTTCTCGAG AAGACCTTGA CATGATTTTG
2251 AAAATGGATT CTTTACAGGA TATAAAAGCA TTGTTAACAG GATTATTTGT
2301 ACAAGATAAT GTGAATAAAG ATGCCGTCAC AGATAGATTG GCTTCAGTGG
2351 AGACTGATAT GCCTCTAACA TTGAGACAGC ATAGAATAAG TGCGACATCA
2401 TCATCGGAAG AGAGTAGTAA CAAAGGTCAA AGACAGTTGA CTGTATCGGG
2451 AATTCCTGGG GATCTGGCCC CCCC GACCGA TGTCAGCCTG GGGGACGAGC
2501 TCCACTTAGA CGGCGAGGAC GTGGCGATGG CGCATGCCGA CGCGCTAGAC
2551 GATTTTCGATC TGGACATGTT GGGGGACGGG GATTCCCCGG GTCCGGGATT

FIG.37B

75/76

2601 TACCCCCAC GACTCCGCCC CCTACGGCGC TCTGGATATG GCCGACTTCG
2651 AGTTTGAGCA GATGTTTACC GATGCCCTTG GAATTGACGA GTACGGTGGG
2701 GATATCCAGC ACAGTGGCGG CCGCGACGCC GCTGTCACCC CAGAGGAGCG
2751 CCACCTGTCC AAGATGCAGC AGAACGGCTA CGAAAATCCA ACCTACAAGT
2801 TCTTTGAGCA GATGCAGAAC TAG

FIG.37C

76/76

(SEQ ID NO: 32)

Amino acid sequence of APP(1-651)NFEV, GAL4-VP16(delM1) APP (664-695)

mlpglalllllaawtaralevptdgnagllaepqiamfcgrlnmhmrvqngkwdsdpsgtktcidtkegilqycq
 evypelqitnvveanqpvtiqnwckrgrkqckthphfviyrclygefisdallvpdkckflhqermdvcethlh
 whtvaketcsekstnlhdygmllpcgidkfrgvefvccplaeesdnvdsadaeeddsdvwggadtdyadgs
 edkvvevaeeeeveveeeeadddeddedgdeveeeaeepyeeaterttsiatTTTTTTesveevrvpttaastpd
 avdkyletpgdenehahfqkakerleakhrermsqvmreweeaerqaknlpkaddkaviqhfqekvesleqe
 aanerqqlvethmarveamlnrrrrlalenyitalqavpprprhvfnnlkkyyraeqkdrqhtlkhfehrvmvd
 pkkaaqrsvqmthlrviyermnqslsllynvpavaeeiqdevdellqkeqnysddvlnmisseprisygndal
 mpsltetkttvellpvngefslddlqpwhsfgadsvpantenevepvdarpaadrglttrpgsgltnikteeisev
 nfevefrhdsgyevhhqklvffaedvgsnkgaiiglmvggyviatvivitlmlkkkkltelgstspwms
 adtkllssiegacdicrlkklkcskekpkcakclknwecryspktrspltrahltevesrlerleqlfllifpredld
 mlkmdslqdikalltglfvqdnvkdavtdrlasvetdmpitlrqhrisatssseessnkqqrqltvsgipgdapp
 tdvslqdelhldgedvamahadalddfdldmlqdgadspgqftphdsapyqaldmadfefeqmftdalqidey
 ggdiqhsгаааааavtpeerhlskmaqngyenptykffeqmqn

FIG.38

SEQUENCE LISTING

<110> Merck & Co., Inc.
Espeseth, Amy S.
Ferrer, Marc
Flores, Osvaldo A.
Hazuda, Daria J.
Inglese, James
Miller, Michael D.
Register, Bruce
Shi, Xiao-Ping
Simon, Adam J.
Zuck, Paul D.

<120> ASSAYS TO MONITOR AMYLOID PRECURSOR
PROTEIN PROCESSING

<130> 21040-PCT

<150> 60/360,274

<151> 2002-02-27

<160> 64

<170> FastSEQ for Windows Version 4.0

<210> 1

<211> 2352

<212> DNA

<213> fusion protein - human

<400> 1

```

atgctgcccc gtttggcact gctcctgctg gccgcctgga cggctcgggc gctggaggta 60
cccactgatg gtaatgctgg cctgctggct gaaccccaga ttgccatggt ctgtggcaga 120
ctgaacatgc acatgaatgt ccagaatggg aagtgggatt cagatccatc agggaccaa 180
acctgcattg ataccaagga aggcacacct cagtattgcc aagaagtcta ccctgaactg 240
cagatcacca atgtggtaga agccaaccaa ccagtgaacca tccagaactg gtgcaagcgg 300
ggccgcaagc agtgcaagac ccatcccccac tttgtgattc cctaccgctg cttagtgggt 360
gagtttataa gtgatgcctt tctcgttcct gacaagtgca aattcttaca ccaggagagg 420
atggatgttt gcgaaactca tcttcaactg cacaccgtcg ccaaagagac atgcagtga 480
aagagtacca acttgcataa ctacggcatg ttgctgcctt gcggaattga caagttccga 540
ggggtagagt ttgtgtgttg cccactggct gaagaaagtg acaatgtgga ttctgctgat 600
gcggaggagg atgactcgga tgtctggttg ggccggagcag acacagacta tgcagatggg 660
agtgaagaca aagtagtaga agtagcagag gaggaagaag tggctgaggt ggaagaagaa 720
gaagccgatg atgacgagga cgatgaggat ggtgatgagg tagaggaaga ggctgaggaa 780
ccctacgaag aagccacaga gagaaccacc agcattgcca ccaccaccac caccaccaca 840
gagtcctgtg aagaggtggt tcgagttcct acaacagcag ccagtacccc tgatgccgtt 900
gacaagtatc tcgagacacc tggggatgag aatgaacatg cccatttcca gaaagccaaa 960
gagaggcttg agggcaagca ccgagagaga atgtcccagg tcatgagaga atgggaagag 1020
gcagaacgtc aagcaaagaa cttgcctaaa gctgataaga aggcagttat ccagcatttc 1080
caggagaaag tggaaatctt ggaacaggaa gcagccaacg agagacagca gctggtggag 1140
acacacatgg ccagagtgga agccatgctc aatgaccgcc gccgcctggc cctggagaa 1200
tacatcaccc ctctgcaggc tgttcctcct cggcctcgct acgtgttcaa tatgctaaag 1260
aagtatgtcc gcgcagaaca gaaggacaga cagcacacc taaagcattt cgagcatgtg 1320
cgcatgggtg atcccaagaa agccgctcag atccggtccc aggttatgac acacctccgt 1380
gtgatttatg agcgcataaa tcagtctctc tccctgctct acaacgtgcc tgcagtggcc 1440
gaggagattc aggatgaagt tgatgagctg cttcagaaag agcaaaacta ttcagatgac 1500
gtcttgccca acatgattag tgaaccaagg atcagttacg gaaacgatgc tctcatgcca 1560
tctttgaccg aaacgaaaac caccgtggag ctcttcccg tgaatggaga gttcagcctg 1620
gacgatctcc agccgtggca ttcttttggg gctgactctg tgccagccaa cacagaaaac 1680
gaagttgagc ctgttgatgc ccgccctgct gccgaccgag gactgaccac tcgaccaggt 1740

```

```

tctgggttga caaatatcaa gacggaggag atctctgaag tgaatctaga tgcagaattc 1800
cgacatgact caggatatga agttcatcat caagtattgg tgttctttgc agaagatgtg 1860
ggttcaaaca aaggtgcaat cattggactc atggtgggcg gtgttgatcat agcgacagtg 1920
atcgtcatca ccttggtgat gctgaagaag aaaaagcttg gtaccgagct cggatccact 1980
agtcacagtgt ggtggaattc tgcagatata ctggagccag tagatcctag actagagccc 2040
tggaagcatc caggaagtca gcctaaaact gcttgtagca attgctattg taaaaagtgt 2100
tgctttcatt gccaaagtttg tttcatgaca aaagccttag gcatctccta tggcaggaag 2160
aagcggagac agcgacgaag agctcatcag aacagtcaga ctcatcaagc ttctctatca 2220
aagcagagga tatccagcac agtggcggcc gcagacgccg ctgtcacccc agaggagcgc 2280
cacctgtcca agatgcagca gaacggctac gaaaatccaa cctacaagtt ctttgagcag 2340
atgcagaact ag                                     2352

```

<210> 2

<211> 783

<212> PRT

<213> fusion protein - human

<400> 2

```

Met Leu Pro Gly Leu Ala Leu Leu Leu Leu Ala Ala Trp Thr Ala Arg
 1           5           10           15
Ala Leu Glu Val Pro Thr Asp Gly Asn Ala Gly Leu Leu Ala Glu Pro
      20           25           30
Gln Ile Ala Met Phe Cys Gly Arg Leu Asn Met His Met Asn Val Gln
      35           40           45
Asn Gly Lys Trp Asp Ser Asp Pro Ser Gly Thr Lys Thr Cys Ile Asp
      50           55           60
Thr Lys Glu Gly Ile Leu Gln Tyr Cys Gln Glu Val Tyr Pro Glu Leu
      65           70           75           80
Gln Ile Thr Asn Val Val Glu Ala Asn Gln Pro Val Thr Ile Gln Asn
      85           90           95
Trp Cys Lys Arg Gly Arg Lys Gln Cys Lys Thr His Pro His Phe Val
      100          105          110
Ile Pro Tyr Arg Cys Leu Val Gly Glu Phe Ile Ser Asp Ala Leu Leu
      115          120          125
Val Pro Asp Lys Cys Lys Phe Leu His Gln Glu Arg Met Asp Val Cys
      130          135          140
Glu Thr His Leu His Trp His Thr Val Ala Lys Glu Thr Cys Ser Glu
      145          150          155          160
Lys Ser Thr Asn Leu His Asp Tyr Gly Met Leu Leu Pro Cys Gly Ile
      165          170          175
Asp Lys Phe Arg Gly Val Glu Phe Val Cys Cys Pro Leu Ala Glu Glu
      180          185          190
Ser Asp Asn Val Asp Ser Ala Asp Ala Glu Glu Asp Asp Ser Asp Val
      195          200          205
Trp Trp Gly Gly Ala Asp Thr Asp Tyr Ala Asp Gly Ser Glu Asp Lys
      210          215          220
Val Val Glu Val Ala Glu Glu Glu Val Ala Glu Val Glu Glu Glu
      225          230          235          240
Glu Ala Asp Asp Asp Glu Asp Asp Glu Asp Gly Asp Glu Val Glu Glu
      245          250          255
Glu Ala Glu Glu Pro Tyr Glu Glu Ala Thr Glu Arg Thr Thr Ser Ile
      260          265          270
Ala Thr Thr Thr Thr Thr Thr Thr Glu Ser Val Glu Glu Val Val Arg
      275          280          285
Val Pro Thr Thr Ala Ala Ser Thr Pro Asp Ala Val Asp Lys Tyr Leu
      290          295          300
Glu Thr Pro Gly Asp Glu Asn Glu His Ala His Phe Gln Lys Ala Lys
      305          310          315          320
Glu Arg Leu Glu Ala Lys His Arg Glu Arg Met Ser Gln Val Met Arg
      325          330          335
Glu Trp Glu Glu Ala Glu Arg Gln Ala Lys Asn Leu Pro Lys Ala Asp
      340          345          350

```

```

Lys Lys Ala Val Ile Gln His Phe Gln Glu Lys Val Glu Ser Leu Glu
    355          360          365
Gln Glu Ala Ala Asn Glu Arg Gln Gln Leu Val Glu Thr His Met Ala
    370          375          380
Arg Val Glu Ala Met Leu Asn Asp Arg Arg Arg Leu Ala Leu Glu Asn
    385          390          395          400
Tyr Ile Thr Ala Leu Gln Ala Val Pro Pro Arg Pro Arg His Val Phe
    405          410          415
Asn Met Leu Lys Lys Tyr Val Arg Ala Glu Gln Lys Asp Arg Gln His
    420          425          430
Thr Leu Lys His Phe Glu His Val Arg Met Val Asp Pro Lys Lys Ala
    435          440          445
Ala Gln Ile Arg Ser Gln Val Met Thr His Leu Arg Val Ile Tyr Glu
    450          455          460
Arg Met Asn Gln Ser Leu Ser Leu Leu Tyr Asn Val Pro Ala Val Ala
    465          470          475          480
Glu Glu Ile Gln Asp Glu Val Asp Glu Leu Leu Gln Lys Glu Gln Asn
    485          490          495
Tyr Ser Asp Asp Val Leu Ala Asn Met Ile Ser Glu Pro Arg Ile Ser
    500          505          510
Tyr Gly Asn Asp Ala Leu Met Pro Ser Leu Thr Glu Thr Lys Thr Thr
    515          520          525
Val Glu Leu Leu Pro Val Asn Gly Glu Phe Ser Leu Asp Asp Leu Gln
    530          535          540
Pro Trp His Ser Phe Gly Ala Asp Ser Val Pro Ala Asn Thr Glu Asn
    545          550          555          560
Glu Val Glu Pro Val Asp Ala Arg Pro Ala Ala Asp Arg Gly Leu Thr
    565          570          575
Thr Arg Pro Gly Ser Gly Leu Thr Asn Ile Lys Thr Glu Glu Ile Ser
    580          585          590
Glu Val Asn Leu Asp Ala Glu Phe Arg His Asp Ser Gly Tyr Glu Val
    595          600          605
His His Gln Val Leu Val Phe Phe Ala Glu Asp Val Gly Ser Asn Lys
    610          615          620
Gly Ala Ile Ile Gly Leu Met Val Gly Gly Val Val Ile Ala Thr Val
    625          630          635          640
Ile Val Ile Thr Leu Val Met Leu Lys Lys Lys Leu Gly Thr Glu
    645          650          655
Leu Gly Ser Thr Ser Pro Val Trp Trp Asn Ser Ala Asp Ile Leu Glu
    660          665          670
Pro Val Asp Pro Arg Leu Glu Pro Trp Lys His Pro Gly Ser Gln Pro
    675          680          685
Lys Thr Ala Cys Thr Asn Cys Tyr Cys Lys Lys Cys Cys Phe His Cys
    690          695          700
Gln Val Cys Phe Met Thr Lys Ala Leu Gly Ile Ser Tyr Gly Arg Lys
    705          710          715          720
Lys Arg Arg Gln Arg Arg Ala His Gln Asn Ser Gln Thr His Gln
    725          730          735
Ala Ser Leu Ser Lys Gln Arg Ile Ser Ser Thr Val Ala Ala Ala Asp
    740          745          750
Ala Ala Val Thr Pro Glu Glu Arg His Leu Ser Lys Met Gln Gln Asn
    755          760          765
Gly Tyr Glu Asn Pro Thr Tyr Lys Phe Phe Glu Gln Met Gln Asn
    770          775          780

```

```

<210> 3
<211> 2352
<212> DNA
<213> fusion protein - human

<400> 3

```

```

atgctgcccc gtttggcact gctcctgctg gccgcctgga cggctcgggc gctggaggta 60
cccactgatg gtaatgctgg cctgctggct gaaccccaga ttgccatgtt ctgtggcaga 120
ctgaacatgc acatgaatgt ccagaatggg aagtgggatt cagatccatc agggaccaa 180
acctgcattg ataccaagga aggcacacct cagtattgcc aagaagtcta ccctgaactg 240
cagatcacca atgtggtaga agccaaccaa ccagtacca tccagaactg gtgcaagcgg 300
ggccgcaagc agtgcaagac ccatccccc tttgtgattc cctaccgctg cttagtgtgg 360
gagtttataa gtgatgccct tctcgttcct gacaagtgca aattcttaca ccaggagagg 420
atggatgttt gcgaaactca tcttctactg cacaccgtcg ccaaagagac atgcagttag 480
aagagtacca acttgcata ctacggcatg ttgctgccct gcggaattga caagttccga 540
ggggtagagt ttgtgtgttg cccactggct gaagaaagtg acaatgtgga ttctgctgat 600
gcggaggagg atgactcgga tgtctggttg ggccggagcag acacagacta tgcagatggg 660
agtgaagaca aagtagtaga agtagcagag gaggaagaag tggctgaggt ggaagaagaa 720
gaagccgatg atgacgagga cgatgaggat ggtgatgagg tagaggaaga ggctgaggaa 780
ccctacgaag atgcaacaga gagaaccacc agcattgcca ccaccaccac caccaccaca 840
gagttctgtg aagaggtggt tgcagttcct acaacagcag ccagtacccc tgatgccgtt 900
gacaagtatc tcgagacacc tggggatgag aatgaacatg cccattttcca gaaagccaaa 960
gagaggcttg aggcacaagc cagagagaga atgtcccagg tcatgagaga atgggaagag 1020
gcagacgagc aagcaagaa cttgcctaaa aggcagttat ccagcatttc 1080
caggagaaag tggaaatctt ggaacaggaa gcagccaacg agagacagca gctggtggag 1140
acacacatgg ccagagtgga agccatgctc aatgaccgcc gccgcctggc cctggagaac 1200
tacatcaccc ctctgcaggc tgttctctct cggcctcgct acgtgttcaa tatgctaaag 1260
aagtatgtcc gcgcagaaca gaaggacaga cagcacacc taaagcattt cgagcatgtg 1320
cgcatggttg atcccaagaa agccgctcag atccggtccc aggttatgac acacctccgt 1380
gtgatttatg agcgcatgaa tcagtctctc tccctgctct acaacgtgcc tgcagtggcc 1440
gaggagattc aggatgaagt tgatgagctg cttcagaaag agcaaaacta ttcagatgac 1500
tctttggcca acatgattg tgaaccaagg atcagttacg gaaacgatgc tctcatgcca 1560
gttttgaccg aaacgaaaac caccgtggag ctccttcccg tgaatggaga gttcagcctg 1620
gacgatctcc agccgtggca tctttttggg gctgactctg tgccagccaa cacagaaaac 1680
gaagttgagc ctggttgatg ccgccctgct gccgaccgag gactgaccac tcgaccaggt 1740
tctgggttga caaatatcaa gacggaggag atctctgaag tgaagatgga tgcagaattc 1800
cgacatgact caggatatga agttcatcat caagtattgg tgttctttgc agaagatgtg 1860
ggttcaaaca aaggtgcaat cattggactc atggtgggcg gtgttgtcat agcgacagtg 1920
atcgctatca ctttgggtat gctgaagaag aaaaagcttg gtaccgagct cggatccact 1980
agtccagtgt ggtggaattc tgcagatata ctggagccag tagatcctag actagagccc 2040
tggaagcacc caggaagtca gcctaaaact gcttgtagca attgctattg taaaagtggt 2100
tgctttcatt gccaaagtgt tttcatgaca aaagccttag gcatctccta tggcaggaag 2160
aagcggagac agcgacgaag agctcatcag aacagtcaga ctcataaagc ttctctatca 2220
aagcagagga tatccagcac agtggcggcc gcagacgccg ctgtcacccc agaggagcgc 2280
cacctgtcca agatgcagca gaacggctac gaaaatccaa cctacaagtt ctttgagcag 2340
atgcagaact ag                                     2352

```

<210> 4

<211> 783

<212> PRT

<213> fusion protein - human

<400> 4

```

Met Leu Pro Gly Leu Ala Leu Leu Leu Leu Ala Ala Trp Thr Ala Arg
 1          5          10          15
Ala Leu Glu Val Pro Thr Asp Gly Asn Ala Gly Leu Leu Ala Glu Pro
 20          25          30
Gln Ile Ala Met Phe Cys Gly Arg Leu Asn Met His Met Asn Val Gln
 35          40          45
Asn Gly Lys Trp Asp Ser Asp Pro Ser Gly Thr Lys Thr Cys Ile Asp
 50          55          60
Thr Lys Glu Gly Ile Leu Gln Tyr Cys Gln Glu Val Tyr Pro Glu Leu
 65          70          75          80
Gln Ile Thr Asn Val Val Glu Ala Asn Gln Pro Val Thr Ile Gln Asn
 85          90          95
Trp Cys Lys Arg Gly Arg Lys Gln Cys Lys Thr His Pro His Phe Val
100          105          110
Ile Pro Tyr Arg Cys Leu Val Gly Glu Phe Ile Ser Asp Ala Leu Leu

```

			115					120					125				
Val	Pro	Asp	Lys	Cys	Lys	Phe	Leu	His	Gln	Glu	Arg	Met	Asp	Val	Cys		
	130					135					140						
Glu	Thr	His	Leu	His	Trp	His	Thr	Val	Ala	Lys	Glu	Thr	Cys	Ser	Glu		
145					150					155					160		
Lys	Ser	Thr	Asn	Leu	His	Asp	Tyr	Gly	Met	Leu	Leu	Pro	Cys	Gly	Ile		
			165						170					175			
Asp	Lys	Phe	Arg	Gly	Val	Glu	Phe	Val	Cys	Cys	Pro	Leu	Ala	Glu	Glu		
			180					185					190				
Ser	Asp	Asn	Val	Asp	Ser	Ala	Asp	Ala	Glu	Glu	Asp	Asp	Ser	Asp	Val		
		195					200					205					
Trp	Trp	Gly	Gly	Ala	Asp	Thr	Asp	Tyr	Ala	Asp	Gly	Ser	Glu	Asp	Lys		
	210					215					220						
Val	Val	Glu	Val	Ala	Glu	Glu	Glu	Glu	Val	Ala	Glu	Val	Glu	Glu	Glu		
225					230					235					240		
Glu	Ala	Asp	Asp	Asp	Glu	Asp	Asp	Glu	Asp	Gly	Asp	Glu	Val	Glu	Glu		
				245					250					255			
Glu	Ala	Glu	Glu	Pro	Tyr	Glu	Glu	Ala	Thr	Glu	Arg	Thr	Thr	Ser	Ile		
			260					265				270					
Ala	Thr	Thr	Thr	Thr	Thr	Thr	Thr	Glu	Ser	Val	Glu	Glu	Val	Val	Arg		
		275					280					285					
Val	Pro	Thr	Thr	Ala	Ala	Ser	Thr	Pro	Asp	Ala	Val	Asp	Lys	Tyr	Leu		
	290					295					300						
Glu	Thr	Pro	Gly	Asp	Glu	Asn	Glu	His	Ala	His	Phe	Gln	Lys	Ala	Lys		
305					310					315					320		
Glu	Arg	Leu	Glu	Ala	Lys	His	Arg	Glu	Arg	Met	Ser	Gln	Val	Met	Arg		
				325					330					335			
Glu	Trp	Glu	Glu	Ala	Glu	Arg	Gln	Ala	Lys	Asn	Leu	Pro	Lys	Ala	Asp		
			340					345					350				
Lys	Lys	Ala	Val	Ile	Gln	His	Phe	Gln	Glu	Lys	Val	Glu	Ser	Leu	Glu		
		355					360					365					
Gln	Glu	Ala	Ala	Asn	Glu	Arg	Gln	Gln	Leu	Val	Glu	Thr	His	Met	Ala		
	370					375					380						
Arg	Val	Glu	Ala	Met	Leu	Asn	Asp	Arg	Arg	Arg	Leu	Ala	Leu	Glu	Asn		
385					390				395					400			
Tyr	Ile	Thr	Ala	Leu	Gln	Ala	Val	Pro	Pro	Arg	Pro	Arg	His	Val	Phe		
			405						410					415			
Asn	Met	Leu	Lys	Lys	Tyr	Val	Arg	Ala	Glu	Gln	Lys	Asp	Arg	Gln	His		
			420					425					430				
Thr	Leu	Lys	His	Phe	Glu	His	Val	Arg	Met	Val	Asp	Pro	Lys	Lys	Ala		
		435					440					445					
Ala	Gln	Ile	Arg	Ser	Gln	Val	Met	Thr	His	Leu	Arg	Val	Ile	Tyr	Glu		
	450					455					460						
Arg	Met	Asn	Gln	Ser	Leu	Ser	Leu	Leu	Tyr	Asn	Val	Pro	Ala	Val	Ala		
465					470												

610		615		620
Gly Ala Ile Ile Gly Leu Met Val Gly Gly Val Val Ile Ala Thr Val				
625		630		635
Ile Val Ile Thr Leu Val Met Leu Lys Lys Lys Leu Gly Thr Glu				
	645		650	655
Leu Gly Ser Thr Ser Pro Val Trp Trp Asn Ser Ala Asp Ile Leu Glu				
	660		665	670
Pro Val Asp Pro Arg Leu Glu Pro Trp Lys His Pro Gly Ser Gln Pro				
	675		680	685
Lys Thr Ala Cys Thr Asn Cys Tyr Cys Lys Lys Cys Cys Phe His Cys				
	690		695	700
Gln Val Cys Phe Met Thr Lys Ala Leu Gly Ile Ser Tyr Gly Arg Lys				
	705		710	715
Lys Arg Arg Gln Arg Arg Ala His Gln Asn Ser Gln Thr His Gln				
	725		730	735
Ala Ser Leu Ser Lys Gln Arg Ile Ser Ser Thr Val Ala Ala Ala Asp				
	740		745	750
Ala Ala Val Thr Pro Glu Glu Arg His Leu Ser Lys Met Gln Gln Asn				
	755		760	765
Gly Tyr Glu Asn Pro Thr Tyr Lys Phe Phe Glu Gln Met Gln Asn				
	770		775	780

<210> 5

<211> 2823

<212> DNA

<213> fusion protein - human

<400> 5

atgctgcccg	gtttggcact	gctcctgctg	gccgcctgga	cggctcgggc	gctggaggtg	60
cccactgatg	gtaatgctgg	cctgctggct	gaaccccaga	ttgccatggt	ctgtggcaga	120
ctgaacatgc	acatgaatgt	ccagaatggg	aagtgggatt	cagatccatc	agggaccaa	180
acctgcattg	ataccaagga	aggcatcctg	cagtattgcc	aagaagtcta	ccctgaactg	240
cagatcacca	atgtggtaga	agccaaccaa	ccagtgaacca	tccagaactg	gtgcaagcgg	300
ggccgcaagc	agtgcgaagc	ccatcccac	tttgtgattc	cctaccgctg	cttagttggt	360
gagtttataa	gtgatgccct	tctcgttcc	gacaagtgc	aattcttaca	ccaggagagg	420
atggatgttt	gcgaaactca	tcttactcgg	cacaccgctg	ccaaagagac	atgcagtggg	480
aagagtacca	acttgcacga	ctacggcatg	ttgtgcacct	gcggaattga	caagttccga	540
ggggtagagt	ttgtgtgttg	cccactggct	gaagaaagtg	acaatgtgga	ttctgctgat	600
ggcgaggagg	atgactcgga	tgtctggtgg	ggcgaggcag	acacagacta	tgcagatggg	660
agtgaagaca	aagtagtaga	agtagcagag	gaggaagaag	tggctgaggt	ggaagaagaa	720
gaagccgatg	atgacgagga	cgatgaggat	ggatgatgag	tagaggaaga	ggctgaggaa	780
ccctacgaag	aagcacaaga	gagaaccacc	agcattgcca	ccaccaccac	caccaccaca	840
gagttctgtg	aagaggtggt	tgcagttcct	acaacagcag	ccagtacccc	tgatgccgtt	900
gacaagtatc	tcgagacacc	tggggatgag	aatgaacatg	cccatttcca	gaaagccaaa	960
gagaggtctg	aggccaagca	ccgagagaga	atgtcccagg	tcatgagaga	atgggaagag	1020
gcagaacgtc	aagcaaaaga	cttgccataa	gctgataaga	aggcagttat	ccagcatttc	1080
caggagaaaag	tggaaatctt	ggaacaggaa	gcagccaacg	agagacagca	gctggtggag	1140
acacacatgg	ccagagtggg	agccatgctc	aatgaccgcc	gccgcctggc	cctggagaac	1200
tacatcaccg	ctctgcaggc	tgttcctcct	cggcctcgtc	acgtgttcaa	tatgctaaag	1260
aagtatgtcc	gcgcaagaac	gaaggacaga	cagcacacc	taaagcattt	cgagcatgtg	1320
cgcattggtg	atcccaagaa	agccgctcag	atccggtccc	aggttatgac	acacctccgt	1380
gtgatttatg	agcgcacgaa	tcagtctctc	tccctgctct	acaacgtgcc	tgcagtggcc	1440
gaggagattc	aggatgaagt	tgatgagctg	cttcagaaaag	agcaaaacta	ttcagatgac	1500
gtcttggcca	acatgattag	tgaaccaagg	atcagttacg	gaaacgatgc	tctcatgcca	1560
ttcttgaccg	aaacgaaaac	caccgtggag	ctccttcccg	tgaatggaga	gttcagcctg	1620
gacgatctcc	agccgtggca	ttcttttggg	gctgactctg	tgccagccaa	cacagaaaac	1680
gaagttgagc	ctgttgatgc	ccgccttgct	gccgaccgag	gactgaccac	tcgaccaggt	1740
tctgggttga	caaatatcaa	gacggaggag	atctctgaag	tgaatctaga	tcgagaattc	1800
cgacatgact	caggatatga	agttcatcat	caagtattgg	tggtctttgc	agaagatgtg	1860
ggttcaaaca	aaggtgcaat	cattggactc	atggtgggag	gtgttgatcat	agcgacagtg	1920
atcgtcatca	ccttggtgat	gctgaagaag	aaaaagcttg	gtaccgagct	cggatccact	1980


```

agtccagtgt ggtggaattc tgcagatata aagctactgt cttctatcga acaagcatgc 2040
gatattttgcc gacttaaaaa gctcaagtgc tccaaagaaa aaccgaagtgc cgccaagtgt 2100
ctgaagaaca actgggagtg tgcgtactct cccaaaacca aaaggtctcc gctgactagg 2160
gcacatctga cagaagtggg atcaaggcta gaaagactgg aacagctatt tctactgatt 2220
tttctcgag aagaccttga catgattttg aaaatggatt ctttacagga tataaaagca 2280
ttgttaacag gattattttgt acaagataat gtgaataaag atgccgtcac agatagattg 2340
gcttcagtgg agactgatat gcttctaaca ttgagacagc atagaataag tgcgacatca 2400
tcatcggaag agagtagtaa caaagggtcaa agacagttga ctgtatcggg aattcccggg 2460
gatctggccc ccccgaccga tgtcagcctg ggggacgagc tccacttaga cggcgaggac 2520
gtggcgatgg cgcgatgccga cgcgctagac gatttcgac tggacatggt gggggacggg 2580
gattccccgg gtccgggatt taccctccac gactccgccc cctacggcgc tctggatatg 2640
gccgacttcg agtttgagca gatgtttacc gatgcccttg gaattgacga gtacgggtggg 2700
gatatccagc acagtggcgg ccgcgacgcc gctgtcacc cagaggagcg ccacctgtcc 2760
aagatgcagc agaacgggta cgaaaatcca acctacaagt tctttgagca gatgcagaac 2820
tag

```

<210> 6

<211> 941

<212> PRT

<213> fusion protein - human

<400> 6

```

Met Leu Pro Gly Leu Ala Leu Leu Leu Leu Ala Ala Trp Thr Ala Arg
 1          5          10          15
Ala Leu Glu Val Pro Thr Asp Gly Asn Ala Gly Leu Leu Ala Glu Pro
 20          25          30
Gln Ile Ala Met Phe Cys Gly Arg Leu Asn Met His Met Asn Val Gln
 35          40          45
Asn Gly Lys Trp Asp Ser Asp Pro Ser Gly Thr Lys Thr Cys Ile Asp
 50          55          60
Thr Lys Glu Gly Ile Leu Gln Tyr Cys Gln Glu Val Tyr Pro Glu Leu
 65          70          75          80
Gln Ile Thr Asn Val Val Glu Ala Asn Gln Pro Val Thr Ile Gln Asn
 85          90          95
Trp Cys Lys Arg Gly Arg Lys Gln Cys Lys Thr His Pro His Phe Val
100          105          110
Ile Pro Tyr Arg Cys Leu Val Gly Glu Phe Ile Ser Asp Ala Leu Leu
115          120          125
Val Pro Asp Lys Cys Lys Phe Leu His Gln Glu Arg Met Asp Val Cys
130          135          140
Glu Thr His Leu His Trp His Thr Val Ala Lys Glu Thr Cys Ser Glu
145          150          155          160
Lys Ser Thr Asn Leu His Asp Tyr Gly Met Leu Leu Pro Cys Gly Ile
165          170          175
Asp Lys Phe Arg Gly Val Glu Phe Val Cys Cys Pro Leu Ala Glu Glu
180          185          190
Ser Asp Asn Val Asp Ser Ala Asp Ala Glu Glu Asp Asp Ser Asp Val
195          200          205
Trp Trp Gly Gly Ala Asp Thr Asp Tyr Ala Asp Gly Ser Glu Asp Lys
210          215          220
Val Val Glu Val Ala Glu Glu Glu Val Ala Glu Val Glu Glu Glu
225          230          235          240
Glu Ala Asp Asp Asp Glu Asp Asp Glu Asp Gly Asp Glu Val Glu Glu
245          250          255
Glu Ala Glu Glu Pro Tyr Glu Glu Ala Thr Glu Arg Thr Thr Ser Ile
260          265          270
Ala Thr Thr Thr Thr Thr Thr Thr Glu Ser Val Glu Glu Val Val Arg
275          280          285
Val Pro Thr Thr Ala Ala Ser Thr Pro Asp Ala Val Asp Lys Tyr Leu
290          295          300
Glu Thr Pro Gly Asp Glu Asn Glu His Ala His Phe Gln Lys Ala Lys
305          310          315          320

```

Glu	Arg	Leu	Glu	Ala	Lys	His	Arg	Glu	Arg	Met	Ser	Gln	Val	Met	Arg
				325					330					335	
Glu	Trp	Glu	Glu	Ala	Glu	Arg	Gln	Ala	Lys	Asn	Leu	Pro	Lys	Ala	Asp
				340				345					350		
Lys	Lys	Ala	Val	Ile	Gln	His	Phe	Gln	Glu	Lys	Val	Glu	Ser	Leu	Glu
		355					360					365			
Gln	Glu	Ala	Ala	Asn	Glu	Arg	Gln	Gln	Leu	Val	Glu	Thr	His	Met	Ala
		370				375					380				
Arg	Val	Glu	Ala	Met	Leu	Asn	Asp	Arg	Arg	Arg	Leu	Ala	Leu	Glu	Asn
385					390					395					400
Tyr	Ile	Thr	Ala	Leu	Gln	Ala	Val	Pro	Pro	Arg	Pro	Arg	His	Val	Phe
				405					410					415	
Asn	Met	Leu	Lys	Lys	Tyr	Val	Arg	Ala	Glu	Gln	Lys	Asp	Arg	Gln	His
			420					425					430		
Thr	Leu	Lys	His	Phe	Glu	His	Val	Arg	Met	Val	Asp	Pro	Lys	Lys	Ala
		435					440					445			
Ala	Gln	Ile	Arg	Ser	Gln	Val	Met	Thr	His	Leu	Arg	Val	Ile	Tyr	Glu
		450				455					460				
Arg	Met	Asn	Gln	Ser	Leu	Ser	Leu	Leu	Tyr	Asn	Val	Pro	Ala	Val	Ala
465					470					475					480
Glu	Glu	Ile	Gln	Asp	Glu	Val	Asp	Glu	Leu	Leu	Gln	Lys	Glu	Gln	Asn
				485					490					495	
Tyr	Ser	Asp	Asp	Val	Leu	Ala	Asn	Met	Ile	Ser	Glu	Pro	Arg	Ile	Ser
			500					505					510		
Tyr	Gly	Asn	Asp	Ala	Leu	Met	Pro	Ser	Leu	Thr	Glu	Thr	Lys	Thr	Thr
		515					520					525			
Val	Glu	Leu	Leu	Pro	Val	Asn	Gly	Glu	Phe	Ser	Leu	Asp	Asp	Leu	Gln
		530				535					540				
Pro	Trp	His	Ser	Phe	Gly	Ala	Asp	Ser	Val	Pro	Ala	Asn	Thr	Glu	Asn
545					550					555					560
Glu	Val	Glu	Pro	Val	Asp	Ala	Arg	Pro	Ala	Ala	Asp	Arg	Gly	Leu	Thr
				565					570					575	
Thr	Arg	Pro	Gly	Ser	Gly	Leu	Thr	Asn	Ile	Lys	Thr	Glu	Glu	Ile	Ser
			580					585					590		
Glu	Val	Asn	Leu	Asp	Ala	Glu	Phe	Arg	His	Asp	Ser	Gly	Tyr	Glu	Val
		595					600					605			
His	His	Gln	Val	Leu	Val	Phe	Phe	Ala	Glu	Asp	Val	Gly	Ser	Asn	Lys
		610				615					620				
Gly	Ala	Ile	Ile	Gly	Leu	Met	Val	Gly	Gly	Val	Val	Ile	Ala	Thr	Val
625					630					635					640
Ile	Val	Ile	Thr	Leu	Val	Met	Leu	Lys	Lys	Lys	Lys	Leu	Gly	Thr	Glu
				645					650					655	
Leu	Gly	Ser	Thr	Ser	Pro	Val	Trp	Trp	Asn	Ser	Ala	Asp	Ile	Lys	Leu
			660					665					670		
Leu	Ser	Ser	Ile	Glu	Gln	Ala	Cys	Asp	Ile	Cys	Arg	Leu	Lys	Lys	Leu
		675					680					685			
Lys	Cys	Ser	Lys	Glu	Lys	Pro	Lys	Cys	Ala	Lys	Cys	Leu	Lys	Asn	Asn
		690				695					700				
Trp	Glu	Cys	Arg	Tyr	Ser	Pro	Lys	Thr	Lys	Arg	Ser	Pro	Leu	Thr	Arg
705					710					715					720
Ala	His	Leu	Thr	Glu	Val	Glu	Ser	Arg	Leu	Glu	Arg	Leu	Glu	Gln	Leu
				725					730					735	
Phe	Leu	Leu	Ile	Phe	Pro	Arg	Glu	Asp	Leu	Asp	Met	Ile	Leu	Lys	Met
			740					745					750		
Asp	Ser	Leu	Gln	Asp	Ile	Lys	Ala	Leu	Leu	Thr	Gly	Leu	Phe	Val	Gln
		755					760					765			
Asp	Asn	Val	Asn	Lys	Asp	Ala	Val	Thr	Asp	Arg	Leu	Ala	Ser	Val	Glu
		770				775					780				
Thr	Asp	Met	Pro	Leu	Thr	Leu	Arg	Gln	His	Arg	Ile	Ser	Ala	Thr	Ser
785					790					795					800
Ser	Ser	Glu	Glu	Ser	Ser	Asn	Lys	Gly	Gln	Arg	Gln	Leu	Thr	Val	Ser
				805					810					815	

WO 03/072041

PCT/US03/05458
PCT/US03/05458

Gly Ile Pro	Gly Asp Leu Ala ¹ Pro	Pro Thr Asp	Val Ser Leu Gly Asp
	820	825	830
Glu Leu His	Leu Asp Gly Glu Asp	Val Ala Met	Ala His Ala Asp Ala
	835	840	845
Leu Asp Asp	Phe Asp Leu Asp	Met Leu Gly Asp	Gly Asp Ser Pro Gly
	850	855	860
Pro Gly Phe	Thr Pro His Asp	Ser Ala Pro Tyr	Gly Ala Leu Asp Met
	865	870	875
Ala Asp Phe	Glu Phe Glu Gln Met	Phe Thr Asp	Ala Leu Gly Ile Asp
	885	890	895
Glu Tyr Gly	Gly Asp Ile Gln His	Ser Gly Ala	Ala Ala Asp Ala Ala
	900	905	910
Val Thr Pro	Glu Glu Arg His	Leu Ser Lys Met	Gln Gln Asn Gly Tyr
	915	920	925
Glu Asn Pro	Thr Tyr Lys Phe	Phe Glu Gln Met	Gln Asn
	930	935	940

<210> 7
 <211> 2823
 <212> DNA
 <213> fusion protein - human

<400> 7
 atgctgcccc gtttggcact gtcctgctg gccgcctgga cggctcgggc gctggaggta 60
 cccactgatg gtaatgctgg cctgctggct gaacccaga ttgccatgtt ctgtggcaga 120
 ctggaacatgc acatgaatgt ccagaatggg aagtgggatt cagatccatc agggaccaaa 180
 acctgcattg ataccaagga aggcattcctg cagtattgcc aagaagtcta ccctgaactg 240
 cagatcacca atgtggtaga agccaaccaa ccagtgacca tccagaactg gtgcaagcgg 300
 ggccgcaagc agtgcaagac ccatcccccac tttgtgattc cctaccgctg cttagtgtgt 360
 gagtttataa gtgatgccct tctcgttcct gacaagtgca aattcttaca ccaggagagg 420
 atggatgttt gcgaaactca tcttcaactgg cacaccgtcg ccaaagagac atgcagttag 480
 aagagtacca acttgcattga ctacggcatg ttgctgccct gcggaattga caagttccga 540
 ggggtagagt ttgtgtgttg cccactggct gaagaaagtg acaatgtgga ttctgtctgt 600
 gggtagaggat atgactcgga tgtctgtgtg ggcggagcag acacagacta tgcagatggg 660
 agtgaagaca aagtagtaga agtagcagag gaggaagaag tggctgaggt ggaagaagaa 720
 gaagccgatg atgacgagga cgatgaggat ggtgatgagg tagaggaaga ggctgaggaa 780
 ccctacgaag aagccacaga gagaaccacc agcattgcca ccaccaccac caccaccaca 840
 gagtctgtgg aagaggtgtg tcgagttcct acaacagcag ccagtacccc tgatgccgtt 900
 gacaagtatc tcgagacacc tggggatgag aatgaacatg cccatttcca gaaagccaaa 960
 gagaggcttg aggccaagca ccgagagaga atgtcccagg tcatgagaga atgggaagag 1020
 gcagaacgtc aagcaaagaa cttgcctaaa gctgataaga aggcagttat ccagcatttc 1080
 caggagaaag tggaatcctt ggaacaggaa gcagccaacg agagacagca gctgggtggag 1140
 acacacatgg ccagagtggg agccatgtct aatgaccgcc gccgcctggc cctggagaa 1200
 tacatcaccg ctctgcaggc tgttctctct cggcctcgtc acgtgttcaa tatgctaaag 1260
 aagtatgtcc gcgcagaaca gaaggacaga cagcacaccc taaagcattt cgagcatgtg 1320
 cgcattgggtg atcccaagaa agccgctcag atccggtccc aggttatgac acacctccgt 1380
 gtgatttatg agcgcattga tcagtctctc tccctgctct acaacgtgcc tgcagtggcc 1440
 gaggagattc aggatgaagt tgatgagctg cttcagaaag agcaaaacta ttcagatgac 1500
 gtcttgccca acatgattag tgaaccaagg atcagttacg gaaacgatgc tctcatgcca 1560
 tctttgaccg aaacgaaaac caccgtggag ctcttcccg tgaatggaga gttcagcctg 1620
 gacgatctcc agccgtggca ttcttttggg gctgactctg tgccagccaa cacagaaaac 1680
 gaagttgagc ctgttgatgc ccgcccgtg gccgaccgag gactgaccac tcgaccaggt 1740
 tctgggttga caaatatcaa gacggaggag atctctgaag tgaagatgga tgcagaattc 1800
 cgacatgact caggatatga agttcatcat caagtattgg tgttctttgc agaagatgtg 1860
 ggttcaaaaca aaggtgcaat cattggactc atgggtggcg gtgttgtcat agcgacagt 1920
 atcgtcatca ctttggtgat gctgaagaag aaaaagcttg gtaccgagct cggatccact 1980
 agtccagtgt ggtggaattc tgcagatata aagctactgt cttctatcga acaagcatgc 2040
 gatatttgcc gacttaaaaa gctcaagtgc tccaaagaaa aaccgaagtg cgccaagtgt 2100
 ctgaagaaca actgggagtg tcgctactct cccaaaacca aaaggtctcc gctgactagg 2160
 gcacatctga cagaagtgga atcaaggcta gaaagactgg aacagctatt tctactgatt 2220
 tttcctcgag aagaccttga catgatattg aaaatggatt ctttacagga tataaaagca 2280

WO 03/072041

PCT/US03/05458
PCT/US03/05458

```

ttgtaacag gattatttgt acaagataat gtgaataaag atgccgtcac agatagattg 2340
gcttcagtgg agactgatat gcctctaaca ttgagacagc atagaataag tgcgacatca 2400
tcacggaag agagtagtaa caaaggtcaa agacagttga ctgtatcggg aattcccggg 2460
gatctggccc ccccgaccga tgtcagcctg ggggacgagc tccacttaga cggcgaggac 2520
gtggcgatgg cgcacgccga cgcgctagac gatttcgac tggacatgtt gggggacggg 2580
gattccccgg gtccgggatt tccccccac gactccgccc cctacggcgc tctggatatg 2640
gccgacttcg agtttgagca gatgtttacc gatgcccttg gaattgacga gtacgggtggg 2700
gatatccagc acagtggcgg ccgcgacgcc gctgtcacc cagaggagcg ccacctgtcc 2760
aagatgcagc agaacggcta cgaaaatcca acctacaagt tctttgagca gatgcagaac 2820
tag

```

<210> 8

<211> 941

<212> PRT

<213> fusion protein - human

<400> 8

```

Met Leu Pro Gly Leu Ala Leu Leu Leu Ala Ala Trp Thr Ala Arg
1      5      10      15
Ala Leu Glu Val Pro Thr Asp Gly Asn Ala Gly Leu Leu Ala Glu Pro
20     25     30
Gln Ile Ala Met Phe Cys Gly Arg Leu Asn Met His Met Asn Val Gln
35     40     45
Asn Gly Lys Trp Asp Ser Asp Pro Ser Gly Thr Lys Thr Cys Ile Asp
50     55     60
Thr Lys Glu Gly Ile Leu Gln Tyr Cys Gln Glu Val Tyr Pro Glu Leu
65     70     75     80
Gln Ile Thr Asn Val Val Glu Ala Asn Gln Pro Val Thr Ile Gln Asn
85     90     95
Trp Cys Lys Arg Gly Arg Lys Gln Cys Lys Thr His Pro His Phe Val
100    105    110
Ile Pro Tyr Arg Cys Leu Val Gly Glu Phe Ile Ser Asp Ala Leu Leu
115    120    125
Val Pro Asp Lys Cys Lys Phe Leu His Gln Glu Arg Met Asp Val Cys
130    135    140
Glu Thr His Leu His Trp His Thr Val Ala Lys Glu Thr Cys Ser Glu
145    150    155    160
Lys Ser Thr Asn Leu His Asp Tyr Gly Met Leu Leu Pro Cys Gly Ile
165    170    175
Asp Lys Phe Arg Gly Val Glu Phe Val Cys Cys Pro Leu Ala Glu Glu
180    185    190
Ser Asp Asn Val Asp Ser Ala Asp Ala Glu Glu Asp Asp Ser Asp Val
195    200    205
Trp Trp Gly Gly Ala Asp Thr Asp Tyr Ala Asp Gly Ser Glu Asp Lys
210    215    220
Val Val Glu Val Ala Glu Glu Glu Val Ala Glu Val Glu Glu Glu
225    230    235    240
Glu Ala Asp Asp Asp Glu Asp Asp Glu Asp Gly Asp Glu Val Glu Glu
245    250    255
Glu Ala Glu Glu Pro Tyr Glu Glu Ala Thr Glu Arg Thr Thr Ser Ile
260    265    270
Ala Thr Thr Thr Thr Thr Thr Thr Glu Ser Val Glu Glu Val Val Arg
275    280    285
Val Pro Thr Thr Ala Ala Ser Thr Pro Asp Ala Val Asp Lys Tyr Leu
290    295    300
Glu Thr Pro Gly Asp Glu Asn Glu His Ala His Phe Gln Lys Ala Lys
305    310    315    320
Glu Arg Leu Glu Ala Lys His Arg Glu Arg Met Ser Gln Val Met Arg
325    330    335
Glu Trp Glu Glu Ala Glu Arg Gln Ala Lys Asn Leu Pro Lys Ala Asp
340    345    350
Lys Lys Ala Val Ile Gln His Phe Gln Glu Lys Val Glu Ser Leu Glu

```

[illegible]

WO 03/072041

PCT/US03/05458
PCT/US03/05458

850	Pro Gly Phe Thr	855	Pro His Asp Ser Ala Pro Tyr	860	Gly Ala Leu Asp Met
865	Ala Asp Phe Glu	870	Phe Glu Gln Met Phe Thr Asp	875	Ala Leu Gly Ile Asp
		885	Aggcatcctg	890	Ala Ala Asp Ala Ala
		900	Val Thr Pro Glu Glu Arg His Leu Ser Lys Met Gln Gln Asn Gly Tyr	910	
		915	Glu Asn Pro Thr Tyr Lys Phe	920	Glu Gln Met Gln Asn
		930		935	
				940	

<210> 9

<211> 2352

<212> DNA

<213> fusion protein - human

<400> 9

```

atgctgcccg gtttggcact gctcctgctg gccgctgga cggctcgggc gctggaggta 60
cccactgatg gtaatgctgg cctgctggct gaacccaga ttgcatgtt ctgtggcaga 120
ctgaacatgc acatgaatgt ccagaatggg aagtgggatt cagatccatc agggaccaa 180
acctgcattg ataccaagga aggcacctg cagtattgcc aagaagtcta ccctgaactg 240
cagatcacca atgtggtaga agccaaccaa ccagtaccca tccagaactg gtgcaagcgg 300
ggccgcaagc agtgcaagac ccacccccac tttgtgattc cctaccgctg cttagtgtgt 360
gagtttataa gtgatgcctt tctcgttctt gacaagtgca aattcttaca ccaggagagg 420
atggatgttt gcgaaactca tcttcaactg cacaccgtcg ccaaagagac atgcagttag 480
aagagtacca acttgcattg ctacggcatg ttgtgccct gcggaattga caagttccga 540
ggggtagagt ttgtgtgttg cccactggct gaagaaagtg acaatgtgga ttctgctgat 600
gcggaggagg atgactcgga tgtctggtgg gccggagcag acacagacta tgcagatggg 660
agtgaagaca aagtagtaga agtagcagag gaggaagaag tggctgaggt ggaagaagaa 720
gaagccgatg atgacgagga cgatgaggat ggtgatgagg tagaggaaga ggctgaggaa 780
ccctacgaag aagccacaga gagaaccacc agcattgcca ccaccaccac caccaccaca 840
gagtcctgtg aagaggtggt tcgagttcct acaacagcag ccagtacccc tgatgccgtt 900
gacacatggt ccagagtggg agccatgctc atgtgaacatg cccatttcca gaaagccaaa 960
gagaggcttg agccaagca cccagagaga atgtcccagg tcatgagaga atgggaagag 1020
gcagaacgtc aagcaaagaa cttgcctaaa gctgataaga aggcagttat ccagcatttc 1080
caggagaaag tggaaatctt ggaacaggaa gcagccaacg agagacagca gctggtggag 1140
acacacatgg ccagagtggg agccatgctc aatgaccgcc gccgctggc cctggagaga 1200
tacatcaccc ctctgcaggc tgttcctcct cggcctcgtc acgtgttcaa tatgctaaag 1260
aagtatgtcc gcgcagaaca gaaggacaga cagcacaccc taaagcattt cgagcatgtg 1320
cgcatggtgg atcccaagaa agccgctcag atccgggtccc aggttatgac acacctccgt 1380
gtgatttatg agcgcatgaa tcagtctctc tccctgctct acaacgtgcc tgcagtggcc 1440
gaggagattc aggatgaagt tgatgagctg cttcagaaag agcaaaacta ttcagatgac 1500
gtcttgccca acatgattag tgaaccaagg atcagttacg gaaacgatgc tctcatgcca 1560
tctttgaccg aaacgaaaac caccgtggag ctccctcccc tgaatggaga gttcagcctg 1620
gacgatctcc agccgtggca ttcttttggg gctgactctg tgccagccaa cacagaaaaa 1680
gaagttgagc ctggtgatgc ccgccctgct gccgaccgag gactgaccac tcgaccaggt 1740
tctgggttga caaatatcaa gacggaggag atctctgaag tgaatctaga tgcagaattc 1800
cgacatgact caggatatga agttcatcat caaaaattgg tgttctttgc agaagatgtg 1860
ggttcaaaca aaggtgcaat cattggactc atggtgggcg gtgttgtcat agcgacagt 1920
atcgatcatc ccttggtgat gctgaagaag aaaaagcttg gtaccgagct cggatccact 1980
agtccagtgt ggtggaattc tgcagatatc ctggagccag tagatcctag actagagccc 2040
tggaagcatc caggaagtca gcctaaaact gcttgtacca attgctattg taaaaagtg 2100
tgctttcatt gccagtttg tttcatgaca aaagccttag gcatctccta tggcaggaag 2160
aagcggagac agcgacgaag agctcatcag aacagtcaga ctcatcaagc ttctctatca 2220
aagcagagga tatccagcac agtggcggcc gcagacgccg ctgtcaccac agaggagcgc 2280
cacctgtcca agatgcagca gaacggctac gaaaatccaa cctacaagtt ctttgagcag 2340
atgcagaact ag

```

<210> 10

<211> 783

<212> PRT

<213> fusion protein - human

<400> 10

```

Met Leu Pro Gly Leu Ala Leu Leu Leu Ala Ala Trp Thr Ala Arg
 1          5          10          15
Ala Leu Glu Val Pro Thr Asp Gly Asn Ala Gly Leu Leu Ala Glu Pro
          20          25          30
Gln Ile Ala Met Phe Cys Gly Arg Leu Asn Met His Met Asn Val Gln
          35          40          45
Asn Gly Lys Trp Asp Ser Asp Pro Ser Gly Thr Lys Thr Cys Ile Asp
          50          55          60
Thr Lys Glu Gly Ile Leu Gln Tyr Cys Gln Glu Val Tyr Pro Glu Leu
          65          70          75          80
Gln Ile Thr Asn Val Val Glu Ala Asn Gln Pro Val Thr Ile Gln Asn
          85          90          95
Trp Cys Lys Arg Gly Arg Lys Gln Cys Lys Thr His Pro His Phe Val
          100          105          110
Ile Pro Tyr Arg Cys Leu Val Gly Glu Phe Ile Ser Asp Ala Leu Leu
          115          120          125
Val Pro Asp Lys Cys Lys Phe Leu His Gln Glu Arg Met Asp Val Cys
          130          135          140
Glu Thr His Leu His Trp His Thr Val Ala Lys Glu Thr Cys Ser Glu
          145          150          155          160
Lys Ser Thr Asn Leu His Asp Tyr Gly Met Leu Leu Pro Cys Gly Ile
          165          170          175
Asp Lys Phe Arg Gly Val Glu Phe Val Cys Cys Pro Leu Ala Glu Glu
          180          185          190
Ser Asp Asn Val Asp Ser Ala Asp Ala Glu Glu Asp Asp Ser Asp Val
          195          200          205
Trp Trp Gly Gly Ala Asp Thr Asp Tyr Ala Asp Gly Ser Glu Asp Lys
          210          215          220
Val Val Glu Val Ala Glu Glu Glu Val Ala Glu Val Glu Glu Glu
          225          230          235          240
Glu Ala Asp Asp Asp Glu Asp Asp Glu Asp Gly Asp Glu Val Glu Glu
          245          250          255
Glu Ala Glu Glu Pro Tyr Glu Glu Ala Thr Glu Arg Thr Thr Ser Ile
          260          265          270
Ala Thr Thr Thr Thr Thr Thr Thr Glu Ser Val Glu Glu Val Val Arg
          275          280          285
Val Pro Thr Thr Ala Ala Ser Thr Pro Asp Ala Val Asp Lys Tyr Leu
          290          295          300
Glu Thr Pro Gly Asp Glu Asn Glu His Ala His Phe Gln Lys Ala Lys
          305          310          315          320
Glu Arg Leu Glu Ala Lys His Arg Glu Arg Met Ser Gln Val Met Arg
          325          330          335
Glu Trp Glu Glu Ala Glu Arg Gln Ala Lys Asn Leu Pro Lys Ala Asp
          340          345          350
Lys Lys Ala Val Ile Gln His Phe Gln Glu Lys Val Glu Ser Leu Glu
          355          360          365
Gln Glu Ala Ala Asn Glu Arg Gln Gln Leu Val Glu Thr His Met Ala
          370          375          380
Arg Val Glu Ala Met Leu Asn Asp Arg Arg Arg Leu Ala Leu Glu Asn
          385          390          395          400
Tyr Ile Thr Ala Leu Gln Ala Val Pro Pro Arg Pro Arg His Val Phe
          405          410          415
Asn Met Leu Lys Lys Tyr Val Arg Ala Glu Gln Lys Asp Arg Gln His
          420          425          430
Thr Leu Lys His Phe Glu His Val Arg Met Val Asp Pro Lys Lys Ala
          435          440          445
Ala Gln Ile Arg Ser Gln Val Met Thr His Leu Arg Val Ile Tyr Glu
          450          455          460

```

Arg	Met	Asn	Gln	Ser	Leu	Ser	Leu	Leu	Tyr	Asn	Val	Pro	Ala	Val	Ala		
465					470					475						480	
Glu	Glu	Ile	Gln	Asp	Glu	Val	Asp	Glu	Leu	Leu	Gln	Lys	Glu	Gln	Asn		
			485						490						495		
Tyr	Ser	Asp	Asp	Val	Leu	Ala	Asn	Met	Ile	Ser	Glu	Pro	Arg	Ile	Ser		
			500					505					510				
Tyr	Gly	Asn	Asp	Ala	Leu	Met	Pro	Ser	Leu	Thr	Glu	Thr	Lys	Thr	Thr		
		515					520					525					
Val	Glu	Leu	Leu	Pro	Val	Asn	Gly	Glu	Phe	Ser	Leu	Asp	Asp	Leu	Gln		
	530					535					540						
Pro	Trp	His	Ser	Phe	Gly	Ala	Asp	Ser	Val	Pro	Ala	Asn	Thr	Glu	Asn		
545					550					555					560		
Glu	Val	Glu	Pro	Val	Asp	Ala	Arg	Pro	Ala	Ala	Asp	Arg	Gly	Leu	Thr		
			565						570					575			
Thr	Arg	Pro	Gly	Ser	Gly	Leu	Thr	Asn	Ile	Lys	Thr	Glu	Glu	Ile	Ser		
			580					585					590				
Glu	Val	Asn	Leu	Asp	Ala	Glu	Phe	Arg	His	Asp	Ser	Gly	Tyr	Glu	Val		
		595				600						605					
His	His	Gln	Lys	Leu	Val	Phe	Phe	Ala	Glu	Asp	Val	Gly	Ser	Asn	Lys		
	610					615					620						
Gly	Ala	Ile	Ile	Gly	Leu	Met	Val	Gly	Gly	Val	Ile	Ala	Thr	Val			
625					630					635				640			
Ile	Val	Ile	Thr	Leu	Val	Met	Leu	Lys	Lys	Lys	Lys	Leu	Gly	Thr	Glu		
			645					650						655			
Leu	Gly	Ser	Thr	Ser	Pro	Val	Trp	Trp	Asn	Ser	Ala	Asp	Ile	Leu	Glu		
		660						665					670				
Pro	Val	Asp	Pro	Arg	Leu	Glu	Pro	Trp	Lys	His	Pro	Gly	Ser	Gln	Pro		
		675					680					685					
Lys	Thr	Ala	Cys	Thr	Asn	Cys	Tyr	Cys	Lys	Lys	Cys	Cys	Phe	His	Cys		
	690				695						700						
Gln	Val	Cys	Phe	Met	Thr	Lys	Ala	Leu	Gly	Ile	Ser	Tyr	Gly	Arg	Lys		
705					710					715					720		
Lys	Arg	Arg	Gln	Arg	Arg	Ala	His	Gln	Asn	Ser	Gln	Thr	His	Gln			
			725					730						735			
Ala	Ser	Leu	Ser	Lys	Gln	Arg	Ile	Ser	Ser	Thr	Val	Ala	Ala	Ala	Asp		
		740						745					750				
Ala	Ala	Val	Thr	Pro	Glu	Glu	Arg	His	Leu	Ser	Lys	Met	Gln	Gln	Asn		
		755				760						765					
Gly	Tyr	Glu	Asn	Pro	Thr	Tyr	Lys	Phe	Phe	Glu	Gln	Met	Gln	Asn			
	770					775						780					

<210> 11

<211> 2352

<212> DNA

<213> fusion protein - human

<400> 11

```

atgctgcccg gtttggcact gctcctgctg gccgcctgga cggctcgggc gctggaggta 60
cccactgatg gtaatgctgg cctgctggct gaaccccaga ttgccatgtt ctgtggcaga 120
ctgaacatgc acatgaatgt ccagaatggg aagtgggatt cagatccatc agggaccaa 180
acctgcattg ataccaagga aggcattcctg cagtattgcc aagaagtcta ccctgaactg 240
cagatcacca atgtggtaga agccaaccaa ccagtaccca tccagaactg gtgcaagcgg 300
ggccgcaagc agtgcaagac ccatccccac tttgtgattc cctaccgctg cttagttagt 360
gagtttataa gtgatgcctt tctcgttcct gacaagtgc aattcttaca ccaggagagg 420
atggatgttt gcgaaactca tcttcactgg cacaccgtcg ccaaagagac atgcagttag 480
aagagtacca acttgcattg ctacggcatg ttgctgccct gcggaattga caagttccga 540
ggggtagagt ttgtgtgttg cccactggct gaagaaagtg acaatgtgga ttctgctgat 600
gcggaggagg atgactcgga tgtctggtgg ggccggagcag acacagacta tgcagatggg 660
agtgaagaca aagtagtaga agtagcagag gaggaagaag tggctgaggt ggaagaagaa 720
gaagccgatg atgacgagga cgatgaggat ggtgatgagg tagaggaaga ggctgaggaa 780
ccctacgaag aagccacaga gagaaccacc agcattgcca ccaccaccac caccaccaca 840

```



```

gagtctgtgg aagagggtgg tcgagttcct acaacagcag ccagtacccc tgatgccggt 900
gacaagtatc tcgagacacc tggggatgag aatgaacatg cccatttcca gaaagccaaa 960
gagaggcttg aggccaagca ccgagagaga atgtcccagg tcatgagaga atgggaagag 1020
gcagaacgtc aagcaagaa cttgcctaaa gctgataaga aggcagttat ccagcatttc 1080
caggagaaag tggaatcttt ggaacaggaa gcagccaacg agagacagca gctgggtggag 1140
acacacatgg ccagagtggg agccatgctc aatgaccgcc gccgcctggc cctggagaac 1200
tacatcaccg ctctgcaggc tgttcctcct cggcctcgtc acgtgttcaa tatgctaaag 1260
aagtatgtcc gcgcagaaca gaaggacaga cagcacaccc taaagcattt cgagcatgtg 1320
cgcatgggtg atccaagaa agccgctcag atccggtccc aggttatgac acacctccgt 1380
gtgatttatg agcgcatgaa tcagtctctc tccctgctct acaacgtgcc tgcagtggcc 1440
gaggagattc aggatgaagt tgatgagctg cttcagaaag agcaaaacta ttcagatgac 1500
gtcttggtcca acatgattag tgaaccaagg atcagttacg gaaacgatgc tctcatgcca 1560
tctttgaccg aaacgaaaac caccgtggag ctcttcccgc tgaatggaga gttcagcctg 1620
gacgatctcc agcggtggca ttcttttggg gctgactctg tgccagccaa cacagaaaac 1680
gaagttgagc ctgttgatgc ccgcctgct gccgaccgag gactgaccac tgcaccaggt 1740
tctgggttga caaatatcaa gacggaggag atctctgaag tgaagatgga tgcagaattc 1800
cgacatgact caggatatga agttcatcat caaaaattgg tgttctttgc agaagatgtg 1860
ggttcaaaaca agcggtgcaat catttgactc atgggtggcg gtgttgatc agcgacagct 1920
atcgtcatca ccttggtgat gctgaagaag aaaaagcttg gtaccgagct cggatccact 1980
agtccagtgt ggtggaattc tgcagatcct ctggagccag tagatcctag actagagccc 2040
tggaagcatc caggaagtca gcctaaaact gcttgtaacca attgctattg taaaaagtgt 2100
tgctttcatt gccaggtttg tttcatgaca aaagccttag gcattctcta tggcaggaag 2160
aagcggagac agcgacgaag agctcatcag aacagtcaga ctcatcaagc ttctctatca 2220
aagcagagga tatccagcac agtggcggcc gcagacgccg ctgtcacccc agaggagcgc 2280
cacctgtcca agatgcagca gaacggctac gaaaatccaa cctacaagtt ctttgagcag 2340
atgcagaact ag                                     2352

```

<210> 12

<211> 783

<212> PRT

<213> fusion protein - human

<400> 12

```

Met Leu Pro Gly Leu Ala Leu Leu Leu Ala Ala Trp Thr Ala Arg
 1          5          10          15
Ala Leu Glu Val Pro Thr Asp Gly Asn Ala Gly Leu Leu Ala Glu Pro
          20          25          30
Gln Ile Ala Met Phe Cys Gly Arg Leu Asn Met His Met Asn Val Gln
          35          40          45
Asn Gly Lys Trp Asp Ser Asp Pro Ser Gly Thr Lys Thr Cys Ile Asp
          50          55          60
Thr Lys Glu Gly Ile Leu Gln Tyr Cys Gln Glu Val Tyr Pro Glu Leu
          65          70          75          80
Gln Ile Thr Asn Val Val Glu Ala Asn Gln Pro Val Thr Ile Gln Asn
          85          90          95
Trp Cys Lys Arg Gly Arg Lys Gln Cys Lys Thr His Pro His Phe Val
          100          105          110
Ile Pro Tyr Arg Cys Leu Val Gly Glu Phe Ile Ser Asp Ala Leu Leu
          115          120          125
Val Pro Asp Lys Cys Lys Phe Leu His Gln Glu Arg Met Asp Val Cys
          130          135          140
Glu Thr His Leu His Trp His Thr Val Ala Lys Glu Thr Cys Ser Glu
          145          150          155          160
Lys Ser Thr Asn Leu His Asp Tyr Gly Met Leu Leu Pro Cys Gly Ile
          165          170          175
Asp Lys Phe Arg Gly Val Glu Phe Val Cys Cys Pro Leu Ala Glu Glu
          180          185          190
Ser Asp Asn Val Asp Ser Ala Asp Ala Glu Glu Asp Asp Ser Asp Val
          195          200          205
Trp Trp Gly Gly Ala Asp Thr Asp Tyr Ala Asp Gly Ser Glu Asp Lys
          210          215          220
Val Val Glu Val Ala Glu Glu Glu Glu Val Ala Glu Val Glu Glu Glu

```

225					230					235				240
Glu	Ala	Asp	Asp	Asp	Glu	Asp	Asp	Glu	Asp	Gly	Asp	Glu	Val	Glu
				245					250					255
Glu	Ala	Glu	Glu	Pro	Tyr	Glu	Glu	Ala	Thr	Glu	Arg	Thr	Thr	Ser
			260					265					270	
Ala	Thr	Thr	Thr	Thr	Thr	Thr	Thr	Glu	Ser	Val	Glu	Glu	Val	Arg
		275					280					285		
Val	Pro	Thr	Thr	Ala	Ala	Ser	Thr	Pro	Asp	Ala	Val	Asp	Lys	Tyr
	290					295					300			
Glu	Thr	Pro	Gly	Asp	Glu	Asn	Glu	His	Ala	His	Phe	Gln	Lys	Ala
305					310					315				320
Glu	Arg	Leu	Glu	Ala	Lys	His	Arg	Glu	Arg	Met	Ser	Gln	Val	Met
				325					330					335
Glu	Trp	Glu	Glu	Ala	Glu	Arg	Gln	Ala	Lys	Asn	Leu	Pro	Lys	Ala
		340						345					350	
Lys	Lys	Ala	Val	Ile	Gln	His	Phe	Gln	Glu	Lys	Val	Glu	Ser	Leu
	355						360					365		
Gln	Glu	Ala	Ala	Asn	Glu	Arg	Gln	Gln	Leu	Val	Glu	Thr	His	Met
370					375					380				
Arg	Val	Glu	Ala	Met	Leu	Asn	Asp	Arg	Arg	Arg	Leu	Ala	Leu	Glu
385					390				395					400
Tyr	Ile	Thr	Ala	Leu	Gln	Ala	Val	Pro	Pro	Arg	Pro	Arg	His	Val
			405						410					415
Asn	Met	Leu	Lys	Lys	Tyr	Val	Arg	Ala	Glu	Gln	Lys	Asp	Arg	Gln
		420						425					430	
Thr	Leu	Lys	His	Phe	Glu	His	Val	Arg	Met	Val	Asp	Pro	Lys	Lys
	435						440					445		
Ala	Gln	Ile	Arg	Ser	Gln	Val	Met	Thr	His	Leu	Arg	Val	Ile	Tyr
	450				455					460				
Arg	Met	Asn	Gln	Ser	Leu	Ser	Leu	Leu	Tyr	Asn	Val	Pro	Ala	Val
465					470					475				480
Glu	Glu	Ile	Gln	Asp	Glu	Val	Asp	Glu	Leu	Leu	Gln	Lys	Glu	Gln
			485					490					495	
Tyr	Ser	Asp	Asp	Val	Leu	Ala	Asn	Met	Ile	Ser	Glu	Pro	Arg	Ile
		500						505					510	
Tyr	Gly	Asn	Asp	Ala	Leu	Met	Pro	Ser	Leu	Thr	Glu	Thr	Lys	Thr
	515						520					525		
Val	Glu	Leu	Leu	Pro	Val	Asn	Gly	Glu	Phe	Ser	Leu	Asp	Asp	Leu
	530					535					540			
Pro	Trp	His	Ser	Phe	Gly	Ala	Asp	Ser	Val	Pro	Ala	Asn	Thr	Glu
545					550					555				560
Glu	Val	Glu	Pro	Val	Asp	Ala	Arg	Pro	Ala	Ala	Asp	Arg	Gly	Leu
				565					570					575
Thr	Arg	Pro	Gly	Ser	Gly	Leu	Thr	Asn	Ile	Lys	Thr	Glu	Glu	Ile
		580						585					590	
Glu	Val	Lys	Met	Asp	Ala	Glu	Phe	Arg	His	Asp	Ser	Gly	Tyr	Glu
	595						600					605		
His	His	Gln	Lys	Leu	Val	Phe	Phe	Ala	Glu	Asp	Val	Gly	Ser	Asn
	610					615					620			
Gly	Ala	Ile	Ile	Gly	Leu	Met	Val	Gly	Gly	Val	Val	Ile	Ala	Thr
625					630					635				640
Ile	Val	Ile	Thr	Leu	Val	Met	Leu	Lys	Lys	Lys	Lys	Leu	Gly	Thr
				645					650					655
Leu	Gly	Ser	Thr	Ser	Pro	Val	Trp	Trp	Asn	Ser	Ala	Asp	Ile	Leu
		660						665					670	
Pro	Val	Asp	Pro	Arg	Leu	Glu	Pro	Trp	Lys	His	Pro	Gly	Ser	Gln
	675						680					685		
Lys	Thr	Ala	Cys	Thr	Asn	Cys	Tyr	Cys	Lys	Lys	Cys	Cys	Phe	His
	690					695					700			
Gln	Val	Cys	Phe	Met	Thr	Lys	Ala	Leu	Gly	Ile	Ser	Tyr	Gly	Arg
705					710					715				720
Lys	Arg	Arg	Gln	Arg	Arg	Arg	Ala	His	Gln	Asn	Ser	Gln	Thr	His

WO 03/072041

PCT/US03/05458
PCT/US03/05458

	725		730		735
Ala Ser Leu Ser Lys Gln Arg Ile Ser Ser Thr Val Ala Ala Ala Asp					
	740		745		750
Ala Ala Val Thr Pro Glu Glu Arg His Leu Ser Lys Met Gln Gln Asn					
	755		760		765
Gly Tyr Glu Asn Pro Thr Tyr Lys Phe Phe Glu Gln Met Gln Asn					
	770		775		780

<210> 13
 <211> 2823
 <212> DNA
 <213> fusion protein - human

<400> 13
 atgctgcccgc gtttggcact gctcctgctg gccgcctgga cggctcgggc gctggaggtg 60
 cccactgatg gtaatgctgg cctgctggct gaaccccgaga ttgccatgtt ctgtggcaga 120
 ctgaacatgc acatgaatgt ccagaatggg aagtgggatt cagatccatc agggaccaa 180
 acctgcattg ataccaagga aggcacctcg cagtattgcc aagaagtcta ccctgaactg 240
 cagatcacca atgtggtaga agccaaccaa ccagtgacca tccagaactg gtgcaagcgg 300
 ggccgcaagc agtgcaagac ccacccccac tttgtgattc cctaccgctg cttagttggt 360
 gagtttataa gtgatgccct tctcgttcc tacaagtga aattcttaca ccaggagagg 420
 atggatgttt gcgaaactca tcttcaactg cacaccgtcg ccaaagagac atgcagttag 480
 aagagtacca acttgcatga ctacggcatg ttgctgccct gcggaattga caagttccga 540
 ggggtagagt ttgtgtgttg cccactggct gaagaaagtg acaatgtgga ttctgctgat 600
 gcggaggagg atgactcga tgtctgttg ggccggagcag acacagacta tgcagatggg 660
 agtgaagaca aagtagtaga agtagcagag gaggaagaag tggctgaggt ggaagaagaa 720
 gaagccgatg atgacgagga cgatgaggat ggtgatgagg tagaggaaga ggctgaggaa 780
 ccctacgaag aagccacaga gagaaccacc agcattgcc aacaccacc caccaccaca 840
 gagtctgtgg aagagtggt tcgagtctc acaacagcag ccagtacccc tgatgccgtt 900
 gacaagtatc tcgagacacc tggggatgag aatgaacatg cccatttcca gaaagccaaa 960
 gagaggcttg aggccaagca ccgagagaga atgtcccagg tcatgagaga atgggaagag 1020
 gcagaacgtc aagcaaagaa cttgcctaaa gctgataaga aggcagttat ccagcatttc 1080
 caggagaag tggaatcttt ggaacaggaa gcagccaacg agagacagca gctgggtggag 1140
 acacacatgg ccagagtggg aagcagcgtc aatgaccgcc gccgcctggc cctggagaa 1200
 tacatcaccg ctctgcaggc tgttctctc cggcctcgtc acgtgttcaa tatgctaaag 1260
 aagtatgtcc gcgcagaaca gaaggacaga cagcacacc taaagcattt cgagcatgtg 1320
 cgcattggtg atcccaagaa agccgctcag atccggtccc aggttatgac acacctccgt 1380
 gtgatttatg agcgcagtaa tcagtctct tccctgctct acaacgtgcc tgcagtggcc 1440
 gaggagattc aggatgaagt tgatgagctg cttcagaaag agcaaaacta ttcagatgac 1500
 gtcttgccca acatgattag tgaaccaagg atcagttacg gaaacgatgc tctcatgcca 1560
 tctttgaccg aaacgaaaac caccgtggag ctcttcccg tgaatggaga gttcagcctg 1620
 gacgatctcc agccgtggca ttcttttggg gctgactctg tgccagccaa cacagaaaaa 1680
 gaagttgagc ctgttgatgc ccgccctgct gccgaccgag gactgaccac tcgaccaggt 1740
 tctgggttga caaatatcaa gacggaggag atctctgaag tgaatctaga tgcagaattc 1800
 cgacatgact caggatatga agttcatcat caaaaattgg tgttctttgc agaagatgtg 1860
 ggttcaaaca aagtgcaat cattggactc atggtggcg gtgttgatc agcgacagt 1920
 atcgtcatca ccttggtgat gctgaagaag aaaaagcttg gtaccgagct cggatccact 1980
 agtccagtgt ggtggaattc tgcagatatc aagctactgt cttctatcga acaagcatgc 2040
 gatatttgcc gacttaaaaa gctcaagtgc tccaaagaaa aaccgaagtg cgccaagtgt 2100
 ctgaagaaca actgggagtg tcgctactct cccaaaacca aaaggtctcc gctgactagg 2160
 gcacatctga cagaagtggg atcaaggcta gaaagactgg aacagctatt tctactgatt 2220
 tttcctcgag aagaccttga catgattttg aaaaaggatt ctttacagga tataaaagca 2280
 ttgttaacag gattatttgt acaagataat gtgaataaag atgccgtcac agatagattg 2340
 gcttcagtgg agactgatat gcccttaaca ttgagacagc atagaataag tgcgacatca 2400
 tcatcggaag agagtagtaa caaagggtcaa agacagttga ctgtatcggt aattcccggt 2460
 gatctggccc ccccgaccga tgtcagcctg ggggacgagc tccacttaga cggcgaggac 2520
 gtggcgatgg cgcagccga cgcgctagac gatttcgatc tggacatgtt gggggacggg 2580
 gattccccgg taccgggatt tacccccac gactccgccc cctacggcgc tctggatatg 2640
 gccgacttcg agtttgagca gatgtttacc gatgcccttg gaattgacga gtacgggtgg 2700
 gatattccagc acagtggcgg ccgcgacgcc gctgtcacc cagaggagcg ccacctgtcc 2760
 aagatgcagc agaacggcta cgaaaatcca acctacaagt tctttgagca gatgcagaac 2820

tag

2823

<210> 14

<211> 941

<212> PRT

<213> fusion protein - human

<400> 14

```

Met Leu Pro Gly Leu Ala Leu Leu Leu Leu Ala Ala Trp Thr Ala Arg
 1          5          10          15
Ala Leu Glu Val Pro Thr Asp Gly Asn Ala Gly Leu Leu Ala Glu Pro
 20          25          30
Gln Ile Ala Met Phe Cys Gly Arg Leu Asn Met His Met Asn Val Gln
 35          40          45
Asn Gly Lys Trp Asp Ser Asp Pro Ser Gly Thr Lys Thr Cys Ile Asp
 50          55          60
Thr Lys Glu Gly Ile Leu Gln Tyr Cys Gln Glu Val Tyr Pro Glu Leu
 65          70          75          80
Gln Ile Thr Asn Val Val Glu Ala Asn Gln Pro Val Thr Ile Gln Asn
 85          90          95
Trp Cys Lys Arg Gly Arg Lys Gln Cys Lys Thr His Pro His Phe Val
100          105          110
Ile Pro Tyr Arg Cys Leu Val Gly Glu Phe Ile Ser Asp Ala Leu Leu
115          120          125
Val Pro Asp Lys Cys Lys Phe Leu His Gln Glu Arg Met Asp Val Cys
130          135          140
Glu Thr His Leu His Trp His Thr Val Ala Lys Glu Thr Cys Ser Glu
145          150          155          160
Lys Ser Thr Asn Leu His Asp Tyr Gly Met Leu Leu Pro Cys Gly Ile
165          170          175
Asp Lys Phe Arg Gly Val Glu Phe Val Cys Cys Pro Leu Ala Glu Glu
180          185          190
Ser Asp Asn Val Asp Ser Ala Asp Ala Glu Glu Asp Asp Ser Asp Val
195          200          205
Trp Trp Gly Gly Ala Asp Thr Asp Tyr Ala Asp Gly Ser Glu Asp Lys
210          215          220
Val Val Glu Val Ala Glu Glu Glu Glu Val Ala Glu Val Glu Glu Glu
225          230          235          240
Glu Ala Asp Asp Asp Glu Asp Asp Glu Asp Gly Asp Glu Val Glu Glu
245          250          255
Glu Ala Glu Glu Pro Tyr Glu Glu Ala Thr Glu Arg Thr Thr Ser Ile
260          265          270
Ala Thr Thr Thr Thr Thr Thr Thr Glu Ser Val Glu Glu Val Val Arg
275          280          285
Val Pro Thr Thr Ala Ala Ser Thr Pro Asp Ala Val Asp Lys Tyr Leu
290          295          300
Glu Thr Pro Gly Asp Glu Asn Glu His Ala His Phe Gln Lys Ala Lys
305          310          315          320
Glu Arg Leu Glu Ala Lys His Arg Glu Arg Met Ser Gln Val Met Arg
325          330          335
Glu Trp Glu Glu Ala Glu Arg Gln Ala Lys Asn Leu Pro Lys Ala Asp
340          345          350
Lys Lys Ala Val Ile Gln His Phe Gln Glu Lys Val Glu Ser Leu Glu
355          360          365
Gln Glu Ala Ala Asn Glu Arg Gln Gln Leu Val Glu Thr His Met Ala
370          375          380
Arg Val Glu Ala Met Leu Asn Asp Arg Arg Arg Leu Ala Leu Glu Asn
385          390          395          400
Tyr Ile Thr Ala Leu Gln Ala Val Pro Pro Arg Pro Arg His Val Phe
405          410          415
Asn Met Leu Lys Lys Tyr Val Arg Ala Glu Gln Lys Asp Arg Gln His
420          425          430

```

Thr	Leu	Lys	His	Phe	Glu	His	Val	Arg	Met	Val	Asp	Pro	Lys	Lys	Ala
		435					440					445			
Ala	Gln	Ile	Arg	Ser	Gln	Val	Met	Thr	His	Leu	Arg	Val	Ile	Tyr	Glu
	450					455					460				
Arg	Met	Asn	Gln	Ser	Leu	Ser	Leu	Leu	Tyr	Asn	Val	Pro	Ala	Val	Ala
465					470					475					480
Glu	Glu	Ile	Gln	Asp	Glu	Val	Asp	Glu	Leu	Leu	Gln	Lys	Glu	Gln	Asn
			485					490					495		
Tyr	Ser	Asp	Asp	Val	Leu	Ala	Asn	Met	Ile	Ser	Glu	Pro	Arg	Ile	Ser
			500					505					510		
Tyr	Gly	Asn	Asp	Ala	Leu	Met	Pro	Ser	Leu	Thr	Glu	Thr	Lys	Thr	Thr
		515					520					525			
Val	Glu	Leu	Leu	Pro	Val	Asn	Gly	Glu	Phe	Ser	Leu	Asp	Asp	Leu	Gln
	530					535						540			
Pro	Trp	His	Ser	Phe	Gly	Ala	Asp	Ser	Val	Pro	Ala	Asn	Thr	Glu	Asn
545					550					555					560
Glu	Val	Glu	Pro	Val	Asp	Ala	Arg	Pro	Ala	Ala	Asp	Arg	Gly	Leu	Thr
			565						570					575	
Thr	Arg	Pro	Gly	Ser	Gly	Leu	Thr	Asn	Ile	Lys	Thr	Glu	Glu	Ile	Ser
			580					585					590		
Glu	Val	Asn	Leu	Asp	Ala	Glu	Phe	Arg	His	Asp	Ser	Gly	Tyr	Glu	Val
		595				600						605			
His	His	Gln	Lys	Leu	Val	Phe	Phe	Ala	Glu	Asp	Val	Gly	Ser	Asn	Lys
	610					615					620				
Gly	Ala	Ile	Ile	Gly	Leu	Met	Val	Gly	Gly	Val	Val	Ile	Ala	Thr	Val
625					630					635					640
Ile	Val	Ile	Thr	Leu	Val	Met	Leu	Lys	Lys	Lys	Lys	Leu	Gly	Thr	Glu
			645						650					655	
Leu	Gly	Ser	Thr	Ser	Pro	Val	Trp	Trp	Asn	Ser	Ala	Asp	Ile	Lys	Leu
		660						665					670		
Leu	Ser	Ser	Ile	Glu	Gln	Ala	Cys	Asp	Ile	Cys	Arg	Leu	Lys	Lys	Leu
		675					680					685			
Lys	Cys	Ser	Lys	Glu	Lys	Pro	Lys	Cys	Ala	Lys	Cys	Leu	Lys	Asn	Asn
	690					695					700				
Trp	Glu	Cys	Arg	Tyr	Ser	Pro	Lys	Thr	Lys	Arg	Ser	Pro	Leu	Thr	Arg
705					710					715					720
Ala	His	Leu	Thr	Glu	Val	Glu	Ser	Arg	Leu	Glu	Arg	Leu	Glu	Gln	Leu
			725						730					735	
Phe	Leu	Leu	Ile	Phe	Pro	Arg	Glu	Asp	Leu	Asp	Met	Ile	Leu	Lys	Met
			740					745					750		
Asp	Ser	Leu	Gln	Asp	Ile	Lys	Ala	Leu	Leu	Thr	Gly	Leu	Phe	Val	Gln
		755					760					765			
Asp	Asn	Val	Asn	Lys	Asp	Ala	Val	Thr	Asp	Arg	Leu	Ala	Ser	Val	Glu
		770				775					780				
Thr	Asp	Met	Pro	Leu	Thr	Leu	Arg	Gln	His	Arg	Ile	Ser	Ala	Thr	Ser
785					790					795					800
Ser	Ser	Glu	Glu	Ser	Ser	Asn	Lys	Gly	Gln	Arg	Gln	Leu	Thr	Val	Ser
			805						810					815	
Gly	Ile	Pro	Gly	Asp	Leu	Ala	Pro	Pro	Thr	Asp	Val	Ser	Leu	Gly	Asp
		820						825					830		
Glu	Leu	His	Leu	Asp	Gly	Glu	Asp	Val	Ala	Met	Ala	His	Ala	Asp	Ala
		835					840					845			
Leu	Asp	Asp	Phe	Asp	Leu	Asp	Met	Leu	Gly	Asp	Gly	Asp	Ser	Pro	Gly
	850					855					860				
Pro	Gly	Phe	Thr	Pro	His	Asp	Ser	Ala	Pro	Tyr	Gly	Ala	Leu	Asp	Met
865					870					875					880
Ala	Asp	Phe	Glu	Phe	Glu	Gln	Met	Phe	Thr	Asp	Ala	Leu	Gly	Ile	Asp
			885						890					895	
Glu	Tyr	Gly	Gly	Asp	Ile	Gln	His	Ser	Gly	Ala	Ala	Ala	Asp	Ala	Ala
			900					905					910		
Val	Thr	Pro	Glu	Glu	Arg	His	Leu	Ser	Lys	Met	Gln	Gln	Asn	Gly	Tyr
		915					920						925		

WO 03/072041

PCT/US03/05458
PCT/US03/05458

Glu Asn Pro Thr Tyr Lys Phe Phe Glu Gln Met Gln Asn
930 935 940

<210> 15
<211> 2823
<212> DNA
<213> fusion protein - human

<400> 15
atgctgcccc gtttggcact gctcctgctg gccgcctgga cggctcgggc gctggaggta 60
ccactgatg gtaatgctgg cctgctggct gaacccacaga ttgcatgtt ctgtggcaga 120
ctgaacatgc acatgaatgt ccagaatggg aagtgggatt cagatccatc agggaccaaa 180
acctgcattg ataccaagga aggcacacct cagtattgcc aagaagtcta ccctgaactg 240
cagatcacca atgtggtaga agccaaccaa ccagtaccca tccagaactg gtgcaagcgg 300
ggccgcaagc agtgcaagac ccatcccccac tttgtgattc cctaccgctg cttagtttgg 360
gagtttataa gtgatgccct tctcgttctt gacaagtgca aattcttaca ccaggagagg 420
atggatgttt gcgaaactca tcttcactgg cacacgctcg ccaaagagac atgcagtgg 480
aagagtacca acttgcattg ctacggcatg ttgctgccct gcggaattga caagttccga 540
ggggtagagt ttgtgtgttg cccactggct gaagaaagtg acaatgtgga ttctgctgat 600
gcggaggagg atgactcgga tgtctgggtg gccggagcag acacagacta tgcagatggg 660
agtgaagaca aagtagtaga agtagcagag gaggaagaag tggctgaggg ggaagaagaa 720
gaagccgatg atgacgagga cgatgaggat ggtgatgagg tagaggaaga ggctgaggaa 780
ccctacgaag aagccacaga gagaaccacc agcattgcca ccaccaccac caccaccaca 840
gagtctgttg aagaggtggg tcgagttcct acaacagcag ccagtacccc tgatgccgtt 900
gacaagtatc tcgagacacc tggggatgag aatgaacatg cccatttcca gaaagccaaa 960
gagaggcttg agggccaagca ccgagagaga atgtcccagg tcatgagaga atgggaagag 1020
gcagaacgtc aagcaaagaa cttgcctaaa gctgataaga aggcagttat ccagcatttc 1080
caggagaaaag tggaaatcttt ggaacaggaa gcagccaacg agagacagca gctggtggag 1140
acacacattg ccagagtggg agccatgctc aatgaccgcc gccgcctggc cctggagaac 1200
tacatccacc ctctcgaggg tgttctctct cggcctcgtc acgtgttcaa tatgctaaag 1260
aagtatgtcc gcgcagaaca gaaggacaga cagcacaccc taaagcattt cgagcatgtg 1320
cgatgggtgg atcccaagaa agccgctcag atccggtccc aggttatgac acacctccgt 1380
gtgatattat agcgcattga tcaagtctct tcctgtctct acaacgtgcc tgcagtggcc 1440
gaggagattc aggatgaagt tcatgagctg cttcagaaag agcaaaaacta ttcagatgac 1500
gtcttggcca acatgattag tgaaccaagg atcagttacg gaaacgatgc tctcatgcca 1560
tctttgaccg aaacgaaaac caccgtggag ctcttctccc tgaatggaga gttcagcctg 1620
gacgatctcc agccgtggca ttcttttggg gctgactctg tgccagccaa cacagaaaac 1680
gaagttgagc ctgttgatgc ccgcccgtg gccgaccgag gactgaccac tcgaccaggt 1740
tctgggttga caaatatcaa gacggaggag atctctgaag tgaagatgga tgcagaattc 1800
cgacatgact caggatatga agttcatcat caaaaattgg tgttctttgc agaagatgtg 1860
ggttcaaaac aaggtgcaat cattggactc atggtgggcg gtgttgtcat agcgacagtg 1920
atcgtcatca ccttggtgat gctgaagaag aaaaagcttg gtaccgagct cggatccact 1980
agtccagtgt ggtggaattc tgcagatata aagctactgt cttctatcga acaagcatgc 2040
gatatttgcc gacttaaaaa gctcaagtgc tccaaagaaa aaccgaagtg cgccaagtgt 2100
ctgaagaaca actgggagtg tcgtactctt cccaaaacca aaaggtctcc gctgactagg 2160
gcacatctga cagaagtggg atcaaggcta gaaagactgg aacagctatt tctactgatt 2220
tttctcagag aagaccttga catgattttg aaaaatggatt ctttacagga tataaaagca 2280
ttgttaacag gattatttgt acaagataat gtgaataaag atgccgtcac agatagattg 2340
gcttcagtgg agactgatat gcctctaaca ttgagacagc atagaataag tgcgacatca 2400
tcacggaag agagtagtaa caaaggtcaa agacagttga ctgtatcggg aattcccggg 2460
gatctggccc ccccgaccga tgtcagcctg ggggacgagc tccacttaga cggcgaggac 2520
gtggcgatgg cgcatgccga cgcgctagac gatttcgatc tggacatgtt gggggacggg 2580
gattccccgg gtccgggatt tacccccac gactccggcc cctacggcgc tctggatatg 2640
gccgacttcg agtttgagca gatgtttacc gctgcccttg gaattgacga gtacggtggg 2700
gatattccagc agagtggcgg ccgacgccc gctgtacccc cagaggagcg ccacctgtcc 2760
aagatgcagc agaacggcta cgaaaatcca acctacaagt tctttgagca gatgcagAAC 2820
tag 2823

<210> 16
<211> 941
<212> PRT

<213> fusion protein - human

<400> 16

```

Met Leu Pro Gly Leu Ala Leu Leu Leu Leu Ala Ala Trp Thr Ala Arg
 1      5      10      15
Ala Leu Glu Val Pro Thr Asp Gly Asn Ala Gly Leu Leu Ala Glu Pro
 20      25      30
Gln Ile Ala Met Phe Cys Gly Arg Leu Asn Met His Met Asn Val Gln
 35      40      45
Asn Gly Lys Trp Asp Ser Asp Pro Ser Gly Thr Lys Thr Cys Ile Asp
 50      55      60
Thr Lys Glu Gly Ile Leu Gln Tyr Cys Gln Glu Val Tyr Pro Glu Leu
 65      70      75      80
Gln Ile Thr Asn Val Glu Ala Asn Gln Pro Val Thr Ile Gln Asn
 85      90      95
Trp Cys Lys Arg Gly Arg Lys Gln Cys Lys Thr His Pro His Phe Val
100      105      110
Ile Pro Tyr Arg Cys Leu Val Gly Glu Phe Ile Ser Asp Ala Leu Leu
115      120      125
Val Pro Asp Lys Cys Lys Phe Leu His Gln Glu Arg Met Asp Val Cys
130      135      140
Glu Thr His Leu His Trp His Thr Val Ala Lys Glu Thr Cys Ser Glu
145      150      155      160
Lys Ser Thr Asn Leu His Asp Tyr Gly Met Leu Leu Pro Cys Gly Ile
165      170      175
Asp Lys Phe Arg Gly Val Glu Phe Val Cys Cys Pro Leu Ala Glu Glu
180      185      190
Ser Asp Asn Val Asp Ser Ala Asp Ala Glu Glu Asp Asp Ser Asp Val
195      200      205
Trp Trp Gly Gly Ala Asp Thr Asp Tyr Ala Asp Gly Ser Glu Asp Lys
210      215      220
Val Val Glu Val Ala Glu Glu Glu Glu Val Ala Glu Val Glu Glu Glu
225      230      235      240
Glu Ala Asp Asp Asp Glu Asp Asp Glu Asp Gly Asp Glu Val Glu Glu
245      250      255
Glu Ala Glu Glu Pro Tyr Glu Glu Ala Thr Glu Arg Thr Thr Ser Ile
260      265      270
Ala Thr Thr Thr Thr Thr Thr Thr Glu Ser Val Glu Glu Val Val Arg
275      280      285
Val Pro Thr Thr Ala Ala Ser Thr Pro Asp Ala Val Asp Lys Tyr Leu
290      295      300
Glu Thr Pro Gly Asp Glu Asn Glu His Ala His Phe Gln Lys Ala Lys
305      310      315      320
Glu Arg Leu Glu Ala Lys His Arg Glu Arg Met Ser Gln Val Met Arg
325      330      335
Glu Trp Glu Glu Ala Glu Arg Gln Ala Lys Asn Leu Pro Lys Ala Asp
340      345      350
Lys Lys Ala Val Ile Gln His Phe Gln Glu Lys Val Glu Ser Leu Glu
355      360      365
Gln Glu Ala Ala Asn Glu Arg Gln Gln Leu Val Glu Thr His Met Ala
370      375      380
Arg Val Glu Ala Met Leu Asn Asp Arg Arg Arg Leu Ala Leu Glu Asn
385      390      395      400
Tyr Ile Thr Ala Leu Gln Ala Val Pro Pro Arg Pro Arg His Val Phe
405      410      415
Asn Met Leu Lys Lys Tyr Val Arg Ala Glu Gln Lys Asp Arg Gln His
420      425      430
Thr Leu Lys His Phe Glu His Val Arg Met Val Asp Pro Lys Lys Ala
435      440      445
Ala Gln Ile Arg Ser Gln Val Met Thr His Leu Arg Val Ile Tyr Glu
450      455      460
Arg Met Asn Gln Ser Leu Ser Leu Leu Tyr Asn Val Pro Ala Val Ala

```

465					470				475				480
Glu	Glu	Ile	Gln	Asp	Glu	Val	Asp	Glu	Leu	Leu	Gln	Lys	Glu
				485					490				Gln
Tyr	Ser	Asp	Asp	Val	Leu	Ala	Asn	Met	Ile	Ser	Glu	Pro	Arg
			500					505					Ile
Tyr	Gly	Asn	Asp	Ala	Leu	Met	Pro	Ser	Leu	Thr	Glu	Thr	Lys
		515					520				525		Thr
Val	Glu	Leu	Leu	Pro	Val	Asn	Gly	Glu	Phe	Ser	Leu	Asp	Asp
	530					535					540		Leu
Pro	Trp	His	Ser	Phe	Gly	Ala	Asp	Ser	Val	Pro	Ala	Asn	Thr
	545				550					555			Gln
Glu	Val	Glu	Pro	Val	Asp	Ala	Arg	Pro	Ala	Ala	Asp	Arg	Gly
				565					570				Leu
Thr	Arg	Pro	Gly	Ser	Gly	Leu	Thr	Asn	Ile	Lys	Thr	Glu	Glu
			580					585				590	Ile
Glu	Val	Lys	Met	Asp	Ala	Glu	Phe	Arg	His	Asp	Ser	Gly	Tyr
		595					600					605	Glu
His	His	Gln	Lys	Leu	Val	Phe	Phe	Ala	Glu	Asp	Val	Gly	Ser
	610					615					620		Asn
Gly	Ala	Ile	Ile	Gly	Leu	Met	Val	Gly	Gly	Val	Val	Ile	Ala
	625				630					635			Thr
Ile	Val	Ile	Thr	Leu	Val	Met	Leu	Lys	Lys	Lys	Lys	Leu	Gly
				645					650				Thr
Leu	Gly	Ser	Thr	Ser	Pro	Val	Trp	Trp	Asn	Ser	Ala	Asp	Ile
			660					665					Lys
Leu	Ser	Ser	Ile	Glu	Gln	Ala	Cys	Asp	Ile	Cys	Arg	Leu	Lys
		675					680					685	Lys
Lys	Cys	Ser	Lys	Glu	Lys	Pro	Lys	Cys	Ala	Lys	Cys	Leu	Lys
	690					695				700			Asn
Trp	Glu	Cys	Arg	Tyr	Ser	Pro	Lys	Thr	Lys	Arg	Ser	Pro	Leu
	705				710					715			Thr
Ala	His	Leu	Thr	Glu	Val	Glu	Ser	Arg	Leu	Glu	Arg	Leu	Gln
				725					730				Leu
Phe	Leu	Leu	Ile	Phe	Pro	Arg	Glu	Asp	Leu	Asp	Met	Ile	Leu
			740					745					Lys
Asp	Ser	Leu	Gln	Asp	Ile	Lys	Ala	Leu	Leu	Thr	Gly	Leu	Phe
			755				760				765		Val
Asp	Asn	Val	Asn	Lys	Asp	Ala	Val	Thr	Asp	Arg	Leu	Ala	Ser
	770					775					780		Val
Thr	Asp	Met	Pro	Leu	Thr	Leu	Arg	Gln	His	Arg	Ile	Ser	Ala
	785				790					795			Thr
Ser	Ser	Glu	Glu	Ser	Ser	Asn	Lys	Gly	Gln	Arg	Gln	Leu	Thr
				805					810				Val
Gly	Ile	Pro	Gly	Asp	Leu	Ala	Pro	Pro	Thr	Asp	Val	Ser	Leu
			820					825					Gly
Glu	Leu	His	Leu	Asp	Gly	Glu	Asp	Val	Ala	Met	Ala	His	Ala
			835				840					845	Asp
Leu	Asp	Asp	Phe	Asp	Leu	Asp	Met	Leu	Gly	Asp	Gly	Asp	Ser
	850					855				860			Pro
Pro	Gly	Phe	Thr	Pro	His	Asp	Ser	Ala	Pro	Tyr	Gly	Ala	Leu
	865				870					875			Asp
Ala	Asp	Phe	Glu	Phe	Glu	Gln	Met	Phe	Thr	Asp	Ala	Leu	Gly
				885					890				Ile
Glu	Tyr	Gly	Gly	Asp	Ile	Gln	His	Ser	Gly	Ala	Ala	Ala	Asp
			900					905					Ala
Val	Thr	Pro	Glu	Glu	Arg	His	Leu	Ser	Lys	Met	Gln	Gln	Asn
			915				920					925	Gly
Glu	Asn	Pro	Thr	Tyr	Lys	Phe	Phe	Glu	Gln	Met	Gln	Asn	
	930					935					940		

<210> 17

<211> 3354
<212> DNA
<213> human

<400> 17

```

agtttcctcg gcagcggtag gcgagagcac ggcgaggagc gtgcgcgggg gccccgggag 60
acggcggcgg tggcggcgcg ggcagagcaa ggacgcggcg gatccactc gcacagcagc 120
gcactcgggt ccccgcgtag ggtagcgatg ctgcccgggt tggcactgct cctgctggcc 180
gcctggacgg ctcgggcgct ggaggtaccc actgatggta atgctggcct gctggctgaa 240
ccccagattg ccatgttctg tggcagactg aacatgcaca tgaatgtcca gaatgggaag 300
tggtgattcag atccatcagg gacccaaaacc tgcattgata ccaaggaagg catcctgcag 360
tattgccaaag aagtctaccc tgaactgcag atcaccaatg tggtagaagc caaccaacca 420
gtgaccatcc agaactgggt caagcggggc cgcaagcagt gcaagacca tccccacttt 480
gtgattccct accgtgctt agttgggtgag tttgtaagtg atgcccttct cgttcctgac 540
aagtgcaaat tcttacacca ggagaggatg gatgtttgag aaactcatct tcaactggcag 600
accgtcgcca aagagacatg cagtgagaag agtaccact tgcactgacta cggcatgttg 660
ctgcccctgc gaattgacaa gttccgaggg gtagagtttg tgtgttggcc actggctgaa 720
gaaagtgaca atgttgattc tctgatgctg gaggaggatg actcggatgt ctggtgggag 780
ggagcagaca cagactatgc agatgggagt gaagacaaag tagtagaagt agcagaggag 840
gaagaagtgg ctgaggtgga agaagaagaa gccgatgatg acgaggacga tgaggatggt 900
gatgaggtag aggaagaggc tgaggaaccc tacgaagaag ccacagagag aaccaccagc 960
attgccacca ccaccaccac caccacagag tctgtggaag aggtggttcg agttcctaca 1020
acagcagcca gtacccttga tgccgttgac aagtatctcg agacacctgg ggatgagaat 1080
gaacatgccc atttcagaa agccaaagag aggcttgagg ccaagcaccg agagagaatg 1140
tcccaggcca tgagagaatg ggaagaggca gaacgtcaag caaagaactt gcctaaagct 1200
gataagaagg cagttatcca gcatttcag gagaagaagg aatccttggg acaggaagca 1260
gccaacgaga gacagcagct ggtggagaca cacatggcca gagtgggaag catgctcaat 1320
gaccgcccgc gcctggcctt ggagaactac atcacgctc tgcaggctgt tctcctcgg 1380
cctcgtcagc tgttcaatat gctaaagaag tatgtccgag cagaacagaa ggacagacag 1440
cacaccctaa actagcttca gcattgtgc atgttgatc ccaagaaagc cgctcagatc 1500
cgggtcccagg ttatgacaca cctcgtgtg atttatgagc gcattgaatc gtctctctcc 1560
ctgctctaca acgtgcctgc agtgccgag gagattcagg atgaagttga tgagctgctt 1620
cagaaaagagc aaaactattc agatgacgtc ttggccaaca tgattagtga accaaggatc 1680
agttacggaa acgatgctct catgccatct ttgaccgaaa cgaaaaccac cgtggagctc 1740
cttcccgtga atggagagtt cagcctggac gatctccagc cgtggcattc ttttggggct 1800
gactctgtgc cagccaacac agaaaacgaa gttgagcctg ttgatgcccg ccctgctgcc 1860
gaccgaggac tgaccactcg accaggttct gggttgacaa atatcaagac ggaggagatc 1920
tctgaagtga agatggatgc agaattccga catgactcag gatatgaagt tcatcatcaa 1980
aaattggtgt tctttgcaga agatgtgggt tcaaaacaaag gtgcaatcat tggactcatg 2040
gtgggcgggt ttgtcatagc gacagtgatc gtcatacct tggatgatgt gaagaagaaa 2100
cagtacacat ccattcatca tgggtgtggt gaggttgacg ccgctgtcac cccagaggag 2160
cgccacctgt ccaagatgca gcagaacggc tacgaaaatc caacctacaa gttcttttag 2220
cagatgcaga actagacccc cgccacagca gcctctgaag ttggacagca aaaccattgc 2280
ttcactaccc atcggtgtcc atttatagaa taatgtggga agaaacaaac ccgttttatg 2340
atttactcat tatcgcttct tgacagctgt gctgtaacac aagtagatgc ctgaacttga 2400
attaatccac acatcagtaa tgtattctat ctctctttac attttggtct ctatactaca 2460
ttattaatgg gttttgtgta ctgtaaagaa tttagctgta tcaaactagt gcatgaatag 2520
attctctcct gattatttat cacatagccc cttagccagt tgtatattat tcttgtggtt 2580
tgtgacccaa ttaagtccta ctttacatat gctttaagaa tcatgggggg atgcttcatg 2640
tgaacgtggg agttcagctg cttctcttgc ctaagtattc ctttctctgat cactatgcatt 2700
tttaagttta aacattttta agtatttcag atgctttaga gagatttttt ttccatgact 2760
gcattttact gtacagattg ctgcttctgc tataattgtg atataggaat taagaggata 2820
cacacgtttg tttcttcgtg cctgttttat gtgcacacat taggcattga gacttcaagc 2880
ttttcttttt ttgtccacgt atctttgggt ctttgataaa gaaaagaatc cctgttcatc 2940
gtaaagcatt ttacggggcg ggtggggagg ggtgctctgc tggctctcaa ttaccaagaa 3000
ttctccaaaa caattttctg caggatgatt gtacagaatc attgcttatg acatgatcgc 3060
ttctacact gtattacata aataaattaa ataaataaac cccgggcaag acttttcttt 3120
gaaggatgac tacagacatt aaataatcga agtaattttg ggtggggaga agaggcagat 3180
tcaattttct taaagcagtc tgaagtttca tttatgatac aaaagaagat gaaaatggaa 3240
gtggcaatat tgaagggatg ggaaggcatg cctgtgacaaa cccttctttt aagatgtgtc 3300
ttcaatttgt ataaaatggt gttttcatgt aaataaatac attcttggag gaggc 3354

```

<210> 18
 <211> 695
 <212> PRT
 <213> human

<400> 18

```

Met Leu Pro Gly Leu Ala Leu Leu Leu Leu Ala Ala Trp Thr Ala Arg
 1          5          10          15
Ala Leu Glu Val Pro Thr Asp Gly Asn Ala Gly Leu Leu Ala Glu Pro
 20          25          30
Gln Ile Ala Met Phe Cys Gly Arg Leu Asn Met His Met Asn Val Gln
 35          40          45
Asn Gly Lys Trp Asp Ser Asp Pro Ser Gly Thr Lys Thr Cys Ile Asp
 50          55          60
Thr Lys Glu Gly Ile Leu Gln Tyr Cys Gln Glu Val Tyr Pro Glu Leu
 65          70          75          80
Gln Ile Thr Asn Val Val Glu Ala Asn Gln Pro Val Thr Ile Gln Asn
 85          90          95
Trp Cys Lys Arg Gly Arg Lys Gln Cys Lys Thr His Pro His Phe Val
100          105          110
Ile Pro Tyr Arg Cys Leu Val Gly Glu Phe Val Ser Asp Ala Leu Leu
115          120          125
Val Pro Asp Lys Cys Lys Phe Leu His Gln Glu Arg Met Asp Val Cys
130          135          140
Glu Thr His Leu His Trp His Thr Val Ala Lys Glu Thr Cys Ser Glu
145          150          155          160
Lys Ser Thr Asn Leu His Asp Tyr Gly Met Leu Leu Pro Cys Gly Ile
165          170          175
Asp Lys Phe Arg Gly Val Glu Phe Val Cys Cys Pro Leu Ala Glu Glu
180          185          190
Ser Asp Asn Val Asp Ser Ala Asp Ala Glu Glu Asp Asp Ser Asp Val
195          200          205
Trp Trp Gly Gly Ala Asp Thr Asp Tyr Ala Asp Gly Ser Glu Asp Lys
210          215          220
Val Val Glu Val Ala Glu Glu Glu Val Ala Glu Val Glu Glu Glu
225          230          235          240
Glu Ala Asp Asp Asp Glu Asp Asp Glu Asp Gly Asp Glu Val Glu Glu
245          250          255
Glu Ala Glu Glu Pro Tyr Glu Glu Ala Thr Glu Arg Thr Thr Ser Ile
260          265          270
Ala Thr Thr Thr Thr Thr Thr Thr Glu Ser Val Glu Glu Val Val Arg
275          280          285
Val Pro Thr Thr Ala Ala Ser Thr Pro Asp Ala Val Asp Lys Tyr Leu
290          295          300
Glu Thr Pro Gly Asp Glu Asn Glu His Ala His Phe Gln Lys Ala Lys
305          310          315          320
Glu Arg Leu Glu Ala Lys His Arg Glu Arg Met Ser Gln Val Met Arg
325          330          335
Glu Trp Glu Glu Ala Glu Arg Gln Ala Lys Asn Leu Pro Lys Ala Asp
340          345          350
Lys Lys Ala Val Ile Gln His Phe Gln Glu Lys Val Glu Ser Leu Glu
355          360          365
Gln Glu Ala Ala Asn Glu Arg Gln Gln Leu Val Glu Thr His Met Ala
370          375          380
Arg Val Glu Ala Met Leu Asn Asp Arg Arg Arg Leu Ala Leu Glu Asn
385          390          395          400
Tyr Ile Thr Ala Leu Gln Ala Val Pro Pro Arg Pro Arg His Val Phe
405          410          415
Asn Met Leu Lys Lys Tyr Val Arg Ala Glu Gln Lys Asp Arg Gln His
420          425          430
Thr Leu Lys His Phe Glu His Val Arg Met Val Asp Pro Lys Lys Ala
435          440          445

```

WO 03/072041

PCT/US03/05458
PCT/US03/05458

Ala Gln Ile Arg Ser Gln Val Met Thr His Leu Arg Val Ile Tyr Glu
 450 455 460
 Arg Met Asn Gln Ser Leu Ser Leu Leu Tyr Asn Val Pro Ala Val Ala
 465 470 475 480
 Glu Glu Ile Gln Asp Glu Val Asp Glu Leu Leu Gln Lys Glu Gln Asn
 485 490 495
 Tyr Ser Asp Asp Val Leu Ala Asn Met Ile Ser Glu Pro Arg Ile Ser
 500 505 510
 Tyr Gly Asn Asp Ala Leu Met Pro Ser Leu Thr Glu Thr Lys Thr Thr
 515 520 525
 Val Glu Leu Leu Pro Val Asn Gly Glu Phe Ser Leu Asp Asp Leu Gln
 530 535 540
 Pro Trp His Ser Phe Gly Ala Asp Ser Val Pro Ala Asn Thr Glu Asn
 545 550 555 560
 Glu Val Glu Pro Val Asp Ala Arg Pro Ala Ala Asp Arg Gly Leu Thr
 565 570 575
 Thr Arg Pro Gly Ser Gly Leu Thr Asn Ile Lys Thr Glu Glu Ile Ser
 580 585 590
 Glu Val Lys Met Asp Ala Glu Phe Arg His Asp Ser Gly Tyr Glu Val
 595 600 605
 His His Gln Lys Leu Val Phe Phe Ala Glu Asp Val Gly Ser Asn Lys
 610 615 620
 Gly Ala Ile Ile Gly Leu Met Val Gly Gly Val Val Ile Ala Thr Val
 625 630 635 640
 Ile Val Ile Thr Leu Val Met Leu Lys Lys Lys Gln Tyr Thr Ser Ile
 645 650 655
 His His Gly Val Val Glu Val Asp Ala Ala Val Thr Pro Glu Glu Arg
 660 665 670
 His Leu Ser Lys Met Gln Gln Asn Gly Tyr Glu Asn Pro Thr Tyr Lys
 675 680 685
 Phe Phe Glu Gln Met Gln Asn
 690 695

<210> 19
 <211> 3972
 <212> DNA
 <213> human

<400> 19
 atggtgagca agggcgagga gctgttcacc ggggtggtgc ccacacctgt cgagctggac 60
 ggcgacgtaa acggccacaa gtccagcgtg tccggcgagg gcgagggcga tgccacctac 120
 ggcaagctga ccctgaagtt catctgcacc accggcaagc tgcccgtgcc ctggcccacc 180
 ctctgtagca ccttcaccta cgccgtgcag tgcttcgccc gctaccccga ccacatgaag 240
 cagcacgact tcttcaagtc cgccatgccc gaaggctacg tccaggagcg caccatcttc 300
 ttcaaggacg acggcaacta caagaccgcg gccgaggtga agttcgaggg cgacaccctg 360
 gtgaaccgca tcgagctgaa gggcatcgac ttcaaggagg acggcaacat cctggggcac 420
 aagctggagt acaactacaa cagccacaag gtctatatca ccgcccgaac gcagaagaac 480
 ggcatacaagg tgaacttcaa gaccgcgccac aacatcgagg acggcagcgt gcagctcgcc 540
 gaccactacc agcagaacac ccccatcggc gacggccccc tgctgctgcc cgacaaccac 600
 tacctgagca ccagctccgc cctgagcaaa gaccccaacg agaagcgcca tcacatggtc 660
 ctgctggagt tcgtgaccgc cgccgggatc actctcgcca tggacgagct gtacaagtaa 720
 ctcgagtcta gagggcccgt ttaaaccgcg tgatcagcct cgactgtgcc ttctagtgtg 780
 cagccatctg ttgtttgccc ctccccctgt ccttccttga ccctggaagg tgccactccc 840
 actgtccttt cctaataaaa tgaggaaatt gcatcgcatt gtctgagtag gtgtcattct 900
 attctggggg gtgggggtgg gcaggagcgc aagggggagg attgggaaga caatagcagg 960
 catgctgggg atgcggtggg ctctatggct tctgaggcgg aaagaaccag catgtgagca 1020
 aaaggccagc aaaaggccag gaaccgtaaa aaggccgcgt tgctggcggt tttccatagg 1080
 ctccgcccc ctgacgagca tcacaaaaat cgacgctcaa gtcagagggt gcgaaacccg 1140
 acaggactat aaagatacca ggcgtttccc cctggaagct cctcctgtgt ctctcctgtt 1200
 ccgaccctgc cgcttaccgg atacctgtcc gcctttctcc cttcgggaag cgtggcgctt 1260
 tctcatagct cagcgtgtag gtatctcagt tcggtgtagg tcgttcgctc caagctgggc 1320

```

tgtgtgcacg aacccccctg tcagcccgac cgctgcgcct tatccggtaa ctatcgtctt 1380
gagtccaacc cggtaagaca cgacttatcg ccactggcag cagccactgg taacaggatt 1440
agcagagcga ggtatgtagg cgggtgctaca gagttcttga agtgggtggc taactacggc 1500
tacctagaa gaacagtatt tggatatctgc gctctgctga agccagttac ctccggaaaa 1560
agagttggta gctcttgatc cggcaaaaca accaccgctg gtagcgggtg tttttttgtt 1620
tgcaagcagc agttacgcgc cagaaaaaaa ggatctcaag aagatccttt gatcttttct 1680
acggggtctg acgctcagtg gaacgaaaac tcacgttaag ggatttttgt catgacatta 1740
acctataaaa ataggcgtat caccgagccc tttcgtctcg cgcgtttcgg tgatgacggt 1800
gaaaacctct gacacatgca gctcccggag acgggtcacag cttgtctgta agcggatgcc 1860
gggagccagc aagcccgtca gggcgcgctc gcggtgtgtg gcggtgtcgc gggctggctt 1920
aactatgcgg catcagagca gattgtactg agagtgcacc atatgcggtg tgaaataaccg 1980
cacagatgcg taaggagaaa ataccgcac aggacgcgcc ctgtagcgcc gcattaagcg 2040
cggcggtgtg ggtggttacg cgcagcgtga ccgctacact tgccagcgcc ctagcgcccc 2100
ctcctttcgc tttcttccct tcctttctcg ccacgttcgc cggctttccc cgtcaagctc 2160
taaactcggg gctcccttta gggttccgat ttagtgcttt acggcacctc gaccccaaaa 2220
aacttgatta gggtagtgtg tcacgtagtg ggccatcgcc ctgatagacg gtttttcgcc 2280
ctttgacgtt ggagtcacag ttttttaata gtggactctt gttccaaact ggaacaacac 2340
tcaaccttat ctcggtctat tcttttgatt tataaggat tttgcccatt tggcctatt 2400
ggttaaaaaa tgagctgatt taacaaaaat ttaacgcgaa ttttaacaaa atattaacgc 2460
ttacaatttc cattcgccat tcaggctgaa ctatagctag agtccgttac ataacttacg 2520
gtaaatggcc cgcctggtcg accgcccac gaccccgccc cattgacgtc aataatgacg 2580
tatgttccca tagtaacgcc aatagggact ttccattgac gtcaatgggt ggagtattta 2640
cggtaaacatg cccacttgcc agtacatcaa gtgtatcata tgccaagtac gccccctatt 2700
gacgtcaatg acggtaaatg gccgcgctgg cattatgccc agtacatgac cttatgggac 2760
tttctacttt ggcagtacat ctacgtatta gtcacgcta ttaccatggt gatgcggttt 2820
tggcagtaca tcaatgggag tggatagcgg tttgactcac ggggatttcc aagtctccac 2880
cccattgacg tcaatgggag tttgttttgg caccaaaatc aacgggactt tccaaaatgt 2940
cgtaacaact ccgccccatt gacgcaaatg ggcggtaggc gtgtacggtg ggaggtctat 3000
ataagcagag ctggtttagt gaaccgtcag atcgccctgga gacgccatcc acgctgtttt 3060
gacctccata gaagacaccg ggaccgatcc agcctccgag gccgggaacg gtgcattgga 3120
acggtaaccgtg ttgacaatta atcatcgcca tagtatatcg gcatagtata atacgacaag 3180
gtgaggaact aaacctatgg caagttgacc agtgccgttc cgggtgctcac cgcgcgcgac 3240
gtcgccggag cggtcgagtt ctggaccgac cggctcgggt tctcccggga ctctgaggag 3300
gacgacttcg ccggtgtggt ccgggacgac gtgacctgtg tcatcagcgc ggtccaggac 3360
caggtgtgtg cggacaacac cctggcctgg gtgtgggtgc gcgccctgga cgagctgtac 3420
gccgagtggt cggaggtcgt gtccacgaac ttccgggagc cctccggggc ggccatgacc 3480
gagatcgcg agcagccgtg ggggcccggag ttccgctgc gcgaccggc cggcaactgc 3540
gtgcaacttc tggccgagga gcaggactga cactcgacct cgaaacttgt ttattgcagc 3600
ttataactgt tacaataaaa gcaatagcat cacaatttc acaataaag catttttttc 3660
actgcattct agttgtggtt tgtccaaact catcaatgta tcttatcatg tctggatcga 3720
tacttcaaga actgtgaca tcgagcttgc tacaaggagc tttccgctgg ggactttcca 3780
gggaggcggt gcctgggagg gactggggag tggcgagccc tcagatcctg catataagca 3840
gctgcttttt gcctgtactg ggtctctctg gttagaccag atctgagcct gggagctctc 3900
tggctaacta gggaacccac tgcttaagcc tcaataaagc ttggtaccga gctcggatcc 3960
gaattcgcca cc 3972

```

```

<210> 20
<211> 3972
<212> DNA
<213> human

```

```

<400> 20
taccactcgt tcccgtcct cgacaagtgg cccaccacg ggtaggacca gctcgacctg 60
ccgttcgatt tgccggtggt caagtcgcac aggcgcctcc cgtcccgcgt acggtggatg 120
ccgttcgact gggacttcaa gtagacgtgg tggccgttcg acgggcacgg gaccgggtgg 180
gagcactggg gccagctgc gccgacgtc acgaagcggg cgatggggct ggtgtacttc 240
gtcgtgctga agaagttcag gcggtacggg cttccgatgc aggtcctcgc gtggtagaag 300
aagtccctgc tgccgttgat gttctgggag cggctccact tcaagctccc gctgtgggac 360
cacttggcgt agctcgactt cccgtagctg aagttccctc tgccgttgta ggaccccggt 420
ttcgacctca gtttgatgtt gtcggtgttc gcgatagat ggcggctggt cgtcttcttc 480
ccgtagttcc acttgaagtt ctgggcggtg ttgtagctcc tgccgtcgca cgtcgagcgg 540
ctggtgatgg tcgtcttctg ggggtagccg ctgcccgggg acgacgacgg gctgttggtg 600

```

atggactcgt	gggtcaggcg	ggactcgttt	ctgggggttgc	tcttcgcgct	agtgtaccag	660
gacgacctca	agcactggcg	gcggccctag	tgagagccgt	acctgctcga	catgttcatt	720
gagctcagat	ctcccgggca	aatttgggcg	actagtcgga	gctgacacgg	aagatcaacg	780
gtcggtagac	aacaaacggg	gagggggcac	ggaaggaact	gggaccttcc	acggtgaggg	840
tgacaggaaa	ggattatttt	actcctttta	cgtagcgtaa	cagactcatc	cacagtaaga	900
taagaccccc	cacccacccc	cgctcctgtcg	ttccccctcc	taacccttct	gttatcgctc	960
gtacgacccc	tacgccaccc	gagataccga	agactccgcc	tttcttggtc	gtacactcgt	1020
tttcgggtcg	ttttccgggtc	cttggcattt	ttccggcgca	acgaccgcaa	aaaggtatcc	1080
gaggcggggg	gactgctcgt	agtgttttta	gctgcgagtt	cagtctccac	cgctttgggc	1140
tgctcgtgata	tttctatgggt	ccgcaaaggg	cgaccttcga	gggagcacgc	gagaggacaa	1200
ggctgggacg	gcgaatggcc	tatggacagg	cggaagaggg	gaagcccttc	gcaccgcgaa	1260
agagtatcga	gtgcgacatc	catagagtca	agccacatcc	agcaagcgag	gttcgacccg	1320
acacacgtgc	ttggggggca	agtccgggtg	gcgacgcgga	ataggccatt	gatagcagaa	1380
ctcaggtttgg	gccattctgt	gctgaatagc	ggtgaccgtc	gtcggtgacc	attgtcttaa	1440
tcgtctcgtc	ccatacatcc	gccacgatgt	ctcaagaact	tcaccaccgg	attgatgccg	1500
atgtgatcct	cttgtcataa	accatagacg	cgagacgact	tcgggtcaatg	gaagcctttt	1560
tctcaaccat	cgagaactag	gccgttttgt	tggtggcgac	catcgccacc	aaaaaaacaa	1620
acgttcgtcg	ttctaatcgc	gtcttttttt	cttagagttc	ttctaggaaa	ctagaaagaa	1680
tgccccagac	tgcgagtcac	cttgcttttg	agtgaatttc	cctaaaacca	gtactgtaat	1740
tggatatattt	tatccgcata	gtgctccggg	aaagcagagc	gcgcaaagcc	actactgcca	1800
cttttgaggag	ctgtgtacgt	cgagggcctc	tgccagtgct	gaacagacat	tcgcctacgg	1860
ccctcgtctg	ttcggggcagt	ccgcgcgagt	cgccacacac	cgccacacgc	cccgaccgaa	1920
ttgatacgcc	gtagtctcgt	ctaaccatgac	tctcacgtgg	tatacgccac	actttatggc	1980
gtgtctacgc	attcctcttt	tatggcgtag	tctgctcgcg	gacatcgccg	cgtaattcgc	2040
gccgccccaca	ccaccaatgc	gcgtcgcact	ggcgatgtga	acggctcgcg	gatcgcgggc	2100
gaggaagaga	aaagaaggga	aggaaagagc	ggtgcaagcg	gccgaaaggg	gcagttcgag	2160
atttagcccc	cgaggggaaat	cccaaggcta	aatcacgaaa	tgccgtggag	ctgggggtttt	2220
ttgaactaat	cccactacca	agtgcacac	ccggtagcgg	gactatctgc	caaaaagcgg	2280
gaaactgcaa	cctcagggtgc	aagaaattat	cacctgagaa	caagggttga	ccttggtgtg	2340
agtgtgggata	gagccagata	agaaaactaa	atattcccta	aaacggctaa	agccggataa	2400
ccaattttttt	actcgactaa	attgttttta	aattgcgctt	aaaattgttt	tataattgcg	2460
aatgtttaaag	gtaagcggta	agtccgactt	gatctagatc	tcaggcaatg	tattgaatgc	2520
cattttaccgg	gcggaccgac	tgccgggttg	ctgggggcgg	gtaactgcag	ttattactgc	2580
atacaagggt	atcattgcgg	ttatccctga	aaggtaactg	cagttacca	cctcataaat	2640
gtccattgac	gggtgaaccg	tcattgagtt	acgatagtat	acggttcatg	cggggggata	2700
ctgcagttac	tgccattttac	cgggcggaac	gtaatacggg	tcattgactg	gaataccctg	2760
aaaggatgaa	ccgtcatgta	gatgcataat	cagtagcgat	aatggtacca	ctacgccaaa	2820
accgtcatgt	agttaccgcg	acctatcgcc	aaactgagtg	cccctaaagg	ttcagagggtg	2880
gggttaactgc	agttaccctc	aaacaaaacc	gtggtttttag	ttgccctgaa	agggttttaca	2940
gcattgttga	ggcggggtaa	ctgcgtttac	ccgccatccg	cacatgccac	cctccagata	3000
tattcgtctc	gagcaaatca	cttggcagtc	tagcggacct	ctgcggtagg	tgcgacaaaa	3060
ctggaggatat	cttctgtggc	cctggctagg	tcggaggcgc	cgggccttgc	cacgtaacct	3120
tgccctggcac	aactgttaat	tagtagccgt	atcatatagc	cgtatcatat	tatgctgttc	3180
cactccttga	tttggtagcg	gttcaactgg	tcacggcaag	gccacgagtg	gcgcgcgctg	3240
cagcggcctc	gccagctcaa	gacctggctg	gccgagccca	agagggccct	gaagcacctc	3300
ctgctgaagc	ggccacacca	ggccctgctg	cactgggaca	agtagtcgcy	ccaggctcctg	3360
gtccaccacg	gcctgttttg	ggaccggacc	cacaccacgc	cgccggacct	gctcgacatg	3420
cggtcaccca	gcctccagca	caggtgcttg	aaggccctgc	ggaggcccg	ccggtagctg	3480
ctctagccgc	tcgtcggcac	ccccgccctc	aagcgggacg	cgctgggccc	gccgttgacg	3540
cacgtgaagc	accggctcct	cgctcctgact	gtgagctgga	gctttgaaca	aataacgtcg	3600
aatattacca	atgtttattt	cgttatcgta	gtgttttaag	tgttttattc	gtaaaaaaag	3660
tgacgtaaga	tcaacaccaa	acaggtttga	gtagttagat	agaatagtac	agacctagct	3720
atgaagttct	tgacgactgt	agctcgaacg	atgttccctg	aaaggcgacc	cctgaaagggt	3780
ccctccgcac	cggaccggcc	ctgacccctc	accgctcggg	agtctaggac	gtatatctcg	3840
cgacgaaaaa	cggacatgac	ccagagagac	caatctggtc	tagactcgga	ccctcgagag	3900
accgattgat	cccttgggtg	acgaattcgg	agttatttcg	aaccatggct	cgagcctagg	3960
cttaagcggg	gg					3972

<210> 21
 <211> 7153
 <212> DNA
 <213> human

<400> 21

```

gacggatcgg gagatctccc gatccccctat ggtcgcactct cagtacaatc tgctctgatg 60
ccgcatagtt aagccagtat ctgctccctg cttgtgtgtt ggaggtcgct gtagtagtgcg 120
cgagcaaaat ttaagctaca acaaggcaag gcttgaccga caattgcatg aagaatctgc 180
ttagggttag gcggttttgcg ctgcttcgcg atgtacgggc cagatatacg cgttgacatt 240
gattattgac tagttattaa tagtaatcaa ttacggggtc attagttcat agcccatata 300
tggagttccg cgttacataa cttacggtaa atggcccgcc tggctgaccg cccaacgacc 360
cccgccatt gagctcaata atgacgtatg ttcccatagt aacgccaata gggactttcc 420
attgacgtca atgggtggac tatttacggt aaactgcccc cttggcagta catcaagtgt 480
atcatatgcc aagtagcccc cctattgacg tcaatgacgg taaatggccc gcctggcatt 540
atgccagta catgacctta tgggactttc ctacttggca gtacatctac gtattagtca 600
tcgctattac catggtgatg cggttttggc agtacatcaa tgggcgtgga tagcggtttg 660
actcacgggg atttccaagt ctccacccca ttgacgtcaa tgggagtgtg ttttggcacc 720
aaaaatcaacg ggactttcca aaatgtcgta acaactccgc cccattgacg caaatgggcg 780
gtaggcggtgt acggtggggag gtctatataa gcagagctct ctggctaact agagaaccca 840
ctgcttactg gcttatcgaa attaatacga ctactatag ggagacccaa gctggctagc 900
gtttgaactt aagcttcccc gcgacgggtc cgcagtctgc ccggtttggc actgctctgc 960
ctggccgcct ggacggctcg ggcgctggag gtacccactg atggtaatgc tggcctgctg 1020
gctgaacccc agattgccat gttctgtggc agactgaaca tgcacatgaa tgtccagaat 1080
gggaagtggg attcagatcc atcagggacc aaaactgca ttgataccaa ggaaggcatc 1140
ctgcagtatt ccaagaagat ctaccctgaa ctgcagatca ccaatgtggt agaagccaac 1200
caaccagtga ccatccagaa ctggtgcaag cggggccgca agcagtgcaa gacccatccc 1260
cactttgtga ttccctaccg ctgcttagtt ggtgagttta taagtgatgc ccttctcggt 1320
cctgacaagt gcaaattctt acaccaggag aggatggatg tttgcgaaac tcatcttcac 1380
tggcacaccg tcgccaaga gacatgcagt gagaagagta ccaacttgca tgactacggc 1440
atgttgctgc agtgcggaat ctgcaagttc agggggtag agtttgtgtg ttgccactg 1500
gctgaagaaa gtgacaatgt ggattctgct gatgcggagg aggatgactc ggatgtctgg 1560
tggggcgggag cagacacaga ctatgcagat gggagtgaag acaaagtagt agaagtagca 1620
gaggaggaag aagtggctga ggtggaagaa gaagaagccg atgatgacga ggacgatgag 1680
gatggtgatg aagagcaaaa ctattcagat gacgtcttgg aagaagccac agagagaacc 1740
accagcattg ccaccaccac caccaccacc acagagtctg tggaaagaggt ggttcgagtt 1800
cctacaacag cagccagtag ccctgatgcc gttgacaagt atctcgagac acctggggat 1860
gagaatgaac atgcccattt ccagaaagcc aaagagagggc ttgaggccaa gcaccgagag 1920
agaattgctc aggtcatgag agaattggaa gtcaagcaaa gaacttgctc 1980
aaagctgata agaaggcagt tatccagcat ttccaggaga aagtggaatc tttggaacag 2040
gaagcagcca acgagagaca gcagctggtg gagacacaca tggccagagt ggaagccatg 2100
ctcaatgacc gccgcccctt ggccctggag aactacatca ccgctctgca ggctgttctc 2160
cctcggtctc caatatgcta caaatgtagt aagaagtagt tccgcgcaga acagaaggac 2220
agacagcaca ccctaaagca tttcgagcat gtgcgcatgg tggatcccaa gaaagccgct 2280
cagatccggt ccagggttat gacacacctc cgtgtgattt atgagcgcat gaatcagtct 2340
ctctccctgc tctacaacgt gcctgcagtg gccgaggaga ttcaggatga agttgatgag 2400
ctgcttcaga aagagcaaaa ctattcagat gacgtcttgg ccaacatgat tagtgaacca 2460
aggatcagtt acggaacaga tgctctcatg ccatctttga ccgaaacgaa aaccaccgtg 2520
gagctccttc ccgtgaatgg agagttcagc ctggacgatc tccagccgtg gcattctttt 2580
ggggtgact ctgtgccagc caacacagaa aacgaagttg agcctgttga tgcccgcctt 2640
gctgcccagc gaggactgac cactcgacca ggttctgggt tgacaaatat caagacggag 2700
gagatctctg aagtgaatct agatgcagaa ttccgacatg actcaggata tgaagtctat 2760
catcaaaaat tgggtgttct tgcaagaagt gtgggttcaa acaaaggtgc aatcattgga 2820
ctcatggttg gcggtgttgt catagcgaca gtgatcgta tcaccttggt gatgctgaag 2880
aagaaagata tcatggagcc agtagatcct agactagagc cctggaagca tccaggaagt 2940
cagcctaata ctgcttgtac caattgctat gttaaaaagt gttgctttca ttgccaagtt 3000
tgtttcatga caaaagcctt aggcattctc tatggcagga agaagcggag acagcgacga 3060
agagctcatc agaacagtca gactcatcaa gcttctctat caaagcagta agtagggcggc 3120
cgctcgagtc tagagggccc gtttaaacc cgtgatcagc ctcgactgtg ccttctagtt 3180
gccagcatc tgttgtttgc cctcccgcg tgccttctt gacctggaa ggtgccactc 3240
ccactgtcct ttcctaataa aatgaggaaa ttgcatcgca ttgtctgagt aggtgtcatt 3300
ctattctggg ggggtggggtg gggcaggaca gcaaggggga ggattgggaa gacaatagca 3360
ggcatgggtg gtagcggtg ggctctatgg cttctgaggg ggaagaacc agctgggggt 3420
ctagggggta tccccacgc cctgtagcg cgcggtggt gtgggtggtta 3480
cgcgacgcgt gaccgctaca cttgccagcg ccctagcgcc cgctcctttc gctttcttcc 3540
cttcctttct cgccacgttc gccggctttc ccggtcaagc tctaaatcgg ggcattccctt 3600

```

taggggtccg	atttagtgct	ttacggcacc	tcgaccccaa	aaaacttgat	taggggtgatg	3660
gttcacgtag	tgggccatcg	ccctgataga	cggttttttcg	ccctttgacg	ttggagtgcca	3720
cgttcttttaa	tagtggtactc	ttgtttccaaa	ctggaacaac	actcaaccct	atctcgggtct	3780
attctttttga	tttataaggg	atthttgggga	tttcgggccta	ttgggttaaaa	aatgagctga	3840
tttaacaaaa	atttaacgcg	aattaattct	gtggaatgtg	tgtcagtttag	ggtgtggaaa	3900
tgccccaggc	tgccccaggc	ggcagaagta	tcgcaagcat	gcatctcaat	tagtcagcaa	3960
ccaggtgtgg	aaagtcccca	ggctccccag	caggcagaag	tatgcaaagc	atgcatctca	4020
attagtcagc	aaccatagtc	ccgccccctaa	ctccgccccat	cccgcgcccta	actccgcccc	4080
gttcgcgcca	ttctccgccc	catggctgac	taattttttt	tattttatgca	gaggccgagg	4140
ccgctctctgc	ctctgagcta	ttccagaagt	agtgaggagg	ctttttttgga	ggcctagggt	4200
tttgcaaaaa	gctcccgga	gcttgatat	ccatttttcg	atctgatcag	cacgtgttga	4260
caattaatca	tcggcatagt	atatcggcac	agtataatac	gacaaggtga	ggaactaaac	4320
catggccaag	ttgaccagtg	ccgttcgggt	gctcaccgcg	cgcgacgtcg	ccggagccgt	4380
cgagttcttg	accgacggc	tcgggttctc	ccgggacttc	gtggaggacg	acttcgccc	4440
tgtggtccgg	gacgacgtga	ccctgttcat	cagcgcggtc	caggaccagg	tgggtccgga	4500
caacaccctg	gcctgggtgt	gggtgcgcgg	cctggacgag	ctgtacgcgc	agtggtcgga	4560
ggctcgtgtcc	acgaacttcc	gggacgcctc	cgggccggcc	atgaccgaga	tcggcgagca	4620
gcgctggggg	cgggagttcg	ccctgcgcga	ccggccgggc	aactgcgtgc	acttcgtggc	4680
cgaggagcag	gactgacacg	tgctacgaga	tttcgatttc	accgcgcct	tctatgaaag	4740
gttgggcttc	ggaatcggtt	tcggggacgc	cggtcggatg	atcctccagc	gcggggatct	4800
catgctggag	ttcttcgccc	accccaactt	gtttatttga	gcttataatg	gttataaata	4860
aagcaatagc	tcacaaaatt	tcacaaaata	agcatttttt	tcactgcatt	ctagtgtggt	4920
tttgtccaaa	ctcatcaatg	tatcttatca	tgtctgtata	ccgtcgacct	ctagctagag	4980
cttggcgtaa	tcattggtcat	agctgtttcc	tgtgtgaaat	tggtatccgc	tcacaattcc	5040
acacaacata	cgagccggaa	gcataaagtg	taaagcctgg	gggtgccta	gagttagcta	5100
actcacatta	attgcgttgc	gctcactgcc	cgctttccag	tcgggaaacc	tgtcgtgcca	5160
gctgcattaa	tgaactggcc	aacgcgcggg	ttgcgtattg	ttgcgtattg	ggcgctcttc	5220
cgcttctctc	ctcactgact	cgctgcgctc	ggctcgttcg	ctgcggcgag	cggtatcagc	5280
tcactcaaag	gcggtaatac	gggttatccac	agaatcaggg	gataacgcag	gaaagaacat	5340
gtgagcaaaa	ggccagcaaa	aggccaggaa	ccgtaaaaag	gcccgcgttg	tggcggtttt	5400
ccataggtct	cgccccctcg	acgagcatca	caaaaatcga	cgctcaagtc	agaggtggcg	5460
aaacccgaca	ggactataaa	gataccaggc	gtttccccct	ggaagctccc	tcgtgcgctc	5520
tcctgttccg	accctgccc	ttaccggata	cctgtccgcc	tttctccctt	cggggaagcg	5580
ggcgctttct	caatgctcac	gctgtaggta	tctcagttcg	gtgtaggctc	ttcgctccaa	5640
gctggctgtg	ctgcacgaac	accccgttca	gcccgcaccg	tgccgcttat	ccggttaact	5700
tcgtcttgag	tcacacccgg	taagacacga	cttatcgcca	ctggcagcag	ccactggtaa	5760
caggattagc	agagcgaggt	atgtaggcgg	tgctacagag	ttcttgaagt	ggtggccctaa	5820
ctacggctac	actagaagga	cagtattttg	tatctgcgct	ctgctgaagc	cagttacctt	5880
cggaataaag	cttggttagct	cttgatccgg	caaacaaacc	accgctggta	cggtgtggtt	5940
ttttgtttgc	aagcagcaga	ttacgcgcag	aaaaaaagga	tctcaagaag	atcctttgat	6000
cttttctacg	gggtctgacg	ctcagtgga	cgaaaactca	cgtaaaggga	ttttgggtcat	6060
gagattatca	aaaaggatct	tcacctagat	cctttttaa	taaaaatgaa	gttttaaatc	6120
aatctaaagt	atatatgagt	aaacttggtc	tgacagttac	caatgcttaa	tcagtgaggg	6180
acctatctca	gcgatctgtc	tatttcgttc	atccatagtt	gcctgactcc	ccgtcgtgta	6240
gataactacg	atacgggagg	gcttaccatc	tggtccccagt	gctgcaatga	taccgcgaga	6300
cccacgctca	ccggctccag	atthtatcagc	aataaaccag	ccagccggaa	gggcccagcg	6360
cagaagtggg	ctgcaactt	tatccgcctc	catccagttc	attaattgtt	gcccgggaagc	6420
tagagtaagt	agttcgccag	ttaatagttt	gcgcaacgtt	gttgccattg	ctacaggcat	6480
cgtgggtgtca	cgctcgtcgt	ttgggtatgg	ttcattcagc	tcgggttccc	aacgatcaag	6540
gcgagttaca	tgatccccca	tggtgtgcaa	aaaagcggtt	agctccttcg	gtcctccgat	6600
cgttgtcaga	agtaagttgg	ccgcagtggt	atcactcatg	gttatggcag	cactgcataa	6660
ttctcttact	gtcatgccat	ccgtaagatg	cttttctgtg	actggtgagt	actcaaccac	6720
gtcattctga	gaatagtgtg	tgccggcgacc	gagttgtctc	tgcccggcgt	caatacggga	6780
taataccgcy	ccacatagca	gaactttaaa	agtgtctatc	attggaaaac	gttcttcggg	6840
gcgaaaactc	tcaaggtact	taccgctgtt	gagatccagt	tcgatgtaac	ccactcgtgc	6900
acccaaactg	tcttcagcat	cttttacttt	caccagcggt	tctgggtgag	caaaaacagg	6960
aaggcaaaat	gccgcaaaaa	agggaataag	ggcgacacgg	aaatgttgaa	tactcatact	7020
cttccctttt	caatattatt	gaagcattta	tcagggttat	tgtctcatga	gcggatacat	7080
atthgaatgt	atttagaaaa	ataaacaatt	aggggttccg	cgcacatttc	cccgaagaag	7140
gccacctgac	gtc					7153

<210> 22
 <211> 7153
 <212> DNA
 <213> human

<400> 22
 ctgcctagcc ctctagaggg ctaggggata ccagctgaga gtcattgtag acgagactac 60
 ggcgtatcaa ttccggtcata gacgagggac gaacacacaa cctccagcga ctcatcacgc 120
 gctcgtttta aattcgatgt tggtccggtc cgaactggct gttaacgtac ttcttagacg 180
 aatcccaatc cgcaaaacgc gacgaagcgc tacatgcccg gtctatatgc gcaactgtaa 240
 ctaataactg atcaataatt atcattagtt aatgccccag taatcaagta tcgggtatat 300
 acctcaaggc gcaatgtatt gaatgccatt taccggggcg accgactggc gggttgctgg 360
 gggcggttaa ctgcagttat tactgcatac aagggtatca ttgcggttat cctgaaagg 420
 taactgcagt taccacactg ataaatgcca tttgacgggt gaaccgtcat gtagttcaca 480
 tagtatacgg ttcatgcggg ggataactgc agttactgcc atttaccggg cggaccgtaa 540
 tacgggtcat gtactggaat accctgaaag gatgaaccgt catgtagatg cataatcagt 600
 agcgataatg gtaccactac gccaaaaccg tcatgtagtt acccgcacct atcgccaaac 660
 tgagtgcgcc taaagggttca gaggtggggg aactgcagtt accctcaaac aaaaccgtgg 720
 ttttagttgc cctgaaagggt ttacagcat tggtgagggc gggttaactgc gtttaccgcg 780
 catccgcaca tgccaccctc cagatatatt cgtctcgaga gaccgattga tctcttgggt 840
 gacgaatgac cgaatagctt taattatgct cgctacgacg cctctgggtt cgaccgatcg 900
 caaatgtgaa ttcaaggggg cgctcccag cgctacgacg ggccaaaccg tgacgaggac 960
 gaccggcgga cctgccgagc ccgacacctc catgggtgac taccattacg accggacgac 1020
 cgacttgggg tctaaccgta caagacaccg tctgacttgt acgtgtactt acaggtctta 1080
 cccctcaccg taagtctagg tagtccctgg ttttggacgt aactatgggt ccttccgtag 1140
 gacgtcataa caggtctctt gatgggactt cgctctagtt gggtacacca tcttcgggtt 1200
 gttggtcact ggtagggtctt gaccacgttc gcccggcggt tcgtcacgtt ctgggtaggg 1260
 gtgaaacact aaggggatggc gacgaatcaa ccactcaaatt attcactacg ggaagagcaa 1320
 ggactgttca cgtttaagaa tgtggtcctc tcctacctac aaacgctttg agtagaagt 1380
 accgttgggc ttccaggttct ctgtacgtca cttctctcat ggttgaacgt actgatgccg 1440
 tacaacgacg ggacgcctta actgttcaag gctcccatc tcaaacacac aacgggtgac 1500
 cgacttcttt cactgttaca cctaagacga ctacgcctcc tcctactgag cctacagacc 1560
 accccgcctc gtctgtgtct gatacgtcta ccctcacttc tgtttcatca tcttcatcgt 1620
 ctctccttcc ttccacgact ccaccttctt tactactgct cctgctactc cctgctactc 1680
 ctaccactac tccatctctt tctccgactc cttgggatgc ttcttcgggt tctctcttgg 1740
 tggctcgtaac ggtggtggtg gtggtggtgg tgtctcagac accttctcca ccaagctcaa 1800
 ggatgttgtc tcgggtcatg gggactacgg caactgttca tagagctctg tggaccctta 1860
 ctcttacttg tacgggttaa ggtcttccg tttctctccg aactccgggt cgtggctctc 1920
 tcttacaggg tccagttact tcttaccctt ctccgtcttg cagttcgttt cttgaacgga 1980
 tttcgactat tcttccgtca ataggctgta aaggctctct ttcaccttag aaaccttgct 2040
 ctctgctcgg tgcctctctg ctctgaccac accggtctca ccttcgggtac 2100
 gagttaatgg cggcgccgga ccgggacctc ttgatgtagt ggcgagacgt ccgacaagga 2160
 ggagccggag cagtgcacaa gttatacgat ttcttcatac aggcgcgtct tgtcttctct 2220
 tctgtcgtgt gggatttcgt aaagctcgta cacgcgtacc acctaggggt ctttcggcga 2280
 gtctaggcca ggggtccaata ctgtgtggag gcaactaaa tactcgcgta cttagttaga 2340
 gagagggacg agatgttgca cggacgtcac cggctcctct aagtctact tcaactactc 2400
 gacgaagtct ttctcgtttt gataagttct ctgcagaacc ggttgtagta atcacttggt 2460
 tcttagtcaa tgcctttgct acgagagtac ggtagaaact ggctttgctt ttggtggcac 2520
 ctcgaggaag ggcacttacc tctcaagtct gacctgtag aggtcggcac cgtaagaaaa 2580
 ccccgactga gacacggctc gttgtgtctt ttgcttcaac tcggacaact acgggaggga 2640
 cgacggctgg ctccgtgact gtgagctggg ccaagaccca actgtttata gttctgctc 2700
 ctctagagac ttcaacttaga tctacgtctt aaggctgtac tgagtcctat acttcaagta 2760
 gtagttttta accacaagaa acgtcttcta caccgaagt ttgtttccac ttagtaacct 2820
 gagtaccacc agccacaaca gtatcgctgt cactagcagt agtggaaaca ctacgacttc 2880
 ttctttctat ctctacgtcg tcatctagga ggacctctgt aggtccttca aggtccttca 2940
 gtcggatttt gacgaacatg gttaacgata acatttttca caacgaaagt aacggttcaa 3000
 acaaagtact gttttcggaa tccgtagagg ataccgtcct tcttcgcctc tgctcgctgt 3060
 tctcgagttag tcttctcagt ctgagtagtt cgaagagata gtttcgtcat tcatccgccg 3120
 gcgagctcag atcttccggg caaatttggg gagctgacac ggaagatcaa 3180
 cggctcggtag acaacaaacg gggagggggc acggaaggaa ctgggacctt ccacggtgag 3240
 ggtgacagga aaggattatt ttactccttt aacgtagcgt aacagactca tccacagtaa 3300

gataagaccc cccacccac cccgtcctgt cgttccccct cctaaccctt ctgttatcgt 3360
ccgtacgacc cctacgccac ccgagatacc gaagactccg cctttcttgg tcgacccga 3420
gatcccccac aggggtgcgc gggacatcgc cgcgtaattc gcgccgcca caccaccaat 3480
gcgcgctcgca ctggcgatgt gaacggtcgc gggatcgccg gcgaggaaag cgaaagaagg 3540
gaaggaaaga gcggtgcaag cggccgaaag gggcagttcg agatttagcc ccgtagggaa 3600
atcccaaggc taaatcacga aatgccgtgg agctgggggt ttttgaacta atcccactac 3660
caagtgcac acccggtagc gggactatct gccaaaaagc gggaaactgc aacctcaggt 3720
gcaagaaatt atcacctgag aacaagggtt gaccttgttg tgagtggga tagagccaga 3780
taagaaaact aaatattccc taaaaccctt aaagccgat aaccaatttt ttactcgact 3840
aaattgtttt taaattgcgc ttaattaaga caccttacac acagtcaatc ccacacctt 3900
caggggtccg aggggtccgt ccgtcttcat acgtttcgta cgtagagtta atcagtcgtt 3960
ggtccacacc tttcaggggt ccgaggggtc gtccgtcttc atacgtttcg tacgtagagt 4020
taatcagtcg ttggtatcag ggcggggatt gaggcgggta gggcggggat tgaggcgggt 4080
caagggcggg aagagcgggg gtaccgactg attaaaaaaa ataaatacgt ctccggctcc 4140
ggcggagacg gagactcgat aaggtcttca tctctctcc gaaaaaacct ccgcatccga 4200
aaacgttttt cgagggccct cgaacatata ggtaaaagcc tagactagtc gtgcacaact 4260
gttaattagt agccgtatca tatagccgta tcatattatg ctgttccact ctttgatttg 4320
gtaccggttc aactggtcac ggcaaggcca cagtgggcgc gcgctgcagc ggccctcgcca 4380
gctcaagacc tggctggccg agcccaagag ggccctgaag cacctcctgc tgaagcggcc 4440
acaccaggcc ctgctgcact gggacaagta gtccgcccag gtccctggtcc accacggcct 4500
gttgtgggac cggaccacac cccacgcgcc ggacctgtc gacatcgccg tcaccagcct 4560
ccagcacagg tgcttgaagg ccctgcggag gcccgccgg ttgacgcacg tgaagcaccg 4620
cggcaccccc gccctcaagc gggacgcgt gggccggccg ttgacgcacg tgaagcaccg 4680
gctcctcgtc ctgactgtgc acgatgtct aaagctaagg tggcggcgga agatactttc 4740
caacccgaag ccttagcaaa aggccttgcg gccacctac taggaggtcg cgccctaga 4800
gtacgacagg aagaagcggg tggggttgaa caataaacgt cgaatattac caatgtttat 4860
ttcgttatcg tagtgtttaa agtgtttatt tcgtaaaaaa agtgacgtaa gatcaacacc 4920
aaacaggttt gagtagttac atagaatagt acagacatat ggcagctgga gatcgatctc 4980
gaaccgcatt agtaccagta tcgacaaagg acacacttta acaataggcg agtgtaaagg 5040
tgtgttgtat gtcggcctt cgtatttcac atttcggacc ccacggatta ctactcgat 5100
tgagtgtaat taacgcaacg cgaagtacgg gcgaagggtc agccctttgg acagcacggt 5160
cgacgtaatt acttagccgg ttgcgcgccc ctctccgcca aacgcataac ccgcgagaag 5220
gcgaaggagc gagtgcactga gcgacgcgag ccagcaagcc gacgcgcgtc gccatagtcg 5280
agtgcgtttc cgccattatg ccaatagggtg tcttagtccc ctattgcgtc ctttcttgta 5340
cactcgtttt cgggtcgttt tccgttcctt ggcatttttc cggcgcaacg accgcaaaa 5400
ggtatccgag gcggggggac tgctcgtagt gtttttagct gcgagttcag tctccaccgc 5460
tttgggctgt cctgatattt ctatggtccg caaaggggga ccttcgaggg agcacgcgag 5520
aggacaaggc tgggacggcg aatggcctat ggacaggcgg aaagaggga gcccttcgca 5580
ccgcggaaga gttacgagtg cgacatccat agagtcaagc cacatccagc aagcgaggtt 5640
cgacccgaca cacgtgcttg gggggcaagt cgggctggcg acgcggaata ggccattgat 5700
agcagaactc aggttgggccc attctgtgct gaatagcggg gaccgtcgtc ggtgaccatt 5760
gtcctaatac tctcgtccca tacatccgcc acgatgtctc aagaacttca ccaccggatt 5820
gatgccgatg tgatcttcc gtcataaacc atagacgcga gacgacttcg gtcaatggaa 5880
gcctttttct caaccatcga gaactaggcc gtttggttg tggcgaccat cgccaccaa 5940
aaaacaaacg ttcgtcgtct aatgcgcgtc ttttttctc agagtctctc taggaaacta 6000
gaaaagatgc ccgagactgc gagtacacct gcttttgagt gcaattccct aaaaccagta 6060
ctctaatagt ttttcttaga agtggatcta ggaatattt atttttactt caaattttag 6120
ttagatttca tatatactca tttgaaccag actgtcaatg gttacgaatt agtcaactcc 6180
tgatagagtg cgtagacag ataaagcaag taggtatcaa cggactgagg ggcagcacat 6240
ctattgatgc tatgccctcc cgaatggtag accgggggtc cgacgttact atggcgctct 6300
gggtgcagtg ggcgaggtc taaatagtcg ttatttgggt ggtcggcctt cccggctcgc 6360
gtcttcacca ggacgttgaa ataggcggag gttagtcaga taattaacaa cggcccttcg 6420
atctcattca tcaagcggtc aattatcaaa cgcgttgcaa caacggtaac gatgtccgta 6480
gcaccacagt cgaagcagca aaccataccg aagtaagtcg aggcgaaggg ttgtagttc 6540
cgctcaatgt actaggggtt acaacacgtt ttttcgcaa tcgaggaagc caggaggcta 6600
gcaacagtc tcatgtcaac ggcgtcacaa tagtgagtag caataccgtc gtgacgtatt 6660
aagagaatga cagtacggta ggcattctac gaaaagacac tgaccactca tgagtgggtt 6720
cagtaagact ctatcacat acgcgctgg ctcaacgaga acgggcccga gttatgccct 6780
attatggcgc ggtgtatcgt cttgaaattt tcacgagtag taaccttttg caagaagccc 6840
cgctttttag agttcctaga atggcgacaa ctctagggtc agctacattg ggtgagcacg 6900
tgggttgact agaagtcgta gaaaatgaaa gtggtcgcaa agaccactc gtttttgtcc 6960
ttccggtttt cggcggtttt tcccttatcc ccgctgtgcc tttaacaact atgagtatga 7020

```

gaaggaaaaa gttataataa cttcgtaaat agtcccaata acagagtact cgcctatgta 7080
taaactttaca taaatctttt tatttgttta tccccaaaggc gcgtgtaaag gggctttttca 7140
cgggtggactg cag                                     7153

```

<210> 23

<211> 2352

<212> DNA

<213> fusion protein - human

<400> 23

```

atgctgcccc gtttggcact gctcctgctg gccgcctgga cggctcgggc gctggaggta 60
cccactgatg gtaatgctgg cctgctggct gaaccccaga ttgccatggt ctgtggcaga 120
ctgaacatgc acatgaatgt ccagaatggg aagtgggatt cagatccatc agggacccaa 180
acctgcattg ataccaagga aggcattcctg cagtattgcc aagaagtcta ccctgaactg 240
cagatcacca atgtggtaga agccaaccaa ccagtacca tccagaactg gtgcaagcgg 300
ggccgcaagc agtgcaagac ccattccccc tttgtgattc cctaccgctg cttagtgtgt 360
gagtttataa gtgatgccct tctcgttcct gacaagtgca aattcttaca ccaggagagg 420
atggatgttt gcgaaactca tcttactctg cacaccgtcg ccaaagagac atgcagttag 480
aagagtacca acttgcattg ctacggcatg ttgctgccct gcggaattga caagttccga 540
ggggtagagt ttgtgtgttg cccactggct gaagaaagtg acaatgtgga ttctgctgat 600
gcggaggagg atgactcgga tgtctggtgg ggccggagcag acacagacta tgcagatggg 660
agtgaagaca aagtagtaga agtagcagag gaggaagaag tggctgaggt ggaagaagaa 720
gaagccgatg atgacgagga cgatgaggat ggtgatgagg tagaggaaga ggctgaggaa 780
ccctacgaag aagccacaga gagaaccacc agcattgcca ccaccaccac caccaccaca 840
gagatctgtg aagaggtggt tctgagttct acaacagcag ccagtacccc tgatgccgtt 900
gacaagtatc tctgagacac tggggatgag aatgaacatg cccatttcca gaaagccaaa 960
gagaggcttg aggcgaagca ccgagagaga atgtcccagg tcatgagaga atgggaagag 1020
gcagaacgtc aagcaaagaa cttgcctaaa gctgataaga aggcagttat ccagcatttc 1080
caggagaaag tggaatcttt ggaacaggaa gcagccaacg agagacagca gctgggtggg 1140
acacacatgg ccagagtgga agccatgctc aatgaccgcc gccgcctggc cctggagaac 1200
tacatcaccg ctctgcaggg tgttcctcct cggcctcgtc acgtgttcaa tatgctaaag 1260
aagtatgtcc gcgcagaaca gaaggacaga cagcacacc taaagcattt cgagcatgtg 1320
cgcatgggtg atcccaagaa agccgctcag atccggtccc aggttatgac acacctccgt 1380
gtgatttatg agcgcatgaa tcatgtcttc tccctgctct acaacgtgcc tgcagtggcc 1440
gaggagattc aggatgaagt tgatgagctg cttcagaaag agcaaaacta ttcagatgac 1500
gtcttggcca acatgattag tgaaccaagg atcagttacg gaaacgatgc tctcatgcca 1560
tcttggcagg aaacgaaaac caccgtggag ctccctccc tgaatggaga gttcagcctg 1620
gacgatctcc agccgtggca ttcttttggg gctgactctg tgccagccaa cacagaaaac 1680
gaagtgagc ctgttgatgc ccgccctgct gccgaccgag gactgaccac tcgaccaggt 1740
tctgggttga caaatatcaa gacggaggag atctctgaag tgaactttga agtggaattc 1800
cgacatgact caggatatga agttcatcat caagtattgg tgttctttgc agaagatgtg 1860
ggttcaaaca aaggtgcaat cattggactc atggtgggag gtgttgtcat agcgacagt 1920
atcgtcatca ctttggatg gctgaagaag aaaaagcttg gtaccgagct cggatccact 1980
agtccagtgt ggtggaattc tgcagatata ctggagccag tagatcctag actagagccc 2040
tggaagcatc caggaaagtc gcctaaaact gctgttacca attgctattg taaaaagtgt 2100
tgctttcatt gccaaagttt ttctcatgaca aaagccttag gcatctccta tggcagggaag 2160
aagcggagac agcgacgaag agctcatcag aacagtcaga ctcatcaagc ttctctatca 2220
aagcagagga tatccagcac agtggcggcc gcagacgcc ctgtcacccc agaggagcgc 2280
cacctgtcca agatgcagca gaacggctac gaaaatccaa cttacaagtt ctttgagcag 2340
atgcagaact ag                                     2352

```

<210> 24

<211> 783

<212> PRT

<213> fusion protein - human

<400> 24

```

Met Leu Pro Gly Leu Ala Leu Leu Leu Ala Ala Trp Thr Ala Arg
  1             5             10             15
Ala Leu Glu Val Pro Thr Asp Gly Asn Ala Gly Leu Leu Ala Glu Pro

```


Val	Glu	515	Leu	Leu	Pro	Val	Asn	520	Gly	Glu	Phe	Ser	Leu	525	Asp	Asp	Leu	Gln
	530						535						540					
Pro	Trp	His	Ser	Phe	Gly	Ala	Asp	Ser	Val	Pro	Ala	Asn	Thr	Glu	Asn			
545					550					555				560				
Glu	Val	Glu	Pro	Val	Asp	Ala	Arg	Pro	Ala	Ala	Asp	Arg	Gly	Leu	Thr			
				565					570					575				
Thr	Arg	Pro	Gly	Ser	Gly	Leu	Thr	Asn	Ile	Lys	Thr	Glu	Glu	Ile	Ser			
			580					585						590				
Glu	Val	Asn	Phe	Glu	Val	Glu	Phe	Arg	His	Asp	Ser	Gly	Tyr	Glu	Val			
		595						600					605					
His	His	Gln	Val	Leu	Val	Phe	Phe	Ala	Glu	Asp	Val	Gly	Ser	Asn	Lys			
	610					615					620							
Gly	Ala	Ile	Ile	Gly	Leu	Met	Val	Gly	Gly	Val	Val	Ile	Ala	Thr	Val			
625					630					635				640				
Ile	Val	Ile	Thr	Leu	Val	Met	Leu	Lys	Lys	Lys	Lys	Leu	Gly	Thr	Glu			
				645					650					655				
Leu	Gly	Ser	Thr	Ser	Pro	Val	Trp	Trp	Asn	Ser	Ala	Asp	Ile	Leu	Glu			
			660					665					670					
Pro	Val	Asp	Pro	Arg	Leu	Glu	Pro	Trp	Lys	His	Pro	Gly	Ser	Gln	Pro			
		675					680					685						
Lys	Thr	Ala	Cys	Thr	Asn	Cys	Tyr	Cys	Lys	Lys	Cys	Cys	Phe	His	Cys			
	690				695						700							
Gln	Val	Cys	Phe	Met	Thr	Lys	Ala	Leu	Gly	Ile	Ser	Tyr	Gly	Arg	Lys			
705					710					715				720				
Lys	Arg	Arg	Gln	Arg	Arg	Ala	His	Gln	Asn	Ser	Gln	Thr	His	Gln				
			725					730					735					
Ala	Ser	Leu	Ser	Lys	Gln	Arg	Ile	Ser	Ser	Thr	Val	Ala	Ala	Ala	Asp			
			740					745					750					
Ala	Ala	Val	Thr	Pro	Glu	Glu	Arg	His	Leu	Ser	Lys	Met	Gln	Gln	Asn			
		755					760					765						
Gly	Tyr	Glu	Asn	Pro	Thr	Tyr	Lys	Phe	Phe	Glu	Gln	Met	Gln	Asn				
	770					775					780							

<210> 25

<211> 2823

<212> DNA

<213> fusion protein - human

<400> 25

atgctgccccg	gtttggcact	gctcctgctg	gccgcctgga	cggctcgggc	gctggaggta	60
cccactgatg	gtaatgctgg	cctgctggct	gaaccccaga	ttgccatggt	ctgtggcaga	120
ctgaacatgc	acatgaatgt	ccagaatggg	aagtgggatt	cagatccatc	agggaccaa	180
acctgcattg	ataccaagga	aggcatcctg	cagtattgcc	aagaagtcta	ccctgaactg	240
cagatcacca	atgtggtaga	agccaaccaa	ccagtgaacca	tccagaactg	gtgcaagcgg	300
ggccgcaagc	agtgaagac	ccatccccac	tttgtgattc	cctaccgctg	cttagttggt	360
gagtttataa	gtgatgccct	tctcgttcct	gacaagtgca	aattcttaca	ccaggagagg	420
atggatgttt	gcgaaactca	tcttcactgg	cacaccgtcg	ccaaagagac	atgcagtgag	480
aagagtacca	acttgcacga	ctacggcatg	ttgctgccct	gcggaattga	caagttccga	540
ggggtagagt	ttgtgtgttg	cccactggct	gaagaaagtg	acaatgtgga	ttctgctgat	600
gcggaggagg	atgactcgga	tgtctgtgtg	ggcggagcag	acacagacta	tgcagatggg	660
agtgaagaca	aagtagtaga	agtagcagag	gaggaagaag	tggctgaggt	ggaagaagaa	720
gaagccgatg	atgacgagga	cgatgaggat	ggtgatgagg	tagaggaaga	ggctgaggaa	780
ccctacgaag	aagccacaga	gagaaccacc	agcattgcca	ccaccaccac	caccaccaca	840
gagtcctgtg	tggaatcttt	tcgagttcct	acaacagcag	ccagtacccc	tgatgccgtt	900
gacaagtatc	tcgagacacc	tggggatgag	aatgaacatg	cccatttcca	gaaagccaaa	960
gagaggcttg	aggccaagca	ccgagagaga	atgtcccagg	tcatgagaga	atgggaagag	1020
gcagaacgtc	aagcaaagaa	cttgccataa	gctgataaga	aggcagttat	ccagcatttc	1080
caggagaaag	tggaatcttt	ggaacaggaa	gcagccaacg	agagacagca	gctggtggag	1140
acacacatgg	ccagagtggg	agccatgctc	aatgaccgcc	gccgcctggc	cctggagaa	1200
tacatcaccg	ctctgcaggc	tggttcctcct	cggcctcgtc	acgtgttcaa	tatgctaaa	1260

WO 03/072041

PCT/US03/05458
PCT/US03/05458

```

aagtatgtcc gcgcagaaca gaaggacaga cagcacaccc taaagcattt cgagcatgtg 1320
cgcatgggtgg atcccaagaa agccgctcag atccggtccc aggttatgac acacctccgt 1380
gtgatttatg agcgcatgaa tcagtctctc tccctgctct acaacgtgcc tgcagtggcc 1440
gaggagattc aggatgaagt tgatgagctg cttcagaaag agcaaaacta ttcagatgac 1500
gtcttgccca acatgattag tgaaccaagg atcagttacg gaaacgatgc tctcatgcca 1560
tctttgaccg aaacgaaaaa caccgtggag ctccctcccg tgaatggaga gttcagcctg 1620
gacgatctcc agccgtggca ttcttttggg gctgactctg tgccagccaa cacagaaaac 1680
gaagttgagc ctgttgatgc ccgcccgtct gccgaccgag gactgaccac tcgaccaggt 1740
tctgggttga caaatatcaa gacggaggag atctctgaag tgaactttga agtgggaattc 1800
cgacatgact caggatatga agttcatcat caagtattgg tggtctttgc agaagatgtg 1860
ggttcaaaca aaggtgcaat cattggactc atggtgggcg gtgttgatcat agcgacagtg 1920
atcgtcatca ccttggtgat gctgaagaag aaaaagcttg gtaccgagct cggatccact 1980
agtccagtgt ggtggaattc tgcagatata aagctactgt cttctatcga acaagcatgc 2040
gatatttgcc gacttaaaaa gctcaagtgc tccaaagaaa aaccgaagtg cgccaagtgt 2100
ctgaagaaca actgggagtg tcgctactct cccaaaacca aaaggtctcc gctgactagg 2160
gcacatctga cagaagtgga atcaaggcta gaaagactgg aacagctatt tctactgatt 2220
tttctcgag aagaccttga catgattttg aaaatggatt ctttacagga tataaaagca 2280
ttgttaacag gattatttgt acaagataat gtgaataaag atgccgtcac agatagattg 2340
gcttcagtgg agactgatat gcctctaaca ttgagacagc atagaataag tgcgacatca 2400
tcacggaag agagtagtaa caaaggtaaa agacagttga ctgtatcggg aattcccggg 2460
gatctggccc ccccgaccga tgtcagcctg ggggacgagc tccacttaga cggcgaggac 2520
gtggcgatgg cgcatgccga cgcgctagac gatttcgac tgacatgtt gggggacggg 2580
gattccccgg gtccgggatt tacccccac gactccgccc cctacggcgc tctggatatg 2640
gccgacttcg agtttgagca gatgtttacc gatgcccttg gaattgacga gtacggtggg 2700
gatatccagc acagtggcgg ccgcgacgcc gctgtcacc cagaggagcg ccacctgtcc 2760
aagatgcagc agaacggcta cgaaaatcca acctacaagt tctttgagca gatgcagaac 2820
tag

```

<210> 26

<211> 941

<212> PRT

<213> fusion protein - human

<400> 26

```

Met Leu Pro Gly Leu Ala Leu Leu Leu Leu Ala Ala Trp Thr Ala Arg
1      5      10      15
Ala Leu Glu Val Pro Thr Asp Gly Asn Ala Gly Leu Leu Ala Glu Pro
20     25     30
Gln Ile Ala Met Phe Cys Gly Arg Leu Asn Met His Met Asn Val Gln
35     40     45
Asn Gly Lys Trp Asp Ser Asp Pro Ser Gly Thr Lys Thr Cys Ile Asp
50     55     60
Thr Lys Glu Gly Ile Leu Gln Tyr Cys Gln Glu Val Tyr Pro Glu Leu
65     70     75     80
Gln Ile Thr Asn Val Val Glu Ala Asn Gln Pro Val Thr Ile Gln Asn
85     90     95
Trp Cys Lys Arg Gly Arg Lys Gln Cys Lys Thr His Pro His Phe Val
100    105    110
Ile Pro Tyr Arg Cys Leu Val Gly Glu Phe Ile Ser Asp Ala Leu Leu
115    120    125
Val Pro Asp Lys Cys Lys Phe Leu His Gln Glu Arg Met Asp Val Cys
130    135    140
Glu Thr His Leu His Trp His Thr Val Ala Lys Glu Thr Cys Ser Glu
145    150    155    160
Lys Ser Thr Asn Leu His Asp Tyr Gly Met Leu Leu Pro Cys Gly Ile
165    170    175
Asp Lys Phe Arg Gly Val Glu Phe Val Cys Cys Pro Leu Ala Glu Glu
180    185    190
Ser Asp Asn Val Asp Ser Ala Asp Ala Glu Glu Asp Asp Ser Asp Val
195    200    205
Trp Trp Gly Gly Ala Asp Thr Asp Tyr Ala Asp Gly Ser Glu Asp Lys
210    215    220

```

Val	Val	Glu	Val	Ala	Glu	Glu	Glu	Glu	Val	Ala	Glu	Val	Glu	Glu	Glu
225					230					235					240
Glu	Ala	Asp	Asp	Asp	Glu	Asp	Asp	Glu	Asp	Gly	Asp	Glu	Val	Glu	Glu
				245					250						255
Glu	Ala	Glu	Glu	Pro	Tyr	Glu	Glu	Ala	Thr	Glu	Arg	Thr	Thr	Ser	Ile
			260					265						270	
Ala	Thr	Thr	Thr	Thr	Thr	Thr	Thr	Glu	Ser	Val	Glu	Glu	Val	Val	Arg
			275				280					285			
Val	Pro	Thr	Thr	Ala	Ala	Ser	Thr	Pro	Asp	Ala	Val	Asp	Lys	Tyr	Leu
	290					295					300				
Glu	Thr	Pro	Gly	Asp	Glu	Asn	Glu	His	Ala	His	Phe	Gln	Lys	Ala	Lys
305				310					315						320
Glu	Arg	Leu	Glu	Ala	Lys	His	Arg	Glu	Arg	Met	Ser	Gln	Val	Met	Arg
				325				330							335
Glu	Trp	Glu	Glu	Ala	Glu	Arg	Gln	Ala	Lys	Asn	Leu	Pro	Lys	Ala	Asp
			340					345					350		
Lys	Lys	Ala	Val	Ile	Gln	His	Phe	Gln	Glu	Lys	Val	Glu	Ser	Leu	Glu
		355					360					365			
Gln	Glu	Ala	Ala	Asn	Glu	Arg	Gln	Gln	Leu	Val	Glu	Thr	His	Met	Ala
	370				375						380				
Arg	Val	Glu	Ala	Met	Leu	Asn	Asp	Arg	Arg	Arg	Leu	Ala	Leu	Glu	Asn
385					390					395					400
Tyr	Ile	Thr	Ala	Leu	Gln	Ala	Val	Pro	Pro	Arg	Pro	Arg	His	Val	Phe
				405				410						415	
Asn	Met	Leu	Lys	Lys	Tyr	Val	Arg	Ala	Glu	Gln	Lys	Asp	Arg	Gln	His
			420					425					430		
Thr	Leu	Lys	His	Phe	Glu	His	Val	Arg	Met	Val	Asp	Pro	Lys	Lys	Ala
		435					440					445			
Ala	Gln	Ile	Arg	Ser	Gln	Val	Met	Thr	His	Leu	Arg	Val	Ile	Tyr	Glu
	450				455						460				
Arg	Met	Asn	Gln	Ser	Leu	Ser	Leu	Leu	Tyr	Asn	Val	Pro	Ala	Val	Ala
465					470					475					480
Glu	Glu	Ile	Gln	Asp	Glu	Val	Asp	Glu	Leu	Leu	Gln	Lys	Glu	Gln	Asn
				485				490							495
Tyr	Ser	Asp	Asp	Val	Leu	Ala	Asn	Met	Ile	Ser	Glu	Pro	Arg	Ile	Ser
			500					505					510		
Tyr	Gly	Asn	Asp	Ala	Leu	Met	Pro	Ser	Leu	Thr	Glu	Thr	Lys	Thr	Thr
		515					520					525			
Val	Glu	Leu	Leu	Pro	Val	Asn	Gly	Glu	Phe	Ser	Leu	Asp	Asp	Leu	Gln
	530					535					540				
Pro	Trp	His	Ser	Phe	Gly	Ala	Asp	Ser	Val	Pro	Ala	Asn	Thr	Glu	Asn
545					550					555					560
Glu	Val	Glu	Pro	Val	Asp	Ala	Arg	Pro	Ala	Ala	Asp	Arg	Gly	Leu	Thr
				565				570						575	
Thr	Arg	Pro	Gly	Ser	Gly	Leu	Thr	Asn	Ile	Lys	Thr	Glu	Glu	Ile	Ser
			580					585					590		
Glu	Val	Asn	Phe	Glu	Val	Glu	Phe	Arg	His	Asp	Ser	Gly	Tyr	Glu	Val
		595					600					605			
His	His	Gln	Val	Leu	Val	Phe	Phe	Ala	Glu	Asp	Val	Gly	Ser	Asn	Lys
	610					615					620				
Gly	Ala	Ile	Ile	Gly	Leu	Met	Val	Gly	Gly	Val	Val	Ile	Ala	Thr	Val
625					630					635					640
Ile	Val	Ile	Thr	Leu	Val	Met	Leu	Lys	Lys	Lys	Lys	Leu	Gly	Thr	Glu
				645						650					655
Leu	Gly	Ser	Thr	Ser	Pro	Val	Trp	Trp	Asn	Ser	Ala	Asp	Ile	Lys	Leu
			660					665					670		
Leu	Ser	Ser	Ile	Glu	Gln	Ala	Cys	Asp	Ile	Cys	Arg	Leu	Lys	Lys	Leu
		675					680					685			
Lys	Cys	Ser	Lys	Glu	Lys	Pro	Lys	Cys	Ala	Lys	Cys	Leu	Lys	Asn	Asn
	690					695					700				
Trp	Glu	Cys	Arg	Tyr	Ser	Pro	Lys	Thr	Lys	Arg	Ser	Pro	Leu	Thr	Arg
705					710					715					720

Ala His Leu Thr Glu Val Glu Ser Arg Leu Glu Arg Leu Glu Gln Leu
725 730 735
Phe Leu Leu Ile Phe Pro Arg Glu Asp Leu Asp Met Ile Leu Lys Met
740 745 750
Asp Ser Leu Gln Asp Ile Lys Ala Leu Leu Thr Gly Leu Phe Val Gln
755 760 765
Asp Asn Val Asn Lys Asp Ala Val Thr Asp Arg Leu Ala Ser Val Glu
770 775 780
Thr Asp Met Pro Leu Thr Leu Arg Gln His Arg Ile Ser Ala Thr Ser
785 790 795 800
Ser Ser Glu Glu Ser Ser Asn Lys Gly Gln Arg Gln Leu Thr Val Ser
805 810 815
Gly Ile Pro Gly Asp Leu Ala Pro Pro Thr Asp Val Ser Leu Gly Asp
820 825 830
Glu Leu His Leu Asp Gly Glu Asp Val Ala Met Ala His Ala Asp Ala
835 840 845
Leu Asp Asp Phe Asp Leu Asp Met Leu Gly Asp Gly Asp Ser Pro Gly
850 855 860
Pro Gly Phe Thr Pro His Asp Ser Ala Pro Tyr Gly Ala Leu Asp Met
865 870 875 880
Ala Asp Phe Glu Phe Glu Gln Met Phe Thr Asp Ala Leu Gly Ile Asp
885 890 895
Glu Tyr Gly Gly Asp Ile Gln His Ser Gly Ala Ala Ala Asp Ala Ala
900 905 910
Val Thr Pro Glu Glu Arg His Leu Ser Lys Met Gln Gln Asn Gly Tyr
915 920 925
Glu Asn Pro Thr Tyr Lys Phe Phe Glu Gln Met Gln Asn
930 935 940

<210> 27
<211> 5015
<212> DNA
<213> human

<400> 27
gacggatcgg gagatctccc gatccctat ggtcgactct cagtacaatc tgctctgatg 60
ccgcatagt taaagcagtat ctgctccctg cttgtgtgtt ggaggtcgct gagtagtgcg 120
cgagcaaaat ttaagctaca acaaggcaag gcttgaccga caattgcatg aagaatctgc 180
ttagggttag cgtttttgcg ctgcttcgcy atgtacgggc cagatatacg cgttgacatt 240
gattattgac tagttattaa tagtaataca ttacgggggc attagttcat agcccatata 300
tgaggttcgg cgttacataa cttacggtaa atggcccgcc tggctgaccg cccaacgacc 360
cccgccatt gacgtcaata atgacgtatg ttcccatagt aacgccaata gggactttcc 420
attgacgtca atgggtggac tatttacggg aaactgccc cttggcagta catcaagtgt 480
atcatatgcc aagtagcccc cctattgacg tcaatgacgg taaatggccc gcctggcatt 540
atgcccagta catgacctta tgggactttc ctacttgcca gtacatctac gtattagtca 600
tcgctattac catgggtgatg cggttttggc agtacatcaa tgggcgtgga tagcggtttg 660
actcacgggg atttccaagt ctccacccca ttgacgtcaa tgggagtttg ttttggcacc 720
aaaatcaacg ggactttcca aaatgtcgta acaactccgc ccattgacg caaatgggcy 780
gtaggcgtgt acgggtggag gtctatataa gcagagctct ctggctaact agagaaccca 840
ctgcttactg gcttatcgaa attaatacga ctactatag ggagacccaa gctggctagc 900
gtttaaactt aagcttggtta ccgagctcgg atccactagt ccagtgtggt ggaattctgc 960
agatatccag cacagtggcg gccgctcgag tctagagggc ccgtttaaac ccgctgatca 1020
gcctcgactg tgccttctag ttgccagcca tctgtgtgtt gccctcccc cgtgccttcc 1080
ttgaccctgg aaggtgccac tcccactgtc ctttcctaataaaaatgagga aattgcatcg 1140
cattgtctga gtaggtgtca tctattctg gggggtgggg tggggcagga cagcaagggg 1200
gaggattggg aagacaatag caggcatgct ggggatgcgg tgggctctat ggcttctgag 1260
gcggaagaa ccagctgggg ctctaggggg tatccccacg cgccctgtag cggcgccatta 1320
agcgcgcggt gtgtgggtgt tacgcgcagc gtgaccgcta cacttgccag cgccctagcg 1380
cccctcctt tcgctttctt ccttcctttt cctgcacgt tcgcccggct tccccgtcaa 1440
gctctaaatc ggggcatccc tttagggttc cgatttagtg ttttacggca cctcgacccc 1500
aaaaaacttg attagggtga tggttcacgt agtgggcat cgccctgata gacgggtttt 1560

cgccctttga	cgttggagtc	cacgttcttt	aatagtggac	tcttgttcca	aactggaaca	1620
acactcaacc	ctatctcggt	ctattctttt	gatttataag	ggattttggg	gatttcggcc	1680
tattggttaa	aaaatgagct	gatttaacaa	aaatttaacg	cgaattaatt	ctgtggaatg	1740
tgtgtcagtt	aggggtgtgga	aagtccccag	gctccccagg	caggcagaag	tatgcaaagc	1800
atgcatctca	attagtccgc	aaccagggtg	ggaaagtccc	caggctcccc	agcaggcaga	1860
agtatgcaaa	gcatgcatct	caattagtc	gcaaccatag	tcccggccct	aactccggcc	1920
atcccccccc	taactccgcc	cagttccgcc	cattctccgc	cccatggctg	actaattttt	1980
tttattttatg	cagaggccga	ggccgcctct	gcctotgagc	tattccagaa	gtagtggagg	2040
ggctttttttg	gaggccctagg	cttttgcaaa	aagctcccgg	gagcttgat	atccattttc	2100
ggatctgac	agcacgtgtt	gacaattaat	catcggcata	gtatatcggc	atagtataat	2160
acgacaaggt	gaggaactaa	accatggcca	agttgaccag	tgccgttccg	gtgctcaccg	2220
cgcgcgacgt	cgccggagcg	gtcaggttct	ggaccgaccg	gctcgggttc	tcccgggact	2280
tcgtggagga	cgacttcgcc	ggtgtggtcc	gggacgacgt	gaccctgttc	atcagcgccg	2340
tccaggacca	ggtgtgccc	gacaacacc	tgccctgggt	gtgggtgccc	ggcctggacg	2400
agctgtacgc	gagtggttcg	gaggtcgtgt	ccacgaactt	ccgggacgcc	tccggggccg	2460
ccatgaccga	gatcggcgag	cagccgtggg	ggcgggagtt	cgccctgccc	gaccggcccg	2520
gcaactgcgt	gcacttctgt	gccgaggagc	aggactgaca	cgtgctacga	gatttcgatt	2580
ccaccgccc	cttctatgaa	aggttgggct	tcggaatcgt	tttccgggac	gccggctgga	2640
tgatctccca	gcgcgggat	ctcatgctgg	agttctctgc	ccaccccaac	ttgtttattg	2700
cagcttataa	tggttacaaa	taaagcaata	gcatcacaaa	tttcacaaat	aaagcatttt	2760
tttcaactgca	ttctagttgt	ggtttgtcca	aactcatcaa	tgtatcttat	catgtctgta	2820
taccgtcgac	ctctagctag	agcttggcgt	aatcatggtc	atagctgttt	cctgtgtgaa	2880
attgtttatcc	gtcaccaatt	ccacacaaca	tcagagccgg	aagcataaag	tgtaaagcct	2940
ggggtgccta	atgagtgagc	taactcacat	taattgcgtt	gcgctcactg	cccgttttcc	3000
agtcgggaaa	cctgtcgtgc	cagctgcatt	aatgaatcgg	ccaacgcgcg	gggagaggcg	3060
gtttgcgtat	tgggcgctct	tccgcttcc	cgctcactga	ctcgctgccc	tcggtcgttc	3120
ggctgcggcg	agcgggtatca	gctcactcaa	agcggttaat	acggttatcc	acagaatcag	3180
gggataacgc	aggaaagaac	atgtgagcaa	aaggccagca	aaaggccagg	aaccgtaaaa	3240
aggccgcggt	gctggcggtt	ttccataggg	tccgcccccc	tgacgagcat	cacaaaaatc	3300
gacgctcaag	tcagagggtg	cgaacccga	caggactata	aagataccag	gcgtttcccc	3360
ctggaagctc	ctcctgttcc	gtggtgcttc	cgacctgccc	gcttaccgga	tacctgtccg	3420
cctttctccc	ttcgggaagc	gtggcgcttt	ctcaatgctc	acgctgtagg	tatctcagtt	3480
cggtgtaggt	cgttcgctcc	aagctgggct	gtgtgcacga	accccccggt	cagcccgacc	3540
gctgcgcctt	atccggtaac	tatcgtcttg	agtccaaccc	ggtaagacac	gacttatcgc	3600
cactcctcagc	agatccttgg	aacaggatta	gcagagcgag	gtatgtaggc	ggtgctacag	3660
agttcttgaa	gtggtggcct	aactacggct	acactagaag	gacagtattt	ggtatctgcg	3720
ctctgctgaa	gccagttacc	ttcggaaaaa	gagttggtag	ctcttgatcc	ggcaaacaaa	3780
ccaccgctgg	tagcgggtgg	ttttttgttt	gcaagcagca	gattacgcgc	agaaaaaaag	3840
gatctcaaga	agatcctttg	atcctttcta	cggggtctga	cgctcagtg	aacgaaaact	3900
cacgttaagg	gattttggtc	atgagattat	caaaaaggat	cttcacctag	atccttttaa	3960
attaaaaatg	aagttttaaa	tcaatctaaa	gtatatatga	gtaaacttgg	tctgacagtt	4020
accaatgctt	aatcagtgag	gcacctatct	cagcgatctg	tctatttcgt	tcatccatag	4080
ttgcctgact	ccccgtcgtg	tagataacta	cgatacggga	gggcttacca	tctggcccca	4140
gtgctgcaat	gataccgcga	gacccacgct	caccggctcc	agattttatca	gcaataaacc	4200
agccagccgg	aaggggcgg	cgcagaagtg	gtcctgcaac	tttatccgcc	tccatccagt	4260
ctattaattg	ttgccgggaa	gctagagtaa	gtagttcgcc	agttaatagt	ttgcgcaacg	4320
ttgttgccat	tgctacaggc	atcgtggtgt	cacgctcgte	gtttggtatg	gcttcattca	4380
gctccggttc	ccaacgatca	aggcgagtta	catgatcccc	catgttggtc	aaaaaagcgg	4440
ttagctcctt	cggtcctccg	atcgttgtca	gaagtaagtt	ggccgcagtg	ttatcactca	4500
tgggttatggc	agcactgcat	aattctctta	ctgtcatgcc	atccgtaaga	tgcttttctg	4560
tgactgggtga	gtactcaacc	aagtcattct	gagaatagt	tatgcccga	ccgagttgct	4620
cttgcccggc	gtcaataccg	gataataccg	cgccacatag	cagaacttta	aaagtgtctca	4680
tcattggaaa	acgtttcttcg	ggcgaaaaac	tctcaaggat	cttaccgctg	ttgagatcca	4740
gttcgatgta	accactcgt	gcacccaact	gatcttcagc	atcttttact	ttcaccagcg	4800
tttctgggtg	agcaaaaaa	ggaaggcaaa	atgccgcaaa	aaagggaata	agggcgacac	4860
ggaaatggtg	aatactcata	ctcttccttt	ttgaagcatt	ttgaagcatt	tatcagggtt	4920
attgtctcat	gagcggatag	atatttgaat	gtatttagaa	aaataaacia	ataggggttc	4980
cgcgcacatt	tccccgaaaa	gtgccacctg	acgtc			5015

<210> 28

<211> 5015
<212> DNA
<213> human

<400> 28
ctgcctagcc ctctagaggg ctaggggata ccagctgaga gtcattgtag acgagactac 60
ggcgtatcaa ttccggtcata gacgagggac gaacacacaa cctccagcga ctcatcacgc 120
gctcgtttta aattcgatgt tgttccggtt cgaactggct gttaacgtac ttcttagacg 180
aatcccaatc cgcaaaacgc gacgaagcgc tacatgcccg gtctatatgc gcaactgtaa 240
ctaataactg atcaataatt atcattagtt aatgccccag taatcaagta tcgggtatat 300
acctcaaggc gcaatgtatt gaatgccatt taccgggagg accgactggc ggggtgctgg 360
gggagggttaa ctgcagttat tactgcatac aagggtatca ttgagggtt ttgagggtt 420
taactgcagt taccacactg ataaatgcc aattactgcc atttaccggg gaaccgtcat 480
tagtatacgg ttcatgcagg ggataactgc agttactgcc atttaccggg cggaccgtaa 540
tacgggtcat gtactggaat accctgaaag gatgaaccgt catgtagatg cataatcagt 600
agcgataatg gtaccactac gccaaaaccc tcatgtagtt acccgacact atcgccaaac 660
tgagtgcctc taaagggttca gaggtggggg aactgcagtt accctcaaac aaaaccgtgg 720
ttttagttgc cctgaaaggc ttacagcat tgttgaggcg gggtaactgc gtttaccgcg 780
catccgcaca tgccacccct cagatatatt cgtctcgaga gaccgattga tctcttgggt 840
gacgaatgac cgaatagctt taattatgct gactgatata cctctgggtt cgaccgatcg 900
caaatttgaa ttogaacccat ggctcgagcc taggtgatca ggtcacacca ccttaagacg 960
tctataggtc gtgtcacccg cggcgagctc agatctcccg ggcaaatttg ggcgactagt 1020
cggagctgac acggaagatc aacgggtcgg agacaacaaa cggggagggg gcacggaagg 1080
aactgggacc ttccacgggt aggggtgacag gaaaggatta ttttactcct ttaacgtagc 1140
gtaacagact catccacagt aagataagac cccccacccc accccgtcct gtcgttcccc 1200
ctcctaaccg ttctgtttat gtccgtacga cccctacgcc acccgagata ccgaagactc 1260
cgcttttctt ggtgcacccc gagatcccc atagggggtgc gcgggacatc gccgcgtaat 1320
tcgcgcgcgc cacaccacca atgcgcgtcg cactggcgat gtgaacggtc gcgggatcgc 1380
gggcgaggaa agcgaaagaa gggaaggaaa gagcgggtgca agcggccgaa aggggcagtt 1440
cgagatttag ccccgtaggg aaatcccaag gctaaatcac gaaatgccgt ggagctgggg 1500
tttttgaac taatcccat accaagtcca tcacccggta gcgggactat ctgccaaaaa 1560
gcgggaaact gcaacctcag gtgcaagaaa ttatcacctg agaacaaggt ttgaccttgt 1620
tgtgagttgg gatagagcca gataagaaaa ctaaaatttc cctaaaaccc ctaaagccgg 1680
ataaccaatt ttttactcga ctaaaattgt tttaaattgc gcttaattaa gacaccttac 1740
acacagtcaa ttttactcga ttcagggttc ctaggggtcc gtcgtcttcc atactgttgc 1800
tacgtagagt taatcagtcg ttggtccaca cctttcaggg gtccgagggg tcgtccgtct 1860
tcatacgttt cgtacgtaga gttaatcagt cgttggtatc agggcgggga ttgaggcggg 1920
tagggcgggg attgaggcgg gtcaaggcgg gtaagaggcg ggggtaccgac tgattaaaaa 1980
aaataaatac gtctccggct cgggcggaga cgggactcgc ataaggctct catcactccc 2040
ccgaaaaaac ctccggatcc ttcgagggcc taggtaaaag taggtaaaag 2100
cctagactag tcgtgcacaa ctgttaatta gtagccgtat catatagccg tatcatatta 2160
tgctgttcca ctcttgatt tgggtaccgg tcaactggtc acggcaaggc cacgagtggc 2220
gcgcgtgca ggcgcctcgc cagctcaaga cctggctggc cgagcccaag agggccctga 2280
agcacctcct gctgaagcgg ccacaccagg cctgctgca ctgggacaag tagtcgcgc 2340
aggtcctggg ccaccacggc ctgttggtgg accggacca caccacgcg ccggacctgc 2400
tcgacatgcg gtcaccagc ctccagcaca ggtgcttgaa ggccctgcgg aggcccgggc 2460
ggtactggct ctagccgctc gtcggcaccg ccgcctcaa gcgggacgcg ctgggcgggc 2520
cggtgacgca cgtgaagcac tccgtactgt tccgtactgt gcacgatgct ctaaaagctaa 2580
ggtggcgggc gaagatactt tccaaccgga agccttagca aaaggccctg cggccgacct 2640
actaggaggt cgcgccccta gagtacgacc tcaagaagcg ggtgggggtg aacaaataac 2700
gtcgaatatt accaatgttt atttcgttat cgtagtgttt aaagtgttta tttcgtaaaa 2760
aaagtacagt aagatcaaca ttgagtagtt ttagtagtgg acatagaata gtacagacat 2820
atggcagctg gagatcgatc tcgaaccgca ttagtaccag tatcgacaaa ggacacactt 2880
taacaatagg cgagtgttaa ggtgtgttgt atgctcgcc ttccgtattt acatttcgga 2940
ccccacgat tactcactcg attgagtgtg attaacgcaa cgcgagtgcg gggcgaaagg 3000
tcagcccttt ggacgacg gcgcacgtaa ggttgccgcg ggttgccgcg cctctcgcg 3060
caaacgcata acccgcgaga aggcgaagga gcgagtgcg gagcgacgcg agccagcaag 3120
ccgacgcccg tcgccatagt cgagtgcgtt tccgccatta tgccaatagg tgccttagtc 3180
ccctattgct tcctttcttg tacactcgtt ttccgggtcg tttccgggtc ttggcatttt 3240
tccggcgcaa aaggtatccg agggcggggg actgctcgta gtgttttttg 3300
ctgcgagttc agtctccacc gctttgggct gtcctgatat ttctatggtc cgcaaggggg 3360
gaccttcgag ggagcacgcg agaggacaag gctgggacgg cgaatggcct atggacaggc 3420

ggaaagaggg	aagcccttcg	caccgcgaaa	gagttacgag	tgcgacatcc	atagagtgca	3480
gccacatcca	gcaagcgagg	ttcgaccgga	cacacgtgct	tggggggcaa	gtcgggctgg	3540
cgacgcggaa	taggccattg	atagcagaac	tcagggtggg	ccattctgtg	ctgaatagcg	3600
gtgaccgtcg	tcgggtgacca	ttgtccta	cgtctcgctc	catacatccg	ccacgatgtc	3660
tcaagaactt	caccaccgga	ttgatgccga	tgtgatcttc	ctgtcataaa	ccatagacgc	3720
gagacgactt	cggtcaatgg	aagccttttt	ctcaaccatc	gagaactagg	ccgtttgttt	3780
ggtggcgacc	atcgccacca	aaaaaaciaa	cgttcgctcg	ctaattgcgcg	tctttttttc	3840
ctagagttct	tctaggaaac	tagaaaagat	gccccagact	gcgagtcacc	ttgcttttga	3900
gtgcaattcc	ctaaaaccag	tactctaata	gtttttccta	gaagtggatc	taggaaaatt	3960
taatttttac	ttcaaaattt	agttagattt	catatatact	catttgaacc	agactgtcaa	4020
tggttacgaa	ttagtcactc	cgtggataga	gtcgctagac	agataaagca	agtaggtatc	4080
aacggactga	ggggcagcac	atctattgat	gctatgccct	cccgaatggt	agaccggggg	4140
cacgacgtta	ctatggcgct	ctgggtgcga	gtggccgagg	tctaaatagt	cgttatttgg	4200
tcggtcgccg	ttcccggctc	gcgtcttcac	caggacgttg	aaataggcgg	aggtaggtca	4260
gataattaac	aacggccctt	cgatctcatt	catcaagcgg	tcaattatca	aacgcgttgc	4320
aacaacggta	acgatgtccg	tagcaccaca	gtgcgagcag	caaaccatac	cgaagtaagt	4380
cgaggccaag	ggttgctagt	tcggctcaat	gtactagggg	gtacaacacg	ttttttcgcc	4440
aatcgaggaa	gccaggaggc	tagcaacagt	cttcattcaa	ccggcgctac	aatagttagt	4500
accaataccg	tcgtgacgta	ttaagagaat	gacagtacgg	taggcattct	acgaaaagac	4560
actgaccact	catgagttgg	ttcagtaaga	ctcttatcac	atacgccgct	ggctcaacga	4620
gaacgggccc	cagttatgcc	ctattatggc	gcggtgtatc	gtcttgaaat	tttcacgagt	4680
agtaaccttt	tgcaagaagc	cccgtttttg	agagttccta	gaatggcgac	aactctaggt	4740
caagctacat	tgggtgagca	cgtgggttga	ctagaagtcg	tagaaaatga	aagtggctgc	4800
aaagaccac	tcgtttttgt	ccttcggttt	tacggcggtt	ttcccttat	tcccgtctgt	4860
cctttacaac	ttatgagtat	gagaaggaaa	aagttataat	aacttcgtaa	atagtcccaa	4920
taacagagta	ctcgctatg	tataaactta	cataaatctt	tttatttgtt	tatccccaag	4980
gcgcgtgtaa	aggggccttt	cacgggtggac	tgcag			5015

<210> 29

<211> 2352

<212> DNA

<213> fusion protein - human

<400> 29

atgctgcccc	gtttggcact	gctcctgctg	gccgcctgga	cggtctgggc	gctggaggta	60
cccactgatg	gtaatgctgg	cctgctggct	gaaccccaga	ttgccatggt	ctgtggcaga	120
ctgaacatgc	acatgaatgt	ccagaatggg	aagtgggatt	cgatccatc	agggaccaaa	180
acctgcattg	ataccaagga	aggcatcctg	cagtattgcc	aagaagtcta	ccctgaactg	240
cagatcacca	atgtggtaga	agccaaccaa	ccagtaccca	tccagaactg	gtgcaagcgg	300
ggccgcaagc	agtgcagac	ccatccccac	tttgtgattc	cctaccgctg	cttagttggt	360
gagtttataa	gtgatgccct	tctcgttcct	gacaagtgca	aattcttaca	ccaggagagg	420
atggatgttt	gcgaaactca	tcttcaactg	cacaccgtcg	ccaaagagac	atgcagttag	480
aagagtacca	acttgcattg	ctacggcatg	ttgctgccct	gcggaattga	caagttccga	540
ggggtagagt	ttgtgtgttg	cccactggct	gaagaaagtg	acaatgtgga	ttctgctgat	600
gcggaggagg	atgactcgga	tgtctggttg	ggcggagcag	acacagacta	tcagatggg	660
agtgaagaca	aagtagtga	agtagcagag	gaggaagaag	tggctgaggt	ggaagaagaa	720
gaagccgatg	atgacgagga	cgatgaggat	ggtgatgagg	tagaggaaga	ggctgaggaa	780
ccctacgaag	aagccacaga	gagaaccacc	agcattgcc	ccaccaccac	caccaccaca	840
gagtcctgtg	aagaggtggg	tcgagttcct	acaacagcag	ccagtacccc	tgatgccgtt	900
gacaagtatc	tcgagacacc	tggggatgag	aatgaacatg	cccattttcca	gaaagccaaa	960
gagaggcttg	aggccaagca	ccgagagaga	atgtcccagg	tcatgagaga	atgggaagag	1020
gcagaacgtc	aagcaaagaa	cttgccctaaa	gctgataaga	aggcagttat	ccagcatttc	1080
caggagaaag	tgggaatctt	ggaacaggaa	gcagccaacg	agagacagca	gctgggtggg	1140
acacacatgg	ccagagtgg	agccatgctc	aatgaccgcc	gccgcctggc	cctggagaac	1200
tacatcaccc	ctctgcaggg	tgttcctcct	cgccctcgct	acgtgttcaa	tatgctaaag	1260
aagtatgtcc	gcgcagaaca	gaaggacaga	cagcacaccc	taaagcattt	cgagcatgtg	1320
cgcatgggtg	atcccaagaa	agccgctcag	atccgggtccc	aggttatgac	acacctccgt	1380
gtgatttatg	agcgcatgaa	tcagtctctc	tccctgctct	acaacgtgcc	tcagtgggcc	1440
gaggagattc	aggatgaagt	tgatgagctg	cttcagaaag	agcaaaacta	ttcagatgac	1500
gtcttggcca	acatgattag	tgaaccaagg	atcagttacg	gaaacgatgc	tctcatgcca	1560

```

tctttgaccg aaacgaaaac caccgtggag ctcttcccg tgaatggaga gttcagcctg 1620
gacgatctcc agccgtggca ttcttttggg gctgactctg tgccagccaa cacagaaaac 1680
gaagttgagc ctgttgatgc ccgccctgct gccgaccgag gactgaccac tgcaccaggt 1740
tctgggttga caaatatcaa gacggaggag atctctgaag tgaactttga agtgggaattc 1800
cgacatgact caggatatga agttcatcat caaaaattgg tgttctttgc agaagatgtg 1860
ggttcaaaca aaggtgcaat cattggactc atgggtggcg gtgttgcat agcgacagtg 1920
atcgatcatca ccttggtgat gctgaagaag aaaaagcttg gtaccgagct cggatccact 1980
agtccagtgt ggtggaattc tgcagatatc ctggagccag tagatcctag actagagccc 2040
tggaagcatc caggaagtca gcctaaaact gcttgtacca attgctattg taaaaagtgt 2100
tgctttcatt gccaaagttt ttcatgaca aaagccttag gcatctocta tggcaggaag 2160
aagcggagac agcgacgaag agctcatcag aacagtcaga ctcatcaagc ttctctatca 2220
aagcagagga tatccagcac agtggcggcc gcagacgccg ctgtcacccc agaggagcgc 2280
cacctgtcca agatgcagca gaacggctac gaaaatccaa cctacaagtt ctttgagcag 2340
atgcagaact ag                                     2352

```

<210> 30

<211> 783

<212> PRT

<213> fusion protein - human

<400> 30

```

Met Leu Pro Gly Leu Ala Leu Leu Leu Leu Ala Ala Trp Thr Ala Arg
1      5      10
Ala Leu Glu Val Pro Thr Asp Gly Asn Ala Gly Leu Leu Ala Glu Pro
20     25     30
Gln Ile Ala Met Phe Cys Gly Arg Leu Asn Met His Met Asn Val Gln
35     40     45
Asn Gly Lys Trp Asp Ser Asp Pro Ser Gly Thr Lys Thr Cys Ile Asp
50     55     60
Thr Lys Glu Gly Ile Leu Gln Tyr Cys Gln Glu Val Tyr Pro Glu Leu
65     70     75     80
Gln Ile Thr Asn Val Val Glu Ala Asn Gln Pro Val Thr Ile Gln Asn
85     90     95
Trp Cys Lys Arg Gly Arg Lys Gln Cys Lys Thr His Pro His Phe Val
100    105    110
Ile Pro Tyr Arg Cys Leu Val Gly Glu Phe Ile Ser Asp Ala Leu Leu
115    120    125
Val Pro Asp Lys Cys Lys Phe Leu His Gln Glu Arg Met Asp Val Cys
130    135    140
Glu Thr His Leu His Trp His Thr Val Ala Lys Glu Thr Cys Ser Glu
145    150    155    160
Lys Ser Thr Asn Leu His Asp Tyr Gly Met Leu Leu Pro Cys Gly Ile
165    170    175
Asp Lys Phe Arg Gly Val Glu Phe Val Cys Cys Pro Leu Ala Glu Glu
180    185    190
Ser Asp Asn Val Asp Ser Ala Asp Ala Glu Glu Asp Asp Ser Asp Val
195    200    205
Trp Trp Gly Gly Ala Asp Thr Asp Tyr Ala Asp Gly Ser Glu Asp Lys
210    215    220
Val Val Glu Val Ala Glu Glu Glu Val Ala Glu Val Glu Glu Glu
225    230    235    240
Glu Ala Asp Asp Asp Glu Asp Asp Glu Asp Gly Asp Glu Val Glu Glu
245    250    255
Glu Ala Glu Glu Pro Tyr Glu Glu Ala Thr Glu Arg Thr Thr Ser Ile
260    265    270
Ala Thr Thr Thr Thr Thr Thr Thr Ser Val Glu Glu Val Val Arg
275    280    285
Val Pro Thr Thr Ala Ala Ser Thr Pro Asp Ala Val Asp Lys Tyr Leu
290    295    300
Glu Thr Pro Gly Asp Glu Asn Glu His Ala His Phe Gln Lys Ala Lys
305    310    315    320
Glu Arg Leu Glu Ala Lys His Arg Glu Arg Met Ser Gln Val Met Arg

```

WO 03/072041

PCT/US03/05458

[illegible]

WO 03/072041

PCT/US03/05458
PCT/US03/05458

<213> fusion protein - human

<400> 31

```

atgctgcccc gtttggcact gctcctgctg gccgcctgga cggctcgggc gctggaggtg 60
cccactgatg gtaatgctgg cctgctggct gaaccccaga ttgccatgtt ctgtggcaga 120
ctgaacatgc acatgaatgt ccagaatggg aagtgggatt cagatccatc agggaccaa 180
acctgcattg ataccaagga aggcattctg cagtattgcc aagaagtcta ccctgaactg 240
cagatcacca atgtggtaga agccaacca ccagtacca tccagaactg gtgcaagcgg 300
ggccgcaagc agtgcaagac ccatcccccac tttgtgattc cctaccgctg cttagtttgt 360
gagtttataa gtgatgccct tctcgttcct gacaagtgca aattcttaca ccaggagagg 420
atggatgttt gcgaaactca tcttacttgg cacaccgtcg ccaaagagac atgcagttag 480
aagagtacca acttgcattg ctacggcatg ttgctgccct gcggaattga caagttccga 540
ggggttagagt ttgtgtgttg cccactggct gaagaaagtg acaatgtgga ttctgctgat 600
gcggaggagg atgactcggg tgtctgttgg ggcgaggcag acacagacta tgcagatggg 660
agtgaagaca aagtagtaga agtagcagag gaggaagaag tggctgaggt ggaagaagaa 720
gaagccgatg atgacgagga cgatgaggat ggtgatgagg tagaggaaga ggctgaggaa 780
ccctacgaag aagccacaga gagaaccacc agcattgcca ccaccaccac caccaccata 840
gagtcctgtg aagagtggtg tctgattcct acaacagcag ccagtacccc tgatgccgtt 900
gacaagtatc tctgagacac tggggatgag aatgaacatg cccatttcca gaaagccaaa 960
gagaggcttg aggcgaagca ccgagagaga atgtcccagg tcatgagaga atgggaagag 1020
gcagaacgtc aagcaaagaa cttgcctaaa gctgataaga aggcagttat ccagcatttc 1080
caggagaagc ttggaatcttt ggaacaggaa gcagccaacg agagacagca gctgggtggg 1140
acacacatgg ccagagtggg agccatgctc aatgaccgcc gccgcctggc cctgggagaa 1200
tacatcaccc ctctgcaggc tgttcctcct cggcctcgtc acgtgttcaa tatgctaaag 1260
aagtatgtcc gcgcagaaca gaaggacaga cagcacaccc taaagcattt cgagcatgtg 1320
cgcatggttg atcccaagaa agccgctcag atccggtccc aggttatgac acacctccgt 1380
gtgatttatg agcgtgcaat tcagtctctc tccctgctct acaacgtgcc tgcagtggcc 1440
gaggagattc aggatgaagt tgatgagctg cttcagaaag agcaaaacta ttcagatgac 1500
gtcttggcca acatgattag tgaaccaagg atcagttacg gaaacgatgc tctcatgcca 1560
tctttgaccg aaacgaaaac caccgtggag ctcttccccc tgaatggaga gttcagcctg 1620
gacgatctcc agccgtggga ttcttttggg gctgactctg tgccagccaa cacagaaaac 1680
gaagttgagc ctgttgatgc ccgccctgct gccgaccgag gactgaccac tgcaccaggt 1740
tctgggttga caaatatcaa gacggaggag atctctgaag tgaactttga agtggaaattc 1800
cgacatgact caggatatga agttcatcat caaaaattgg tgttctttgc agaagatgtg 1860
ggttcaaaac agcggtagtg cttgggactc atgtgtggcg gtgtgtgcat agcgacagt 1920
atcgtcatca cttgtgtgat gctgaagaag aaaaagcttg gtaccgagct cggatccact 1980
agtccagtgt ggtggaattc tgcagatatc aagctactgt cttctatcga acaagcatgc 2040
gatatttgcc gacttaaaaa gctcaagtgc tccaaagaaa aaccgaagtg cgccaagtgt 2100
ctgaagaaca agcggtagtg tctgactctc cccaaaacca aaaggtctcc gctgactagg 2160
gcacatctga cagaagtggg atcaaggcta gaaagactgg aacagctatt tctactgatt 2220
tttctctgag aagaccttga catgattttg aaaaaggatt ctttacagga tataaaagca 2280
ttgttaacag gattatttgt acaagataat gtgaataaag atgccgtcac agatagattg 2340
gcttcagtgg agactgatg gcctctaaca ttgagacagc atagaataag tgcgacatca 2400
tcatcggaag agagtagtaa caaagggtcaa agacagttga ctgtatcggg aattccccgg 2460
gatctggccc ccccgaccga tgtcagcctg ggggacgagc tccacttaga cggcgaggac 2520
gtggcgatgg cgcatgccga cgcgctagac gatctcgatc tggacatgtt gggggacggg 2580
gattccccgg gtccgggatt tacccccac gactccgccc cctacggcgc tctggatatg 2640
gccgacttcg agtttgagca gatgtttacc gatgcccctt gaattgacga gtacgggtgg 2700
gatatccagc acagtggcgg ccgcgacgcc gctgtcacc cagaggagcg ccacctgtcc 2760
aagatgcagc agaacggcta cgaaaatcca acctacaagt tctttgagca gatgcagaa 2820
tag

```

<210> 32

<211> 941

<212> PRT

<213> fusion protein - human

<400> 32

```

Met Leu Pro Gly Leu Ala Leu Leu Leu Ala Ala Trp Thr Ala Arg
 1           5           10           15
Ala Leu Glu Val Pro Thr Asp Gly Asn Ala Gly Leu Leu Ala Glu Pro
 20           25           30

```

WO 03/072041

PCT/US03/05458
PCT/US03/05458

Gln	Ile	Ala	Met	Phe	Cys	Gly	Arg	Leu	Asn	Met	His	Met	Asn	Val	Gln
		35					40					45			
Asn	Gly	Lys	Trp	Asp	Ser	Asp	Pro	Ser	Gly	Thr	Lys	Thr	Cys	Ile	Asp
	50					55					60				
Thr	Lys	Glu	Gly	Ile	Leu	Gln	Tyr	Cys	Gln	Glu	Val	Tyr	Pro	Glu	Leu
	65				70					75					80
Gln	Ile	Thr	Asn	Val	Val	Glu	Ala	Asn	Gln	Pro	Val	Thr	Ile	Gln	Asn
			85						90					95	
Trp	Cys	Lys	Arg	Gly	Arg	Lys	Gln	Cys	Lys	Thr	His	Pro	His	Phe	Val
			100					105					110		
Ile	Pro	Tyr	Arg	Cys	Leu	Val	Gly	Glu	Phe	Ile	Ser	Asp	Ala	Leu	Leu
		115					120					125			
Val	Pro	Asp	Lys	Cys	Lys	Phe	Leu	His	Gln	Glu	Arg	Met	Asp	Val	Cys
	130					135						140			
Glu	Thr	His	Leu	His	Trp	His	Thr	Val	Ala	Lys	Glu	Thr	Cys	Ser	Glu
	145				150					155					160
Lys	Ser	Thr	Asn	Leu	His	Asp	Tyr	Gly	Met	Leu	Leu	Pro	Cys	Gly	Ile
			165						170					175	
Asp	Lys	Phe	Arg	Gly	Val	Glu	Phe	Val	Cys	Cys	Pro	Leu	Ala	Glu	Glu
			180					185					190		
Ser	Asp	Asn	Val	Asp	Ser	Ala	Asp	Ala	Glu	Glu	Asp	Asp	Ser	Asp	Val
		195					200					205			
Trp	Trp	Gly	Gly	Ala	Asp	Thr	Asp	Tyr	Ala	Asp	Gly	Ser	Glu	Asp	Lys
	210					215					220				
Val	Val	Glu	Val	Ala	Glu	Glu	Glu	Glu	Val	Ala	Glu	Val	Glu	Glu	Glu
	225				230					235					240
Glu	Ala	Asp	Asp	Asp	Glu	Asp	Asp	Glu	Asp	Gly	Asp	Glu	Val	Glu	Glu
			245					250						255	
Glu	Ala	Glu	Glu	Pro	Tyr	Glu	Glu	Ala	Thr	Glu	Arg	Thr	Thr	Ser	Ile
			260					265					270		
Ala	Thr	Thr	Thr	Thr	Thr	Thr	Thr	Glu	Ser	Val	Glu	Glu	Val	Val	Arg
		275					280					285			
Val	Pro	Thr	Thr	Ala	Ala	Ser	Thr	Pro	Asp	Ala	Val	Asp	Lys	Tyr	Leu
	290					295					300				
Glu	Thr	Pro	Gly	Asp	Glu	Asn	Glu	His	Ala	His	Phe	Gln	Lys	Ala	Lys
	305				310					315					320
Glu	Arg	Leu	Glu	Ala	Lys	His	Arg	Glu	Arg	Met	Ser	Gln	Val	Met	Arg
			325						330					335	
Glu	Trp	Glu	Glu	Ala	Glu	Arg	Gln	Ala	Lys	Asn	Leu	Pro	Lys	Ala	Asp
		340						345					350		
Lys	Lys	Ala	Val	Ile	Gln	His	Phe	Gln	Glu	Lys	Val	Glu	Ser	Leu	Glu
		355					360					365			
Gln	Glu	Ala	Ala	Asn	Glu	Arg	Gln	Gln	Leu	Val	Glu	Thr	His	Met	Ala
	370				375						380				
Arg	Val	Glu	Ala	Met	Leu	Asn	Asp	Arg	Arg	Arg	Leu	Ala	Leu	Glu	Asn
	385				390					395					400
Tyr	Ile	Thr	Ala	Leu	Gln	Ala	Val	Pro	Pro	Arg	Pro	Arg	His	Val	Phe
			405					410					415		
Asn	Met	Leu	Lys	Lys	Tyr	Val	Arg	Ala	Glu	Gln	Lys	Asp	Arg	Gln	His
		420						425					430		
Thr	Leu	Lys	His	Phe	Glu	His	Val	Arg	Met	Val	Asp	Pro	Lys	Lys	Ala
		435					440					445			
Ala	Gln	Ile	Arg	Ser	Gln	Val	Met	Thr	His	Leu	Arg	Val	Ile	Tyr	Glu
		450				455					460				
Arg	Met	Asn	Gln	Ser	Leu	Ser	Leu	Leu	Tyr	Asn	Val	Pro	Ala	Val	Ala
	465				470					475					480
Glu	Glu	Ile	Gln	Asp	Glu	Val	Asp	Glu	Leu	Leu	Gln	Lys	Glu	Gln	Asn
			485					490					495		
Tyr	Ser	Asp	Asp	Val	Leu	Ala	Asn	Met	Ile	Ser	Glu	Pro	Arg	Ile	Ser
		500						505					510		
Tyr	Gly	Asn	Asp	Ala	Leu	Met	Pro	Ser	Leu	Thr	Glu	Thr	Lys	Thr	Thr
		515					520					525			

Val Glu Leu Leu Pro Val Asn Gly Glu Phe Ser Leu Asp Asp Leu Gln
 530 535 540
 Pro Trp His Ser Phe Gly Ala Asp Ser Val Pro Ala Asn Thr Glu Asn
 545 550 555 560
 Glu Val Glu Pro Val Asp Ala Arg Pro Ala Ala Asp Arg Gly Leu Thr
 565 570 575
 Thr Arg Pro Gly Ser Gly Leu Thr Asn Ile Lys Thr Glu Glu Ile Ser
 580 585 590
 Glu Val Asn Phe Glu Val Glu Phe Arg His Asp Ser Gly Tyr Glu Val
 595 600 605
 His His Gln Lys Leu Val Phe Phe Ala Glu Asp Val Gly Ser Asn Lys
 610 615 620
 Gly Ala Ile Ile Gly Leu Met Val Gly Gly Val Ile Ala Thr Val
 625 630 635 640
 Ile Val Ile Thr Leu Val Met Leu Lys Lys Lys Lys Leu Gly Thr Glu
 645 650 655
 Leu Gly Ser Thr Ser Pro Val Trp Trp Asn Ser Ala Asp Ile Lys Leu
 660 665 670
 Leu Ser Ser Ile Glu Gln Ala Cys Asp Ile Cys Arg Leu Lys Lys Leu
 675 680 685
 Lys Cys Ser Lys Glu Lys Pro Lys Cys Ala Lys Cys Leu Lys Asn Asn
 690 695 700
 Trp Glu Cys Arg Tyr Ser Pro Lys Thr Lys Arg Ser Pro Leu Thr Arg
 705 710 715 720
 Ala His Leu Thr Glu Val Glu Ser Arg Leu Glu Arg Leu Glu Gln Leu
 725 730 735
 Phe Leu Leu Ile Phe Pro Arg Glu Asp Leu Asp Met Ile Leu Lys Met
 740 745 750
 Asp Ser Leu Gln Asp Ile Lys Ala Leu Leu Thr Gly Leu Phe Val Gln
 755 760 765
 Asp Asn Val Asn Lys Asp Ala Val Thr Asp Arg Leu Ala Ser Val Glu
 770 775 780
 Thr Asp Met Pro Leu Thr Leu Arg Gln His Arg Ile Ser Ala Thr Ser
 785 790 795 800
 Ser Ser Glu Glu Ser Ser Asn Lys Gly Gln Arg Gln Leu Thr Val Ser
 805 810 815
 Gly Ile Pro Gly Asp Leu Ala Pro Pro Thr Asp Val Ser Leu Gly Asp
 820 825 830
 Glu Leu His Leu Asp Gly Glu Asp Val Ala Met Ala His Ala Asp Ala
 835 840 845
 Leu Asp Asp Phe Asp Leu Asp Met Leu Gly Asp Gly Asp Ser Pro Gly
 850 855 860
 Pro Gly Phe Thr Pro His Asp Ser Ala Pro Tyr Gly Ala Leu Asp Met
 865 870 875 880
 Ala Asp Phe Glu Phe Glu Gln Met Phe Thr Asp Ala Leu Gly Ile Asp
 885 890 895
 Glu Tyr Gly Gly Asp Ile Gln His Ser Gly Ala Ala Ala Asp Ala Ala
 900 905 910
 Val Thr Pro Glu Glu Arg His Leu Ser Lys Met Gln Gln Asn Gly Tyr
 915 920 925
 Glu Asn Pro Thr Tyr Lys Phe Phe Glu Gln Met Gln Asn
 930 935 940

<210> 33
 <211> 63
 <212> PRT
 <213> human

<400> 33
 Glu Glu Ile Ser Glu Val Lys Met Asp Ala Glu Phe Arg His Asp Ser
 1 5 10 15

WO 03/072041

PCT/US03/05458
PCT/US03/05458

Gly Tyr Glu Val His His Gln Lys Leu Val Phe Phe Ala Glu Asp Val
 20 25 30
 Gly Ser Asn Lys Gly Ala Ile Ile Gly Leu Met Val Gly Gly Val Val
 35 40 45
 Ile Ala Thr Val Ile Val Ile Thr Leu Val Met Leu Lys Lys Lys
 50 55 60

<210> 34
 <211> 4
 <212> PRT
 <213> human

<400> 34
 Lys Met Asp Ala
 1

<210> 35
 <211> 7
 <212> PRT
 <213> human

<400> 35
 Gly Val Val Ile Ala Thr Val
 1 5

<210> 36
 <211> 63
 <212> PRT
 <213> human

<400> 36
 Glu Glu Ile Ser Glu Val Lys Met Asp Ala Glu Phe Arg His Asp Ser
 1 5 10 15
 Gly Tyr Glu Val His His Gln Val Leu Val Phe Phe Ala Glu Asp Val
 20 25 30
 Gly Ser Asn Lys Gly Ala Ile Ile Gly Leu Met Val Gly Gly Val Val
 35 40 45
 Ile Ala Thr Val Ile Val Ile Thr Leu Val Met Leu Lys Lys Lys
 50 55 60

<210> 37
 <211> 63
 <212> PRT
 <213> human

<400> 37
 Glu Glu Ile Ser Glu Val Asn Leu Asp Ala Glu Phe Arg His Asp Ser
 1 5 10 15
 Gly Tyr Glu Val His His Gln Val Leu Val Phe Phe Ala Glu Asp Val
 20 25 30
 Gly Ser Asn Lys Gly Ala Ile Ile Gly Leu Met Val Gly Gly Val Val
 35 40 45
 Ile Ala Thr Val Ile Val Ile Thr Leu Val Met Leu Lys Lys Lys
 50 55 60

<210> 38
 <211> 4

WO 03/072041

PCT/US03/05458
PCT/US03/05458

<212> PRT
<213> human

<400> 38
Asn Leu Asp Ala
1

<210> 39
<211> 63
<212> PRT
<213> human

<400> 39
Glu Glu Ile Ser Glu Val Asn Phe Glu Val Glu Phe Arg His Asp Ser
1 5 10 15
Gly Tyr Glu Val His His Gln Val Leu Val Phe Phe Ala Glu Asp Val
20 25 30
Gly Ser Asn Lys Gly Ala Ile Ile Gly Leu Met Val Gly Gly Val Val
35 40 45
Ile Ala Thr Val Ile Val Ile Thr Leu Val Met Leu Lys Lys Lys
50 55 60

<210> 40
<211> 4
<212> PRT
<213> human

<400> 40
Asn Phe Glu Val
1

<210> 41
<211> 5
<212> PRT
<213> human

<400> 41
Val Asn Phe Ala Val
1 5

<210> 42
<211> 5
<212> PRT
<213> human

<400> 42
Val Lys Val Asp Ala
1 5

<210> 43
<211> 5
<212> PRT
<213> human

<400> 43
Trp Lys Met Asp Ala
1 5

<210> 44
<211> 5
<212> PRT
<213> human

<400> 44
Val Lys Ala Asp Ala
1 5

<210> 45
<211> 5
<212> PRT
<213> human

<400> 45
Val Lys Lys Asp Ala
1 5

<210> 46
<211> 5
<212> PRT
<213> human

<400> 46
Val Lys Glu Asp Ala
1 5

<210> 47
<211> 5
<212> PRT
<213> human

<400> 47
Val Lys Ile Asp Ala
1 5

<210> 48
<211> 5
<212> PRT
<213> human

<400> 48
Val Lys Met Ile Ala
1 5

<210> 49
<211> 5
<212> PRT
<213> human

<400> 49
Val Lys Met Asn Ala
1 5

<210> 50
<211> 5
<212> PRT
<213> human

<400> 50
Val Lys Met Glu Ala
1 5

<210> 51
<211> 5
<212> PRT
<213> human

<400> 51
Val Lys Met Asp Glu
1 5

<210> 52
<211> 5
<212> PRT
<213> human

<400> 52
Val Lys Met Asp Lys
1 5

<210> 53
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> PCR primer

<400> 53
ggagaggata tcatggagcc agtagat

27

<210> 54
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> PCR primer

<400> 54
tacatggcgg ccgcctactt actgctttg

29

<210> 55
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> PCR primer

<400> 55
ggatgtgata tctttcttct tcagcatcac caagg

35

<210> 56
<211> 36
<212> DNA
<213> Artificial Sequence

<220>
<223> PCR Primer

<400> 56
ctgagatatc aagctactgt cttctatcga acaagc 36

<210> 57
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> PCR Primer

<400> 57
gcgcgatatc cccaccgtac tcgtcaattc c 31

<210> 58
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> PCR Primer

<400> 58
ctgctgtggc ggccgcctag ttctgcatct gctc 34

<210> 59
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> PCR Primer

<400> 59
tgccccgcgc ggccgcgcga tgctgcccg 30

<210> 60
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> PCR Primer

<400> 60
atggtgtggc ggccgcagac gccgtgtca cc 32

<210> 61
<211> 36
<212> DNA
<213> Artificial Sequence

<220>

<223> PCR Primer

<400> 61

agcgacaaag cttccccgog cagggtcgog atgctg

36

<210> 62

<211> 35

<212> DNA

<213> Artificial Sequence

<220>

<223> PCR Primer

<400> 62

ggatgtaagc tttttcttct tcagcatcac caagg

35

<210> 63

<211> 32

<212> DNA

<213> Artificial Sequence

<220>

<223> PCR Primer

<400> 63

tcagatatc ctggagccag tagatcctag ac

32

<210> 64

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> PCR Primer

<400> 64

gctggatatc ctctgctttg atagagaagc

30

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
4 September 2003 (04.09.2003)

PCT

(10) International Publication Number
WO 2003/072041 A3

(51) International Patent Classification:

C07H 21/02 (2006.01) C12N 1/20 (2006.01)
C12P 21/06 (2006.01) C12N 15/00 (2006.01)

East Lincoln Avenue, Rahway, NJ 07065-0907 (US).
ZUCK, Paul, D. [US/US]; 126 East Lincoln Avenue,
Rahway, NJ 07065-0907 (US).

(21) International Application Number:

PCT/US2003/005458

(74) Common Representative: MERCK & CO., INC.; 126
East Lincoln Avenue, Rahway, NJ 07065-0907 (US).

(22) International Filing Date:

23 February 2003 (23.02.2003)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/360,274 27 February 2002 (27.02.2002) US

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,
CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KR, KZ, LC, LK,
LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX,
MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG,
SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC,
VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ,
TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK,
EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT,
SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM,
GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(71) Applicant (*for all designated States except US*): MERCK
& CO., INC. [US/US]; 126 East Lincoln Avenue, Rahway,
NJ 07065-0907 (US).

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): ESPESETH, Amy,
S. [US/US]; 126 East Lincoln Avenue, Rahway, NJ
07065-0907 (US). FERRER, Marc [ES/US]; 126 East
Lincoln Avenue, Rahway, NJ 07065-0907 (US). FLORES,
Osvaldo, A. [CL/US]; 126 East Lincoln Avenue, Rahway,
NJ 07065-0907 (US). HAZUDA, Daria, J. [US/US];
126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US).
INGLESE, James [US/US]; 126 East Lincoln Avenue,
Rahway, NJ 07065-0907 (US). MILLER, Michael,
D. [US/US]; 126 East Lincoln Avenue, Rahway, NJ
07065-0907 (US). REGISTER, Bruce [US/US]; 126 East
Lincoln Avenue, Rahway, NJ 07065-0907 (US). SHI,
Xiao-Ping [US/US]; 126 East Lincoln Avenue, Rahway,
NJ 07065-0907 (US). SIMON, Adam, J. [US/US]; 126

Published:

- with international search report
- before the expiration of the time limit for amending the
claims and to be republished in the event of receipt of
amendments

(88) Date of publication of the international search report:
3 August 2006

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

(54) Title: ASSAYS TO MONITOR AMYLOID PRECURSOR PROTEIN PROCESSING

(57) Abstract: The present invention provides DNA constructs, genetically engineered host cells, and methods for identifying inhibitors of amyloid precursor protein (APP) processing. The methods provide for the convenient identification, in a single assay, of inhibitors of β -secretase and γ -secretase as well as other forms of APP processing. The methods rely on fusion proteins of APP and transcription factors in which APP processing releases the transcription factors, allowing the transcription factors to activate transcription of a reporter gene. Inhibitors are identified as substances that block or diminish transcription factor release from the fusion protein, thereby causing a diminution of reporter gene readout.

WO 2003/072041 A3

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US03/05458

A. CLASSIFICATION OF SUBJECT MATTER

IPC: C07H 21/02(2006.01);C12P 21/06(2006.01);C12N 1/20(2006.01),15/00(2006.01)

USPC: 536/23.1;435/69.1,252.3,320.1

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 536/23.1; 435/69.1, 252.3, 320.1

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5,811,633 A (Haseltine et al) 1 September 1998 (01.09.1998), nucleic acid encoding HIV-1Tat transcription factor and trans-activating activity.	1-16
A	US 5,877,015 A (Hardy et al) 2 March 1999 (02.03.1999), SEQ ID NO:4 discloses APP695.	1-16
A	US 5,811,063 (Wadsworth et al) 22 September 1998 (22.09.1998), see claims disclosure of APP695.	1-16

☐ Further documents are listed in the continuation of Box C.

☐ See patent family annex.

* Special categories of cited documents:	
"A" document defining the general state of the art which is not considered to be of particular relevance	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"E" earlier application or patent published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"O" document referring to an oral disclosure, use, exhibition or other means	"&" document member of the same patent family
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

20 March 2006 (20.03.2006)

Date of mailing of the international search report

01 JUN 2006

Name and mailing address of the ISA/US

Mail Stop PCT, Attn: ISA/US
Commissioner of Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Authorized officer

Janet Andres

Telephone No. 308-1235

Facsimile No. (571) 273-3201

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US03/05458

Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)

This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claim Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☐ Claim Nos.:
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
3. ☐ Claim Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of Item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:
Please See Continuation Sheet

1. ☐ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.: 1-16

Remark on Protest

☐
☐

The additional search fees were accompanied by the applicant's protest.

No protest accompanied the payment of additional search fees.

INTERNATIONAL SEARCH REPORT

PCT/US03/05458

BOX II. OBSERVATIONS WHERE UNITY OF INVENTION IS LACKING

This application contains the following inventions or groups of inventions which are not so linked as to form a single general inventive concept under PCT Rule 13.1. In order for all inventions to be examined, the appropriate additional examination fees must be paid.

Group 1 Claim(s) 1-16, drawn to a DNA molecule and method of identifying a substance that inhibits APP processing.

Group 2 Claim(s) 17-20, drawn to a method of identifying a substance that inhibits APP comprising a transcription factor fused to APP.

This application contains claims directed to more than one species of the generic invention. These species are deemed to lack unity of invention because they are not so linked as to form a single general inventive concept under PCT Rule 13.1. The species listed do not share a common structure or function.

The species are as follows:

The following claim(s) are generic:

Group 1, Claims 1, 4, 5, 6, 7, 13, 14, 15, 16, all APP species listed therein.

In order for more than one species to be examined, the appropriate additional examination fees must be paid.

Applicant is invited to select one species per generic claim listed per group elected. The inventions listed as Groups 1-2 do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons:

Group 1 is drawn to the special technical feature of a DNA molecule comprising APP695 fused to a transcription factor, which is not required by any of the other groups.

Group 2 is drawn to the special technical feature of a fusion protein comprising APP which is cleaved by both beta-secretase and gamma-secretase, which is not required by any of the other groups.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.